Nationwide House Energy Rating Scheme® NatHERS® Certificate No. #000000000-00

Generated on [date] using [software and version]

[other boilerplate text other boilerplate text]

Property

Address

Lot/DP NCC class* Floor/all Floors Type

00 Street. Suburb, State/Territory, Postcode] [number] [number] [dwelling entrance floor] of [total no. of floors] floors [new/renovation/existing]

Plans

Main plan Prepared by

[plan number, version & date] [name of preparer of plans]

Construction and environment

Assessed floor area [m²]* Conditioned* 000.0 Unconditioned' 0.0 0.0 Total Garage 0.0

Exposure type [exposure] NatHERS climate zone [number, town/suburb]



Accredited assessor

Name **Business name** Email Phone Accreditation No.

[assessor name] [business name] [email address] 10000 000 0001

Assessor Accrediting Organisation [name of Assessor Accrediting Organisation] Declaration of interest [declaration]

NCC Requirements

BCA provisions State/Territory variation [Volume 1/Volume 2] [Yes/No]

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at www.abcb.gov.au.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Refer to glossary

Generated on [date] using [software] for [address]

Thermal performance star rating

The more stars the more energy efficient NATIONWIDE ENERGY RATING SCHEME

107.9 MJ/m²

R

Predicted annual energy load for heating and cooling based on standard occupancy assumptions.

For more information on your dwelling's rating see: www.nathers.gov.au


Thermal performance [MJ/m²] Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled	0000.0	0000.0
Load limits	0000.0	0000.0
Eastures dete	rmining load	limite

atures determining load i

Floor type	[Type]
(lowest conditioned area)	
NCC climate zone 1 or 2	[Y/N/NA]
Outdoor living area	[Y/N/NA]
Outdoor living area ceiling fan	[Y/N/NA]

Whole of Home performance rating 60 out of 100



Verification

To verify this certificate, scan the QR code or visit [Hstar-dev. azurewebsites.net/QR/ Generate?p=MlalcPjqJ.] When using either link,

ensure you are visiting hstar-dev.azurewebsites.net



[#00000000-00] NatHERS Certificate

0.0 Star rating and 00 Whole of Home rating as of [Date]



Thermal performance rating

NatHERS thermal software models the expected heating and cooling energy loads using information about the design, construction, climate and common patterns of household use. The thermal performance rating (shown as a star rating on this Certificate) does not take into account appliances, apart from the airflow impacts from ceiling fans.

Whole of Home performance rating

NatHERS Whole of Home software uses the heating and cooling energy loads combined with the energy performance of the home's appliances (heating, cooling, hot water, lighting, pool/spa pump and onsite renewable energy generation and storage) and models the expected energy value* of the whole home. The Whole of Home performance rating is shown as a score out of 100 on this Certificate.

Heating & Cooling Load Limits

Additional information

In some locations under the NCC NatHERS pathway, separate heating and cooling load limits may apply. Minimum required star ratings in northern parts of Australia may also be affected by the presence or absence of an outdoor living area and/or an outdoor living area ceiling fan. Refer to the ABCB NatHERS heating and cooling load limits Standard 2022 for details or contact the relevant local building regulating authority, noting that State and Territory variations may also apply.

Setting options:

Floor type:

- CSOG Concrete Slab on Ground
- SF Suspended Floor (or a mixture of CSOG and SF) NA - Not Applicable

NCC climate Zone 1 or 2:

Yes

No

NA - not applicable

Outdoor living area:

Yes

No

NA - not applicable

Outdoor living area ceiling fan:

Yes

No

NA - not applicable

Predicted onsite renewable energy impact

Your Whole of Home energy use* rating excluding onsite renewable energy generation is [00] out of 100.


This home's annual greenhouse gas emissions: [0000]kg CO2e (with solar) [0000]kg CO2e (without solar)

Predicted annual electricity use: [0000] kWh Exported to the grid: [00]% Used by the home: [00]%


Predicted Whole of Home annual impact by appliance


Shows the contribution each appliance has on the home's annual energy use, greenhouse gas emissions and cost without solar.





Greenhouse gas emissions:





Graph Key:

Colour: Code: ΗE HG ΗW С HWE HWG Ρ PΔ CAE CAG SG SE

Name: Heating Heating Heating Cooling Hot water Hot water

Lights

Pool/Spa equipment Plug-in appliances Cooking appliances Cooking appliances Supply charge Supply charge

Fuel type: electric gas wood electric electric gas electric electric electric electric gas gas

electric



[#00000000-00] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



The checklist covers important items impacting the dwelling's ratings. If is recommended that the accuracy of the whole certificate is checked. If is recommended that the accuracy of the whole certificate is checked. Note: The boxes indicate when and who should check each item. If is not mandatory to complete this checklist. If is not mandatory to complete this checklist. Cenuine certificate name to the one available at the web address or QR code Image: Control of the one available at the web address or QR code Image: Control of the one available at the web address or QR code Does the NaHERS certificate number on the NaHERS-stamped plans match the number on the Certificate on the NaHERS extended our state of the Certificate on the NaHERS extended our state of the Certificate on the NaHERS extended our state of the Certificate our state of the Certificate of the one available of the Certificate of t	Certificate check	Approval	stage	Construct stage	tion	
Genuine certificate check Does this Certificate match the one available at the web address or QR code	The checklist covers important items impacting the dwelling's ratings. It is recommended that the accuracy of the whole certificate is checked.	ssor checked	ent authority/ syor checked	er checked	ent authority/ syor checked	pancy/other
Does this Certificate match the one available at the web address or QR code	It is not mandatory to complete this checklist.	Asse	Cons surve	Build	Cons surve	Occu
verification link on the front page?	Genuine certificate check					
number on this Certificate?						
Windows and glazed doors Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in 'Window and glazed door schedule' and 'Roof window schedule' tables on this Certificate? □ □						
Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in <i>Window and glazed door</i> schedule' and <i>Roof window schedule'</i> tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Does the external walls Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>External wall</i> type table on this Certificate? Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>Floor type</i> 'table on this certificate? Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>Floor type</i> 'table on this certificate? Image: Control of the substitution table to the substitution table to the certificate? Ceiling penetrations* Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Image: Control of the control of the Ceiling type' table on this Certificate? Does the quantity and type' of ceilling penetrations* (e.g. downlights, exhaust fans, e	Thermal performance check	1	1		1	
stamped plans or as installed match what is shown in 'Window and glazed door	Windows and glazed doors					
SHGC' and U-values') as shown in the 'Window and glazed door type and performance' and 'Roof window type and performance' tables on this Certificate? External walls Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this Certificate? Does the external wall shade (colour) match what is shown in the 'External wall Certificate? Does the external wall shade (colour) match what is shown in the 'External wall type table on this Certificate? Does the external walls in (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling penetrations 'table on this Certificate? Ceiling penetrations' table on this Certificate? Ceiling penetrations is to the 'Ceiling type' table on this Certificate? Ceiling benetrations is to the 'Ceiling type' table on this Certificate? Ceiling Penetrations is the 'Roof type' table on this Certificate? Ceiling the 'Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed door" between the modelled dwelling and a shared space, such as an enclosed coridor or forger; should not be included in the assessment checause it overstates the possible vertilitation) and would invalidate<td>stamped plans or as installed match what is shown in 'Window and glazed door</td><td></td><td></td><td></td><td></td><td></td>	stamped plans or as installed match what is shown in 'Window and glazed door					
Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this certificate? Does the external wall shade (colour) match what is shown in the 'External wall pype table on this certificate? Does the external wall shade (colour) match what is shown in the 'External wall pype table on this certificate? Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the cilling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate	SHGC* and U-values*) as shown in the 'Window and glazed door type and					
plans or as installed match what is shown in the External wall type table on this Certificate? Does the external wall shade (colour) match what is shown in the 'External wall' poes the external wall shade (colour) match what is shown in the 'External wall' poes the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	External walls					
type ' table on this Certificate? L L Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	plans or as installed match what is shown in the External wall type table on this					
Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? □ □ □	Does the external wall shade (colour) match what is shown in the <i>'External wall type'</i> table on this Certificate?					
installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Floor					
Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? □ □ □						
fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external coors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Ceiling penetrations*					
Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? □ □	fans, etc) shown on the NatHERS-stamped plans or as installed match what is					
installed match what is shown in the 'Ceiling type' table on this Certificate? Image: Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Image: Ceiling type' table on this Certificate? Apartment entrance doors (NCC Class 2 assessments only) Image: Ceiling type' table on the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate Image: Ceiling type' table on the modelled transmitted to the transm	Ceiling					
Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Image: Image: I						
installed match what is shown in the 'Roof type' table on this Certificate? Image: Certificate? Image: Certificate? Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate		1	1	1	1	
Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate						
Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Apartment entrance doors (NCC Class 2 assessments only)	1	1	1		
the Certificate.	Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the					
Exposure*	Exposure*					
Has the appropriate exposure type (terrain) (shown on page 1) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".	example, it is unlikely that a ground-floor apartment is "exposed" or a top floor					
Heating and cooling load limits*	Heating and cooling load limits*					
Do the load limits settings (shown on page 1) match the values in the ABCB Standard 2022: NAtHERS heating and cooling load limits for the appropriate climate zone?	Standard 2022: NAtHERS heating and cooling load limits for the appropriate					

	Approval stage		Construction stage		
Certificate check	Assessor checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
Additional NCC requirements for thermal performance (not included	in the Na	tHERS a	ssessme	nt)	
Thermal bridging					
Does the dwelling meet the NCC requirement for thermal bridging?					
Insulation installation method					
Has the insulation been installed according to the NCC requirements?					
Building sealing					
Does the dwelling meet the NCC requirements for Building Sealing?					
Whole of Home performance check (not applicable if a Whole of Home perf	ormance a	ssessmen	t is not con	ducted)	
Appliances					
Does the cooling appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the Appliance schedule on this Certificate?					
Does the heating appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or installed, match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the hot water system type and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the pool pump efficiency/performance shown on the NatHERS-stamped plans or as installed match the minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the onsite renewable energy system type, orientation and system size or generation capacity shown on the NatHERS stamped plans or installed match the <i>'Onsite Renewable Energy schedule'</i> on this Certificate?					
Additional NCC Requirements for Services (not included in the NatH	ERS ass	essment)		1	
Does the lighting meet the artificial lighting requirements specified in the NCC?					
Does the hot water system meet the additional requirements specified in the NCC?					
Provisional values* check					
Have provisional values* been used in the assessment and, if so, are they noted in ' <i>Additional notes</i> ' table below?					
Other NCC requirements					
Note: This Certificate only covers the energy efficiency requirements in the NCC. Ad include, but are not limited to: condensation, structural and fire safety requirements energy efficiency requirements.	dditional re and any st	quirement ate or terr	s that must tory variation	also be sat ons to the N	tisfied VCC

[#00000000000] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



Room schedule

Room	Zone Type	Area [m ²]

Window and glazed door type and performance

	Window	Maximum		Substitution t	olerance ranges
Window ID	description	U-value*	SHGC*	SHGC lower limit	SHGC upper limit
Custom windows*				Substitution t	olerance ranges
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	SHGC upper limit

Window and glazed door schedule

Location	Window ID	Window no.	Height [mm]	Width [mm]	Window type	Opening %	Orientation	Window shading device*

Roof window* type and performance value

Default* roof w	vindows	Substitution tolerance ranges			
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	SHGC upper limit
	windows				
Custom* roof v Window	Windows	Maximum		Substitution to	olerance ranges

[#00000000-00] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]

NATIONWIDE HOUSE DEEUT KANG SERVE @

Roof wi	ndow* sc	hedule						
Location	Window ID	Window No.	Opening %	Height [mm]	Width [mm]	Orientatio	Outdon shade	
Skylight	t* type and	d performa	nce					
Skylight ID			Skylight des	cription		Skylight shaft reflectance		
Skylight	t* <i>Schedul</i> Skylight	C Skylight	Skyligh shaft le				Outdoor	
Location	ID	No.	[mm]	[m²]		Orientation	shade	Diffuser
Externa	l door scl	hedule						
Location	Heigl	ht [mm]	Width [m	m] Oper	ning %	Orientation		
Externa	l wall type	e						
Wall ID	Wall type		Solar absorpta		shade our]	Bulk inst [R-value]		Reflective wall wrap*
Externa	l wall sch	edule						
	Wall	Heigh	t Widt	'n			al shading naximum n [mm]	Vertical shading feature*

[#00000000-00]	NatHERS Certificate	0.0 Star rating	.0 Star rating and 00 Whole of Home rating as of [Date]				
Internal wa	all type						
Wall ID	Wall type	Area [m²]	Bulk insulation				
Floor type	Construction	Area [m²]	Sub-floor ventilation	Added insulation [R-value]	Covering		
Ceiling typ	e						
Location	Construction material/type	Bulk insulation R-value [may include edge batt values]		Reflective wrap*			
Ceiling per	netrations*						
Location	Quantity	Туре	Diameter [mm ²]	Sealed/unsealed			
Ceiling fan	S						
Location	Quantity		Diameter [mm]				
Roof type							

Thermal bridging schedule for steel frame elements

Building element	Steel section dimensions [height x width, mm]	Frame spacing [mm]	Steel thickness [BMT,mm]	Thermal break [R-value]

[#00000000-00] NatHERS Certificate 0.0 Star rating

0.0 Star rating and 00 Whole of Home rating as of [Date]



Appliance schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

Note: A flat assumption of 5W/m² is used for lighting, therefore lighting is not included in the appliance schedule.

Cooling system

Appliance/ system type	Location	Fuel type	Minimum efficiency/ performance	Recommended capacity
Ducted refrigerative air conditioning (heat pump)	Kitchen/Dining/Living	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 1	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 2	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 3	Electric	00	00

Heating system

Appliance/ system type	Location	Fuel type	Minimum efficiency/ performance	Recommended capacity
Ducted reverse cycle air-conditioner (heat pump)	Kitchen/Dining/Living	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 1	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 2	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 3	Electric	00	00

Hot water system

		Minimum	Substitution tolerance ranges		1	
Appliance/ system type	Fuel type	efficiency/ performance	Zone 3 STC lower limit	Zone 3 STC upper limit	Assessed daily load	
Gas instantaneous	Gas	0 star	N/A		120L	
Gas boosted solar thermal	Solar-gas	30 STCs Zone 4	22	31 (Medium)	120L	

Pool/spa equipment

Appliance/ system type	Fuel type	Minimum efficiency/ performance	Recommended capacity
Single speed pressure cleaner with main filtration	Electric	00	00

[#0000000000] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



Onsite renewable energy *schedule*

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Orientation	System size or generation capacity
Solar PV	NW	0 kW

Battery schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Size [battery storage capacity]
Lithium-ion	0 kWh

[#00000000-00] NatHERS Certificate

0.0 Star rating and 00 Whole of Home rating as of [Date]



Explanatory notes

About this report

NatHERS ratings are a reliable guide for comparing different dwelling designs and to demonstrate that designs meet the energy efficiency requirements in the National Construction Code.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the heating and cooling energy loads and energy value* of the whole home. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy generation and storage to estimate the homes energy value*.

The actual energy loads, cost and greenhouse gas emissions of a home may vary from that predicted. This is because the assumptions will not always match the actual occupant usage patterns. For example, the number of occupants and how people use their appliances will vary.

Energy efficient homes use less energy, are warmer on cool days, cooler on hot days and cost less to run.

Accredited assessors

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and

Glossary

are not quality assured.

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy load, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the assessor.

Annual energy load	the predicted amount of energy required for heating and cooling, based on standard occupancy assumptions.
AFRC	Australian Fenestration Rating Council
Assessed floor area	the floor area modelled in the software for the purpose of the NatHERS assessment. Note, this may not be consistent with the floor area in the design documents.
Ceiling penetrations	features that require a penetration to the ceiling, including downlights, vents, exhaust fans, range hoods, chimneys and flues. Excludes fixtures attached to the ceiling wit small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating and cooling ducts.
Conditioned	a zone within a dwelling that is expected to require heating and cooling based on standard occupancy assumptions. In some circumstances it will include garages.
COP	Coefficient of performance
Custom windows	windows listed in NatHERS software that are available on the market in Australia and have a WERS (Window Energy Rating Scheme) rating.
Default windows	windows that are representative of a specific type of window product and whose properties have been derived by statistical methods.
EER	Energy Efficiency Ratio, measure of how much cooling can be achieved by an air conditioner for a single kWh of electricity input
Energy use	This is your homes rating without solar or batteries.
Energy value	The net cost to society including, but not limited to, costs to the building user, the environment and energy networks (as defined in the ABCB Housing Provisions Standard).
Entrance door	these signify ventilation benefits in the modelling software and must not be modelled as a door when opening to a minimally ventilated corridor in a Class 2 building.
Exposure	see exposure categories below.
Exposure category – exposed	terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed high-rise unit (usually above 10 floors).
Exposure category – open	terrain with few obstructions at a similar height e.g. grasslands with few well scattered obstructions below 10m, farmland with scattered sheds, lightly vegetated bush blocks, elevated units (e.g. above 3 floors).
Exposure category – suburban	terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing, heavily vegetated bushland areas.
Exposure category – protected	terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial areas.
Horizontal shading feature	provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergolas, carports, or overhangs or balconies from upper levels.
National Construction Code (NCC) Class	the NCC groups buildings by their function and use, and assigns a classification code. NatHERS software models NCC Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found at www.abcb.gov.au.
Net zero home	a home that achieves a net zero energy value*.
Opening percentage	the openability percentage or operable (moveable) area of doors or windows that is used in ventilation calculations.
Provisional value	an assumed value that does not represent an actual value. For example, if the wall colour is unspecified in the documentation, a provisional value of 'medium' must be modelled. Acceptable provisional values are outlined in the NatHERS Technical Note and can be found at www.nathers.gov.au
Recommended capacity	this is the capacity or size of equipment that is recommended by NatHERS to achieve the desired comfort conditions in the zone or zones serviced. This is a recommendation and the final selection sizing should be confirmed by a suitably qualified person.
Reflective wrap (also known as foil)	can be applied to walls, roofs and ceilings. When combined with an appropriate air gap and emissivity value, it provides insulative properties.
Roof window	for NatHERS this is typically an operable window (i.e. can be opened), will have a plaster or similar light well if there is an attic space, and generally does not have a diffuser.
Shading features	includes neighbouring buildings, fences, and wing walls, but excludes eaves.
Solar heat gain coefficient (SHGC)	the fraction of incident solar radiation admitted through a window, both directly transmitted as well as absorbed and subsequently released inward. SHGC is expressed a a number between 0 and 1. The lower a window's SHGC, the less solar heat it transmits.
Skylight (also known as roof lights)	for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) and a diffuser at ceiling level.
STCs	Small-scale Technology Certificates, certificates created by the REC registry for renewable energy technologies that may be bought and sold as part of the Small-scale Renewable Energy Scheme operated by the Clean Energy Regulatory
Thermal breaks	are materials with an R-value greater than or equal to 0.2 that must separate the metal frame from the cladding. This includes, but is not limited to, materials such as timber battens greater than or equal to 20mm thick, continuous thermal breaks such as polystyrene insulation sheeting, plastic strips or furring channels.
U-value	the rate of heat transfer through a window. The lower the U-value, the better the insulating ability.
Unconditioned	a zone within a dwelling that is assumed to not require heating and cooling based on standard occupancy assumptions.
Vertical shading features	provides shading to the building in the vertical plane and can be parallel or perpendicular to the subject wall/window. Includes privacy screens, other walls in the building (wing walls), fences, other buildings, vegetation (protected or listed heritage trees).
Window shading device	a device fixed to windows that provides shading e.g. window awnings or screens but excludes horizontal* or vertical shading features* (eq eaves and balconies)

* Refer to glossary.

Nationwide House Energy Rating Scheme® NatHERS® Certificate No. #000000000-00

Generated on [date] using [software and version]

[other boilerplate text other boilerplate text other boilerplate text other boilerplate text other boilerplate text]

Property

Address

Lot/DP NCC class* Floor/all Floors Type [00 Street, Suburb, State/Territory, Postcode] [number] [number] [dwelling entrance floor] of [total no. of floors] floors [new/renovation/existing]

Plans

Main plan Prepared by [plan number, version & date] [name of preparer of plans]

Construction and environment

Assessed floor area [m²]*Conditioned*000.0Unconditioned*0.0Total0.0Garage0.0

Exposure type [exposure] NatHERS climate zone [number, town/suburb]



Accredited assessor

Name Business name Email Phone Accreditation No. [assessor name] [business name] [email address] [00 0000 0000] [0000 000 000]

Assessor Accrediting Organisation [name of Assessor Accrediting Organisation] Declaration of interest [declaration]

NCC Requirements

BCA provisions State/Territory variation [Volume 1/Volume 2] [Yes/No]

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

* Refer to glossary.

Generated on [date] using [software] for [address]

Thermal performance star rating



NATIONWIDE HOUSE ENERGY RATING SCHEME

R

YYYY.Y MJ/m²

Predicted annual energy load for heating and cooling based on standard occupancy assumptions.

> For more information on your dwelling's rating see: www.nathers.gov.au

Thermal performance [MJ/m²] Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled	0000.0	0000.0
Load limits	0.0000	0000.0

Features determining load limits

Floor type	[Type]
(lowest conditioned area)	
NCC climate zone 1 or 2	[Y/N/NA]
Outdoor living area	[Y/N/NA]
Outdoor living area ceiling fan	[Y/N/NA]

Whole of Home performance rating

No Whole of Home performance rating generated for this certificate.

Verification

To verify this certificate, scan the QR code or visit [Hstar-dev. azurewebsites.net/QR/ Generate?p=MlalcPjqJ.] When using either link, ensure you are visiting

ensure you are visiting hstar-dev.azurewebsites.net



[#000000000-00] NatHERS Certificate



About the ratings

Thermal performance rating

NatHERS thermal software models the expected heating and cooling energy loads using information about the design, construction, climate and common patterns of household use. The thermal performance rating (shown as a star rating on this Certificate) does not take into account appliances, apart from the airflow impacts from ceiling fans.

Whole of Home performance rating

NatHERS Whole of Home software uses the heating and cooling energy loads combined with the energy performance of the home's appliances (heating, cooling, hot water, lighting, pool/spa pump and onsite renewable energy generation and storage) and models the expected energy value* of the whole home. The Whole of Home performance rating is shown as a score out of 100 on this Certificate.

Heating & Cooling Load Limits

Additional information

In some locations under the NCC NatHERS pathway, separate heating and cooling load limits may apply. Minimum required star ratings in northern parts of Australia may also be affected by the presence or absence of an outdoor living area and/or an outdoor living area ceiling fan. Refer to the ABCB NatHERS heating and cooling load limits Standard 2022 for details or contact the relevant local building regulating authority, noting that State and Territory variations may also apply.

Setting options:

Floor type:

- CSOG Concrete Slab on Ground
- SF Suspended Floor (or a mixture of CSOG and SF) NA Not Applicable

NCC climate Zone 1 or 2:

- Yes
- No

NA – not applicable

Outdoor living area:

Yes

No

NA – not applicable

Outdoor living area ceiling fan:

- Yes
- No

NA - not applicable

Predicted onsite renewable energy impact

No Whole of Home performance assessment conducted for this certificate.

Predicted Whole of Home annual impact by appliance

Shows the contribution each appliance has on the home's annual energy use, greenhouse gas emissions and cost without solar.

Energy use:



Greenhouse gas emissions:



Cost:



[#00000000-00] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



The checklist covers important items impacting the dwelling's ratings. If is recommended that the accuracy of the whole certificate is checked. If is recommended that the accuracy of the whole certificate is checked. Note: The boxes indicate when and who should check each item. If is not mandatory to complete this checklist. If is not mandatory to complete this checklist. Cenuine certificate name to the one available at the web address or QR code Image: Control of the one available at the web address or QR code Image: Control of the one available at the web address or QR code Does the NaHERS certificate number on the NaHERS-stamped plans match the number on the Certificate on the NaHERS extended our state of the Certificate on the NaHERS extended our state of the Certificate on the NaHERS extended our state of the Certificate our state of the Certificate of the one available of the Certificate of t	Certificate check	Approval	stage	Construct stage	tion	
Genuine certificate check Does this Certificate match the one available at the web address or QR code	The checklist covers important items impacting the dwelling's ratings. It is recommended that the accuracy of the whole certificate is checked.	ssor checked	ent authority/ syor checked	er checked	ent authority/ syor checked	pancy/other
Does this Certificate match the one available at the web address or QR code	It is not mandatory to complete this checklist.	Asse	Cons surve	Build	Cons surve	Occu
verification link on the front page?	Genuine certificate check					
number on this Certificate?						
Windows and glazed doors Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in 'Window and glazed door schedule' and 'Roof window schedule' tables on this Certificate? □ □						
Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in <i>Window and glazed door</i> schedule' and <i>Roof window schedule'</i> tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Image: Control of the substitution to be ances (AFRC' based SHGC' and U-values') as shown in the <i>Window and glazed door</i> type and performance' tables on this Certificate? Does the external walls Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>External wall</i> type table on this Certificate? Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>Floor type</i> 'table on this certificate? Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>Floor type</i> 'table on this certificate? Image: Control of the substitution table to the substitution table to the certificate? Ceiling penetrations* Image: Control of the substitution (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Image: Control of the control of the Ceiling type' table on this Certificate? Does the quantity and type' of ceilling penetrations* (e.g. downlights, exhaust fans, e	Thermal performance check	1	1		1	
stamped plans or as installed match what is shown in 'Window and glazed door	Windows and glazed doors					
SHGC' and U-values') as shown in the 'Window and glazed door type and performance' and 'Roof window type and performance' tables on this Certificate? External walls Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this Certificate? Does the external wall shade (colour) match what is shown in the 'External wall Certificate? Does the external wall shade (colour) match what is shown in the 'External wall type table on this Certificate? Does the external walls in (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling penetrations 'table on this Certificate? Ceiling penetrations' table on this Certificate? Ceiling penetrations is to the 'Ceiling type' table on this Certificate? Ceiling benetrations is to the 'Ceiling type' table on this Certificate? Ceiling Penetrations is the 'Roof type' table on this Certificate? Ceiling the 'Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed door" between the modelled dwelling and a shared space, such as an enclosed coridor or forger; should not be included in the assessment checause it overstates the possible vertilitation) and would invalidate<td>stamped plans or as installed match what is shown in 'Window and glazed door</td><td></td><td></td><td></td><td></td><td></td>	stamped plans or as installed match what is shown in 'Window and glazed door					
Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this certificate? Does the external wall shade (colour) match what is shown in the 'External wall pype table on this certificate? Does the external wall shade (colour) match what is shown in the 'External wall pype table on this certificate? Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the cilling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the 'quantity' and 'type' of ceiling penetrations' (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate	SHGC* and U-values*) as shown in the 'Window and glazed door type and					
plans or as installed match what is shown in the External wall type table on this Certificate? Does the external wall shade (colour) match what is shown in the 'External wall' poes the external wall shade (colour) match what is shown in the 'External wall' poes the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	External walls					
type ' table on this Certificate? L L Floor Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	plans or as installed match what is shown in the External wall type table on this					
Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Floor type' table on this certificate? □ □ □	Does the external wall shade (colour) match what is shown in the <i>'External wall type'</i> table on this Certificate?					
installed match what is shown in the 'Floor type' table on this certificate? Ceiling penetrations* Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Floor					
Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? □ □ □						
fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Certificate? Ceiling Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Does the external coors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Ceiling penetrations*					
Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling type' table on this Certificate? □ □	fans, etc) shown on the NatHERS-stamped plans or as installed match what is					
installed match what is shown in the 'Ceiling type' table on this Certificate? Image: Ceiling type' table on this Certificate? Roof Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Image: Ceiling type' table on this Certificate? Apartment entrance doors (NCC Class 2 assessments only) Image: Ceiling type' table on the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate Image: Ceiling type' table on the modelled transmitted to the transm	Ceiling					
Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate? Image: Image: I						
installed match what is shown in the 'Roof type' table on this Certificate? Image: Certificate? Image: Certificate? Apartment entrance doors (NCC Class 2 assessments only) Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate		1	1	1	1	
Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate						
Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate	Apartment entrance doors (NCC Class 2 assessments only)	1	1	1		
the Certificate.	Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the					
Exposure*	Exposure*					
Has the appropriate exposure type (terrain) (shown on page 1) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".	example, it is unlikely that a ground-floor apartment is "exposed" or a top floor					
Heating and cooling load limits*	Heating and cooling load limits*					
Do the load limits settings (shown on page 1) match the values in the ABCB Standard 2022: NAtHERS heating and cooling load limits for the appropriate climate zone?	Standard 2022: NAtHERS heating and cooling load limits for the appropriate					

	Approval	Approval stage		Construction stage	
Certificate check	Assessor checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
Additional NCC requirements for thermal performance (not included	in the Na	tHERS a	ssessme	nt)	
Thermal bridging					
Does the dwelling meet the NCC requirement for thermal bridging?					
Insulation installation method					
Has the insulation been installed according to the NCC requirements?					
Building sealing					
Does the dwelling meet the NCC requirements for Building Sealing?					
Whole of Home performance check (not applicable if a Whole of Home perf	ormance a	ssessmen	t is not con	ducted)	
Appliances					
Does the cooling appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the Appliance schedule on this Certificate?					
Does the heating appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or installed, match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the hot water system type and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the pool pump efficiency/performance shown on the NatHERS-stamped plans or as installed match the minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Certificate?					
Does the onsite renewable energy system type, orientation and system size or generation capacity shown on the NatHERS stamped plans or installed match the <i>'Onsite Renewable Energy schedule'</i> on this Certificate?					
Additional NCC Requirements for Services (not included in the NatH	ERS ass	essment)		1	
Does the lighting meet the artificial lighting requirements specified in the NCC?					
Does the hot water system meet the additional requirements specified in the NCC?					
Provisional values* check					
Have provisional values* been used in the assessment and, if so, are they noted in ' <i>Additional notes</i> ' table below?					
Other NCC requirements					
Note: This Certificate only covers the energy efficiency requirements in the NCC. Ad include, but are not limited to: condensation, structural and fire safety requirements energy efficiency requirements.	dditional re and any st	quirement ate or terr	s that must tory variation	also be sat ons to the N	tisfied VCC

[#0000000000] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



Room schedule

Room	Zone Type	Area [m²]

Window and glazed door type and performance

,	Window	Maximum		Substitution tolerance ran			
Window ID	description	U-value*	SHGC*	SHGC lower limit	SHGC upper limit		
Custom windows*							
	Window	Maximum		Substitution t	olerance ranges		
	description	U-value*	SHGC*	SHGC lower limit	SHGC upper limit		

Window and glazed door schedule

Location	Window ID	Window no.	Height [mm]	Width [mm]	Window type	Opening %	Orientation	Window shading device*

Roof window* type and performance value

Default* roof w	indows	Substitution tolerance ranges			
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	SHGC upper limi
Custom* roof v	vindows				
Custom* roof v Window	vindows Window	Maximum		Substitution to	olerance ranges

[#0000000000] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]

Roof window* schedule

Location	Window ID	Window No.	Opening %	Height Wi [mm] [m	dth m] Orientati	Outdoo on shade	r Indoor shade
Skylight	t* type an	d performa	nce				
Skylight ID			Skylight descri	ption	Skylight	shaft reflectar	nce
Skylight	t* schedu	le					
Location	Skylight ID	Skylight No.	Skylight shaft leng [mm]	th Area [m²]	Orientation	Outdoor shade	Diffuser
Externa	l door scl	hedule					
Location	Heig	ht [mm]	Width [mm]	Opening %	,	Orientation	
Externa	I wall type	9					
Wall ID	Wall type		Solar absorptance	Wall shade e [colour]	e Bulk inst [R-value]		eflective all wrap*
Externa	l wall sch	edule					
Location	Wall ID	Heigh [mm]		Orientatio	feature*		ertical shadi eature [yes/n



[#000000000-00] NatHERS Certificate		0.0 Star rating and 00 Whole of Home rating as of [Date]				
Internal wa	all type					
Wall ID	Wall type	Area [m²]	Bulk insulation			
Floor type	Construction	Area [m²]	Sub-floor ventilation	Added insulation [R-value)	Covering	
Ceiling typ	e					
Location	Construction material/type	Bulk insulati (may include	on R-value edge batt values)	Reflective wrap*		
Ceiling per	netrations*					
Location	Quantity	Туре	Diameter [mm ²]	Sealed/unsealed		
Ceiling fan	S					
Location	Quantity		Diameter [mm]			
Roof type						

Thermal bridging schedule for steel frame elements

Building element	Steel section dimensions [height x width, mm]	Frame spacing [mm]	Steel thickness [BMT,mm]	Thermal break [R-value]

[#0000000000] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]



Appliance schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

Note: A flat assumption of 5W/m² is used for lighting, therefore lighting is not included in the appliance schedule.

Cooling system					
Appliance/ system type	Loc	ation	Fuel type	Minimum efficiency/ performance	Recommended capacity
No Whole of Home performa	ance assessme	ent conducted for	this certificate.		
Heating system					
Appliance/ system type	Loc	ation	Fuel type	Minimum efficiency/ performance	Recommended capacity
No Whole of Home performation	ance assessme	ent conducted for	this certificate.		
Hot water system					
		Minimum	Substitution to	olerance ranges	
Appliance/ system type	Fuel type	efficiency/ performance	Zone 3 STC lower limit	Zone 3 STC upper limit	Assessed daily load
No Whole of Home performa	ance assessme	ent conducted for	this certificate.		
Pool/spa equipment					
Appliance/ system type		Fuel type		Minimum efficiency/ performance	Recommended
Appliance/ system type		Fuel type	this soutificate	periormance	capacity
No Whole of Home perform	ance assessme	ent conducted for	this certificate.		

[#00000000-00] NatHERS Certificate

0.0 Star rating and 00 Whole of Home rating as of [Date]



Onsite renewable energy *schedule*

2022 Certificate examples (November 2022)

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Orientation	System size or generation capacity
No Whole of Home performance assessment conducted for this certificate.		

Battery schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type

Size [battery storage capacity]

No Whole of Home performance assessment conducted for this certificate.

[#00000000-00] NatHERS Certificate

0.0 Star rating and 00 Whole of Home rating as of [Date]



Explanatory notes

About this report

NatHERS ratings are a reliable guide for comparing different dwelling designs and to demonstrate that designs meet the energy efficiency requirements in the National Construction Code.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the heating and cooling energy loads and energy value* of the whole home. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy generation and storage to estimate the homes energy value*.

The actual energy loads, cost and greenhouse gas emissions of a home may vary from that predicted. This is because the assumptions will not always match the actual occupant usage patterns. For example, the number of occupants and how people use their appliances will vary.

Energy efficient homes use less energy, are warmer on cool days, cooler on hot days and cost less to run.

Accredited assessors

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and

Glossary

are not quality assured

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy load, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the assessor.

-	
Annual energy load	the predicted amount of energy required for heating and cooling, based on standard occupancy assumptions.
AFRC	Australian Fenestration Rating Council
Assessed floor area	the floor area modelled in the software for the purpose of the NatHERS assessment. Note, this may not be consistent with the floor area in the design documents.
Ceiling penetrations	features that require a penetration to the ceiling, including downlights, vents, exhaust fans, range hoods, chimneys and flues. Excludes fixtures attached to the ceiling with small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating and cooling ducts.
Conditioned	a zone within a dwelling that is expected to require heating and cooling based on standard occupancy assumptions. In some circumstances it will include garages.
COP	Coefficient of performance
Custom windows	windows listed in NatHERS software that are available on the market in Australia and have a WERS (Window Energy Rating Scheme) rating.
Default windows	windows that are representative of a specific type of window product and whose properties have been derived by statistical methods.
EER	Energy Efficiency Ratio, measure of how much cooling can be achieved by an air conditioner for a single kWh of electricity input
Energy use	This is your homes rating without solar or batteries.
Energy value	The net cost to society including, but not limited to, costs to the building user, the environment and energy networks (as defined in the ABCB Housing Provisions Standard).
Entrance door	these signify ventilation benefits in the modelling software and must not be modelled as a door when opening to a minimally ventilated corridor in a Class 2 building.
Exposure	see exposure categories below.
Exposure category – exposed	terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed high-rise unit (usually above 10 floors).
Exposure category – open	terrain with few obstructions at a similar height e.g. grasslands with few well scattered obstructions below 10m, farmland with scattered sheds, lightly vegetated bush blocks, elevated units (e.g. above 3 floors).
Exposure category – suburban	terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing, heavily vegetated bushland areas.
Exposure category – protected	terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial areas.
Horizontal shading feature	provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergolas, carports, or overhangs or balconies from upper levels.
National Construction Code (NCC) Class	the NCC groups buildings by their function and use, and assigns a classification code. NatHERS software models NCC Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found at www.abcb.gov.au.
Net zero home	a home that achieves a net zero energy value*.
Opening percentage	the openability percentage or operable (moveable) area of doors or windows that is used in ventilation calculations.
Provisional value	an assumed value that does not represent an actual value. For example, if the wall colour is unspecified in the documentation, a provisional value of 'medium' must be modelled. Acceptable provisional values are outlined in the NatHERS Technical Note and can be found at www.nathers.gov.au
Recommended capacity	this is the capacity or size of equipment that is recommended by NatHERS to achieve the desired comfort conditions in the zone or zones serviced. This is a recommendation and the final selection sizing should be confirmed by a suitably qualified person.
Reflective wrap (also known as foil)	can be applied to walls, roofs and ceilings. When combined with an appropriate air gap and emissivity value, it provides insulative properties.
Roof window	for NatHERS this is typically an operable window (i.e. can be opened), will have a plaster or similar light well if there is an attic space, and generally does not have a diffuser.
Shading features	includes neighbouring buildings, fences, and wing walls, but excludes eaves.
Solar heat gain coefficient (SHGC)	the fraction of incident solar radiation admitted through a window, both directly transmitted as well as absorbed and subsequently released inward. SHGC is expressed as a number between 0 and 1. The lower a window's SHGC, the less solar heat it transmits.
Skylight (also known as roof lights)	for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) and a diffuser at ceiling level.
STCs	Small-scale Technology Certificates, certificates created by the REC registry for renewable energy technologies that may be bought and sold as part of the Small-scale Renewable Energy Scheme operated by the Clean Energy Regulatory
Thermal breaks	are materials with an R-value greater than or equal to 0.2 that must separate the metal frame from the cladding. This includes, but is not limited to, materials such as timber battens greater than or equal to 20mm thick, continuous thermal breaks such as polystyrene insulation sheeting, plastic strips or furring channels.
U-value	the rate of heat transfer through a window. The lower the U-value, the better the insulating ability.
Unconditioned	a zone within a dwelling that is assumed to not require heating and cooling based on standard occupancy assumptions.
Vertical shading features	provides shading to the building in the vertical plane and can be parallel or perpendicular to the subject wall/window. Includes privacy screens, other walls in the building (wing walls), fences, other buildings, vegetation (protected or listed heritage trees).
Window shading device	a device fixed to windows that provides shading e.g. window awnings or screens but excludes horizontal* or vertical shading features* (eg eaves and balconies)

* Refer to glossary.

Residential energy rating report Non-accredited No. #000000000-00

Generated on [date] using [software and version]

This report was created using NatHERS accredited software but the non-accredited assessor (rater) is not accredited under NatHERS and this report is not accredited as being compliant with NatHERS. Reliance on this report is accordingly at your own risk.

Property

Address	[00 Street,
	Suburb, State/Territory, Postcode]
Lot/DP	[number]
NCC class*	[number]
Floor/all Floors	[dwelling entrance floor] of [total no. of floors] floors
Туре	[new/renovation/existing]

Plans

Main plan[plan number, version & date]Prepared by[name of preparer of plans]

Construction and environment

Assessed floor a	area [m²]*	Exposure type
Conditioned*	000.0	[exposure]
Unconditioned*	0.0	NatHERS climate zone
Total	0.0	[number, town/suburb]
Garage	0.0	

Rater**

Name
Business name
Email
Phone
Declaration of interest

[assessor name] [business name] [email address] [00 0000 0000] [declaration]

NCC Requirements

BCA provisions State/Territory variation [Volume 1/Volume 2] [Yes/No]

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

* Refer to glossary. ** Refer explanatory notes. Generated on [date] using [software] for [address]

Thermal performance Star rating



star rating

[XX.X] MJ/m²

Predicted annual energy load for heating and cooling based on standard occupancy assumptions.

Thermal performance [MJ/m²]

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled	0000.0	0000.0
Load limits	0000.0	0000.0

Features determining load limits

Floor type	[Type]
(lowest conditioned area)	
NCC climate zone 1 or 2	[Y/N/NA]
Outdoor living area	[Y/N/NA]
Outdoor living area ceiling fan	[Y/N/NA]

Whole of Home performance rating

50 out of 100

Verification

To verify this report, scan the QR code or visit [Hstar-dev. azurewebsites.net/QR/ Generate?p=MlalcPjqJ.]

When using either link, ensure you are visiting hstar-dev.azurewebsites.net



About the ratings

Thermal performance rating

NatHERS thermal software models the expected heating and cooling energy loads using information about the design, construction, climate and common patterns of household use. The thermal performance rating (shown as a written rating on this Report) does not take into account appliances, apart from the airflow impacts from ceiling fans.

Whole of Home performance rating

NatHERS Whole of Home software uses the heating and cooling energy loads combined with the energy performance of the home's appliances (heating, cooling, hot water, lighting, pool/spa pump and onsite renewable energy generation and storage) and models the expected energy value* of the whole home. The Whole of Home performance rating is shown as a score out of 100 on this Report.

Heating & Cooling Load Limits

Additional information

In some locations under the NCC NatHERS pathway, separate heating and cooling load limits may apply. Minimum required star ratings in northern parts of Australia may also be affected by the presence or absence of an outdoor living area and/or an outdoor living area ceiling fan. Refer to the ABCB NatHERS heating and cooling load limits Standard 2022 for details or contact the relevant local building regulating authority, noting that State and Territory variations may also apply.

Setting options:

Floor type:

- CSOG Concrete Slab on Ground
- SF Suspended Floor (or a mixture of CSOG and SF) NA Not Applicable

NCC climate Zone 1 or 2:

Yes

No

NA - not applicable

Outdoor living area:

Yes


No

NA - not applicable

Outdoor living area ceiling fan:

Yes

- No
- NA not applicable



Predicted onsite renewable energy impact

Your Whole of Home energy use* rating excluding onsite renewable energy generation is **[00] out of 100**.


This home's annual greenhouse gas emissions: [0000]kg CO2e (with solar) [0000]kg CO2e (without solar)

Predicted annual electricity use: [0000] kWh Exported to the grid: [00]% Used by the home: [00]%


Predicted Whole of Home annual impact by appliance

Shows the contribution each appliance has on the home's annual energy use, greenhouse gas emissions and cost without solar.

Energy use:



Greenhouse gas emissions:



Cost: SE [XX]% HE [XX]% SG [XX]% CAE [XX]% C [XX]% PA [XX]% HWE [XX]%

Graph Key:

Colour: Code: HE HG HW C HWE HWG L PA CAE CAG SG SE Name: Heating Heating Cooling Hot wat

Heating Cooling Hot water Lights Pool/Spa equipment Plug-in appliances Cooking appliances Cooking appliances Supply charge Supply charge

Fuel type:

electric gas wood electric electric electric electric electric gas gas electric

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Report check	Approval	stage	Construc stage	tion	
The checklist covers important items impacting the dwelling's ratings. It is recommended that the accuracy of the whole report is checked. Note: The boxes indicate when and who should check each item.	Rater checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
It is not mandatory to complete this checklist.	Rater	Conse surve	Builde	Conse surve	Occul
Genuine report check					
Does this report match the one available at the web address or QR code verification link on the front page?					
Does the report number on the stamped plans match the number on this Report?					
Thermal performance check					
Windows and glazed doors					
Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in <i>Window and glazed door</i> <i>schedule</i> ' and <i>'Roof window schedule</i> ' tables on this Certificate?					
Does the installed windows meet the substitution tolerances (AFRC* based SHGC* and U-values*) as shown in the <i>Window and glazed door type and performance</i> ' and <i>'Roof window type and performance</i> ' tables on this Certificate?					
External walls					
Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this Report?					
Does the external wall shade (colour) match what is shown in the 'External wall type' table on this Report?					
Floor					
Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>'Floor type'</i> table on this Report?					
Ceiling penetrations*			1		
Does the 'quantity' and 'type' of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the 'Ceiling penetrations' table on this Report?					
Ceiling					
Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the ' <i>Ceiling type</i> ' table on this Report?					
Roof					
Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the ' <i>Roof type</i> ' table on this Report?					
Apartment entrance doors (NCC Class 2 assessments only)			1		
Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate the Report.					
Exposure*					
Has the appropriate exposure type (terrain) (shown on page 1) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".					
Heating and cooling load limits*					
Do the load limits settings (shown on page 1) match what is shown on the NatHERS-stamped plans?					

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

	Approval	stage	Construc stage	tion	
Report check Continued	Rater checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
Additional NCC requirements for thermal performance (not included	in the Na	tHERS a	ssessme	nt)	
Thermal bridging	1			I	1
Does the dwelling meet the NCC requirement for thermal bridging?					
Insulation installation method					
Has the insulation been installed according to the NCC requirements?					
Building sealing					
Does the dwelling meet the NCC requirements for Building Sealing?					
Whole of Home performance check (not applicable if a Whole of Home perf	ormance a	ssessment	t is not con	ducted)	
Appliances					
Does the cooling appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the Appliance schedule on this Report?					
Does the heating appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or installed, match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the hot water system type and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the pool pump efficiency/performance shown on the NatHERS-stamped plans or as installed match the minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the onsite renewable energy system type, orientation and system size or generation capacity shown on the NatHERS stamped plans or installed match the 'Onsite Renewable Energy schedule' on this Report?					
Additional NCC Requirements for Services (not included in the Nath	ERS asse	essment)	1	1	
Does the lighting meet the artificial lighting requirements specified in the NCC?					
Does the hot water system meet the additional requirements specified in the NCC?					
Provisional values* check					
Have provisional values* been used in the assessment and, if so, are they noted in 'Additional notes' table below?					
Other NCC requirements					·
Note: This Report only covers the energy efficiency requirements in the NCC. Addit include, but are not limited to: condensation, structural and fire safety requirements energy efficiency requirements.	ional requir and any st	ements that ate or terri	at must also tory variatio	o be satisfions to the N	ed NCC
Additional notes					

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Room schedule

Room	Zone Type	Area [m²]

Window and glazed door type and performance

Default windows*				Substitution t	
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	olerance ranges SHGC upper limit
Custom windows*					
	Window	Maximum		Substitution t	olerance ranges
Window ID	description	U-value*	SHGC*	SHGC lower limit	SHGC upper limit

Window and glazed door schedule

Location	Window ID	Window no.	Height [mm]	Width [mm]	Window type	Opening %	Orientation	Window shading device*

Roof window* type and performance value

				Substitution tolerance ranges		
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	SHGC upper limi	
Custom* roof v	vindows			Substitution t	olerance ranges	

[#000000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Roof wii	ndow* sci	hedule						
Location	Window ID	Window No.		Height [mm]	Width [mm]	Orientati	Outd on shad	
Skylight	* type and	d performa	nce					
Skylight ID			Skylight descrij	otion		Skylight	shaft reflec	tance
Skylight	* schedul	e						
Location	Skylight ID	Skylight No.	Skylight shaft lengt [mm]	th Area [m²]		Orientation	Outdoor shade	Diffuser
External	door sch	nedule						
Location	Heigl	nt [mm]	Width [mm]	Openir	ıg %		Orientatio	n
External	wall type	9						
Wall ID	Wall type		Solar absorptance	Wall sh [coloui		Bulk inst [R-value]		Reflective wall wrap*
External	wall sch	edule						
	Wall	Heigh	t Width	Orienta		feature*	al shading maximum on [mm]	Vertical shadin feature [yes/no

[#00000000-00] Non-accredited report

Internal wall type Wall ID Wall type Area [m²] **Bulk insulation** Floor type Sub-floor Added insulation Area Location Construction ventilation [R-value] Covering [m²] Ceiling type Construction **Bulk insulation R-value** Reflective Location material/type (may include edge batt values) wrap* **Ceiling** penetrations* Quantity Diameter [mm²] Sealed/unsealed Location Туре **Ceiling** fans Quantity **Diameter** [mm] Location Roof type Construction Added insulation [R-value] Solar absorptance Roof shade [colour]

Thermal bridging schedule for steel frame elements

Building element	Steel section dimensions [height x width, mm]	Frame spacing [mm]	Steel thickness [BMT,mm]	Thermal break [R-value]

[#000000000-00] Non-accredited report

Appliance schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

Note: A flat assumption of 5W/m² is used for lighting, therefore lighting is not included in the appliance schedule.

Cooling system

Appliance/ system type	Location	Fuel type	Minimum efficiency/ performance	Recommended capacity
Ducted refrigerative air conditioning (heat pump)	Kitchen/Dining/Living	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 1	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 2	Electric	00	00
Ducted refrigerative air conditioning (heat pump)	Bedroom 3	Electric	00	00

Heating system

Appliance/ system type	Location	Fuel type	Minimum efficiency/ performance	Recommended capacity
Ducted reverse cycle air-conditioner (heat pump)	Kitchen/Dining/Living	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 1	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 2	Electric	00	00
Ducted reverse cycle air-conditioner (heat pump)	Bedroom 3	Electric	00	00

Hot water system

Minimum		Minimum	Substitution to		
Appliance/ system type	Fuel type	efficiency/ performance	Zone 3 STC lower limit	Zone 3 STC upper limit	Assessed daily load
Gas instantaneous	Gas	0 star	N/A		120L
Gas boosted solar thermal	Solar-gas	30 STCs Zone 4	22	31 (Medium)	120L

Pool/spa equipment

Appliance/ system type	Fuel type	Minimum efficiency/ performance	Recommended capacity
Single speed pressure cleaner with main filtration pump	Electric	00	00

0.0 Star rating and 00 Whole of Home rating as of [Date]

Onsite renewable energy schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Orientation	System size or generation capacity
Solar PV	NW	0 kW

Battery schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Size [battery storage capacity]
Lithium-ion	0 kWh

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Explanatory notes

About this report

This report is non-accredited and has been prepared by a non-accredited assessor (Rater**). This is distinct from a NatHERS Certificate.

NatHERS ratings are a reliable guide for comparing different dwelling designs and to demonstrate that designs meet the energy efficiency requirements in the National Construction Code.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the heating and cooling energy loads and energy value* of the whole home. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy generation and storage to estimate the homes energy value*.

The actual energy loads, cost and greenhouse gas emissions of a home may vary from that predicted. This is because the assumptions will not always match the actual occupant usage patterns. For example, the number of occupants and how people use their appliances will vary.

Energy efficient homes use less energy, are warmer on cool days, cooler on hot days and cost less to run.

Rater

Non-accredited assessors (Raters) are not required to have any formal qualifications, insurance, ongoing professional development or quality assurance checks on their ratings. This is distinct from NatHERS accredited assessors who are required to have qualifications, ongoing professional development and have

Glossary

quality assurance checks on their ratings.

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Any questions or concerns about this report should be directed to the rater in the first instance. If the rater is unable to address these questions or concerns, the state or territory building code authority should be contacted.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the rater. It is the rater's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce this report.

The predicted annual energy load, cost and greenhouse gas emissions are not part of a non-accredited report. In a NatHERS Certificate these are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the rater who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the rater using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the rater.

AFRC Australian Fenestration Rating Council Assessed floor area the floor area modelled in the software for the purpose of the NatHERS assessment. Ceiling penetrations features that require a penetration to the ceiling, including downlights, vents, exhaust small holes through the ceiling for wring, e.g. ceiling fans; pendant lights, and heating Conditioned a zone within a dwelling that is expected to require heating and cooling based on star COP Coefficient of performance Custom windows windows listed in NatHERS software that are available on the market in Australia and Default windows windows that are representative of a specific type of window product and whose prop EER Energy Efficiency Ratio, measure of how much cooling can be achieved by an air cor Energy value The net cost to society including, but not limited to, costs to the building user, the envistandard). Entrance door theres signify ventilation benefits in the modelling software and must not be modelled Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – suburban terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing Exposure category – protected terrain with numerous, closely spaced obstructions or 10m e.g. eity and industrial and Horizont	fans, range hoods, chimneys and flues. Excludes fixtures attached to the ceiling with and cooling ducts. dard occupancy assumptions. In some circumstances it will include garages. have a WERS (Window Energy Rating Scheme) rating. erties have been derived by statistical methods.
Ceiling penetrations features that require a penetration to the ceiling, including downlights, vents, exhaust small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating a zone within a dwelling that is expected to require heating and cooling based on star COP Conditioned a zone within a dwelling that is expected to require heating and cooling based on star COP Custom windows windows listed in NatHERS software that are available on the market in Australia and Default windows Windows windows that are representative of a specific type of window product and whose prop EER Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envi Standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open Exposure category – suburban terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and	fans, range hoods, chimneys and flues. Excludes fixtures attached to the ceiling with and cooling ducts. dard occupancy assumptions. In some circumstances it will include garages. have a WERS (Window Energy Rating Scheme) rating. erties have been derived by statistical methods.
small holes through the celling for wiring, e.g. celling fans; pendant lights, and heating Conditioned a zone within a dwelling that is expected to require heating and cooling based on star COP Coefficient of performance Custom windows windows listed in NatHERS software that are available on the market in Australia and Default windows windows that are representative of a specific type of window product and whose prop EER Energy Efficiency Ratio, measure of how much cooling can be achieved by an air cor Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envisitandard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – open terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with numerous, closely spaced obstructions over 10 m e.g. suburban housing Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial and Horizontal shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper le	and cooling ducts. dard occupancy assumptions. In some circumstances it will include garages. have a WERS (Window Energy Rating Scheme) rating. erties have been derived by statistical methods.
COP Coefficient of performance Custom windows windows listed in NatHERS software that are available on the market in Australia and Default windows Default windows windows that are representative of a specific type of window product and whose prop EER Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envi Standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does n	have a WERS (Window Energy Rating Scheme) rating. erties have been derived by statistical methods.
Custom windows windows listed in NatHERS software that are available on the market in Australia and Default windows Default windows windows that are representative of a specific type of window product and whose prop EER Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envi Standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading feature Provise shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed	erties have been derived by statistical methods.
Default windows windows that are representative of a specific type of window product and whose prop EER Energy Efficiency Ratio, measure of how much cooling can be achieved by an air cor Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envisional value Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percenta	erties have been derived by statistical methods.
EER Energy Efficiency Ratio, measure of how much cooling can be achieved by an air core Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envisional value Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall core	
Energy use This is your homes rating without solar or batteries. Energy value The net cost to society including, but not limited to, costs to the building user, the envisor standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall cord	
Energy value The net cost to society including, but not limited to, costs to the building user, the envisor Standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a Horizontal shading feature Provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall cc	altioner for a single kWh of electricity input
Standard). Entrance door these signify ventilation benefits in the modelling software and must not be modelled Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a Horizontal shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall ccase is the wall ccase is the wall ccase is the wall cose is the wal	
Exposure see exposure categories below. Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – open terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall ccase is the openability percentage or operable (moveable) area of doors or windows that is u	ronment and energy networks (as defined in the ABCB Housing Provisions
Exposure category – exposed terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed hig Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions over 10 m e.g. suburban housing Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a horizontal shading feature Provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall comparisonal value	as a door when opening to a minimally ventilated corridor in a Class 2 building.
Exposure category – open terrain with few obstructions at a similar height e.g. grasslands with few well scattered blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a Horizontal shading feature Provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. provides shading to the buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found at a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall comparison of t	
blocks, elevated units (e.g. above 3 floors). Exposure category – suburban terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a Horizontal shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergor from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall ccase is the submit of the wall ccase is the wall ccase	h-rise unit (usually above 10 floors).
Exposure category – protected terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial a Horizontal shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergorrom upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a Net zero home a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall cc	obstructions below 10m, farmland with scattered sheds, lightly vegetated bush
Horizontal shading feature provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergo from upper levels. National Construction Code (NCC) Class the NCC groups buildings by their function and use, and assigns a classification code Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u an assumed value that does not represent an actual value. For example, if the wall cc	, heavily vegetated bushland areas.
Interview Interview <t< th=""><th>reas.</th></t<>	reas.
(NCC) Class Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found a Net zero home a home that achieves a net zero energy value*. Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u Provisional value an assumed value that does not represent an actual value. For example, if the wall can	as, carports, or overhangs or balconies
Opening percentage the openability percentage or operable (moveable) area of doors or windows that is u Provisional value an assumed value that does not represent an actual value. For example, if the wall co	
Provisional value an assumed value that does not represent an actual value. For example, if the wall co	
	sed in ventilation calculations.
Recommended capacity this is the capacity or size of equipment that is recommended by NatHERS to achieve recommendation and the final selection sizing should be confirmed by a suitably qual	
Reflective wrap (also known as foil) can be applied to walls, roofs and ceilings. When combined with an appropriate air ga	p and emissivity value, it provides insulative properties.
Roof window for NatHERS this is typically an operable window (i.e. can be opened), will have a pla diffuser.	ster or similar light well if there is an attic space, and generally does not have a
Shading features includes neighbouring buildings, fences, and wing walls, but excludes eaves.	
Solar heat gain coefficient (SHGC) the fraction of incident solar radiation admitted through a window, both directly transm a number between 0 and 1. The lower a window's SHGC, the less solar heat it transm	
Skylight (also known as roof lights) for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) a	nd a diffuser at ceiling level.
STCs Small-scale Technology Certificates, certificates created by the REC registry for renew Renewable Energy Scheme operated by the Clean Energy Regulatory	vable energy technologies that may be bought and sold as part of the Small-scale
Thermal breaks are materials with an R-value greater than or equal to 0.2 that must separate the met timber battens greater than or equal to 20mm thick, continuous thermal breaks such a	
U-value the rate of heat transfer through a window. The lower the U-value, the better the insul	ating ability.
Unconditioned a zone within a dwelling that is assumed to not require heating and cooling based on	
Vertical shading features provides shading to the building in the vertical plane and can be parallel or perpendic (wing walls), fences, other buildings, vegetation (protected or listed heritage trees).	standard occupancy assumptions.
Window shading device a device fixed to windows that provides shading e.g. window awnings or screens but	

* Refer to glossary. ** Refer explanatory notes.

Generated on [date] using [software] for [address]

Residential energy rating report Non-accredited No. #000000000-00

Generated on [date] using [software and version]

This report was created using NatHERS accredited software but the non-accredited assessor (rater) is not accredited under NatHERS and this report is not accredited as being compliant with NatHERS. Reliance on this report is accordingly at your own risk.

Property

Address	[00 Street, Suburb, State/Territory, Postcode]
Lot/DP	[number]
NCC class*	[number]
Floor/all Floors	[dwelling entrance floor] of [total no. of floors] floors
Туре	[new/renovation/existing]

Plans

Main plan[plan number, version & date]Prepared by[name of preparer of plans]

Construction and environment

Assessed floor a	rea [m ²]*	Exposure type
Conditioned*	000.0	[exposure]
Unconditioned*	0.0	NatHERS climate zone
Total	0.0	[number, town/suburb]
Garage	0.0	

Rater**

Name
Business name
Email
Phone
Declaration of interest

[assessor name] [business name] [email address] [00 0000 0000] [declaration]

NCC Requirements

BCA provisions State/Territory variation

[Volume 1/Volume 2] [Yes/No]

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

* Refer to glossary. ** Refer explanatory notes. Generated on [date] using [software] for [address]

Thermal performance Star rating

X.X

star rating

[XX.X] MJ/m²

Predicted annual energy load for heating and cooling based on standard occupancy assumptions.

Thermal performance [MJ/m²]

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled	0000.0	0000.0
Load limits	0.0000	0000.0

Features determining load limits

Floor type	[Type]
(lowest conditioned area)	
NCC climate zone 1 or 2	[Y/N/NA]
Outdoor living area	[Y/N/NA]
Outdoor living area ceiling fan	[Y/N/NA]

Whole of Home performance rating

No Whole of Home performance rating generated for this certificate.

Verification

To verify this report, scan the QR code or visit [Hstar-dev. azurewebsites.net/QR/ Generate?p=MlalcPjqJ.] When using either link, opported very set visiting

ensure you are visiting hstar-dev.azurewebsites.net



0.0 Star rating and 00 Whole of Home rating as of [Date]

About the ratings

Thermal performance rating

NatHERS thermal software models the expected heating and cooling energy loads using information about the design, construction, climate and common patterns of household use. The thermal performance rating (shown as a written rating on this Report) does not take into account appliances, apart from the airflow impacts from ceiling fans.

Whole of Home performance rating

NatHERS Whole of Home software uses the heating and cooling energy loads combined with the energy performance of the home's appliances (heating, cooling, hot water, lighting, pool/spa pump and onsite renewable energy generation and storage) and models the expected energy value* of the whole home. The Whole of Home performance rating is shown as a score out of 100 on this Report.

Heating & Cooling Load Limits

Additional information

In some locations under the NCC NatHERS pathway, separate heating and cooling load limits may apply. Minimum required star ratings in northern parts of Australia may also be affected by the presence or absence of an outdoor living area and/or an outdoor living area ceiling fan. Refer to the ABCB NatHERS heating and cooling load limits Standard 2022 for details or contact the relevant local building regulating authority, noting that State and Territory variations may also apply.

Setting options:

Floor type:

- CSOG Concrete Slab on Ground
- SF Suspended Floor (or a mixture of CSOG and SF) NA Not Applicable

NCC climate Zone 1 or 2:

- Yes
- No

NA – not applicable

Outdoor living area:

Yes

No

NA – not applicable

Outdoor living area ceiling fan:

- Yes
- No

NA - not applicable



No Whole of Home performance assessment conducted for this certificate.

Predicted Whole of Home annual impact by appliance

Shows the contribution each appliance has on the home's annual energy use, greenhouse gas emissions and cost without solar.

Energy use:



Greenhouse gas emissions:



Cost:



[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Report check		Approval stage		Construction stage	
The checklist covers important items impacting the dwelling's ratings. It is recommended that the accuracy of the whole report is checked. Note: The boxes indicate when and who should check each item.	Rater checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
It is not mandatory to complete this checklist.	Rate	Cons surve	Builo	Cons surve	Occl
Genuine report check					
Does this report match the one available at the web address or QR code verification link on the front page?					
Does the report number on the stamped plans match the number on this Report?					
Thermal performance check					
Windows and glazed doors					
Does the window size, opening type and location shown on the NatHERS- stamped plans or as installed match what is shown in <i>Window and glazed door</i> <i>schedule</i> ' and <i>'Roof window schedule</i> ' tables on this Certificate?					
Does the installed windows meet the substitution tolerances (AFRC* based SHGC* and U-values*) as shown in the 'Window and glazed door type and performance' and 'Roof window type and performance' tables on this Certificate?					
External walls					
Does the external wall bulk insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the External wall type table on this Report?					
Does the external wall shade (colour) match what is shown in the 'External wall type' table on this Report?					
Floor					
Does the floor insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>'Floor type'</i> table on this Report?					
Ceiling penetrations*					
Does the <i>'quantity'</i> and <i>'type'</i> of ceiling penetrations* (e.g. downlights, exhaust fans, etc) shown on the NatHERS-stamped plans or as installed match what is shown in the <i>'Ceiling penetrations'</i> table on this Report?					
Ceiling					
Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans or as installed match what is shown in the ' <i>Ceiling type</i> ' table on this Report?					
Roof					
Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the <i>'Roof type'</i> table on this Report?					
Apartment entrance doors (NCC Class 2 assessments only)					
Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate the Report.					
Exposure*					
Has the appropriate exposure type (terrain) (shown on page 1) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".					
Heating and cooling load limits*					
Do the load limits settings (shown on page 1) match the values in the ABCB Standard 2022: NAtHERS heating and cooling load limits for the appropriate climate zone?					

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

	Approval	stage	Construc stage	tion	
Report check Continued	Rater checked	Consent authority/ surveyor checked	Builder checked	Consent authority/ surveyor checked	Occupancy/other
Additional NCC requirements for thermal performance (not included	in the Na	tHERS a	ssessme	nt)	
Thermal bridging	1			I	1
Does the dwelling meet the NCC requirement for thermal bridging?					
Insulation installation method					
Has the insulation been installed according to the NCC requirements?					
Building sealing					
Does the dwelling meet the NCC requirements for Building Sealing?					
Whole of Home performance check (not applicable if a Whole of Home perf	ormance a	ssessment	t is not con	ducted)	
Appliances					
Does the cooling appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the Appliance schedule on this Report?					
Does the heating appliance/s type, location and efficiency/performance shown on the NatHERS-stamped plans or installed, match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the hot water system type and efficiency/performance shown on the NatHERS-stamped plans or as installed match the location and minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the pool pump efficiency/performance shown on the NatHERS-stamped plans or as installed match the minimum efficiency/performance requirements shown in the ' <i>Appliance schedule</i> ' on this Report?					
Does the onsite renewable energy system type, orientation and system size or generation capacity shown on the NatHERS stamped plans or installed match the 'Onsite Renewable Energy schedule' on this Report?					
Additional NCC Requirements for Services (not included in the Nath	ERS asse	essment)	1	1	
Does the lighting meet the artificial lighting requirements specified in the NCC?					
Does the hot water system meet the additional requirements specified in the NCC?					
Provisional values* check					
Have provisional values* been used in the assessment and, if so, are they noted in 'Additional notes' table below?					
Other NCC requirements					·
Note: This Report only covers the energy efficiency requirements in the NCC. Additional requirements that must also be satisfied include, but are not limited to: condensation, structural and fire safety requirements and any state or territory variations to the NCC energy efficiency requirements.					
Additional notes					

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Room schedule

Room	Zone Type	Area [m²]

Window and glazed door type and performance

Default windows*				Substitution t		
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit SHGC upper		
Custom windows*						
	Window	Maximum		Substitution tolerance ranges		
Window ID	description	U-value*	SHGC*	SHGC lower limit	SHGC upper limit	

Window and glazed door schedule

Location	Window ID	Window no.	Height [mm]	Width [mm]	Window type	Opening %	Orientation	Window shading device*

Roof window* type and performance value

		Substitution tolerance ranges			
Window ID	Window description	Maximum U-value*	SHGC*	SHGC lower limit	SHGC upper limi
Custom* roof v	vindows			Substitution t	olerance ranges

[#000000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Roof window* schedule								
Location	Window ID	Window No.	Opening Height % [mm]		Width [mm]	Orientatio	Outd on shad	
Skylight	* type and	d performa	nce					
Skylight ID	Skylight description			otion		Skylight	shaft reflec	tance
Skylight	* schedul	e						
Location	Skylight ID	Skylight No.	Skylight shaft lengt [mm]	th Area [m²]	0	prientation	Outdoor shade	Diffuser
External	door sch	nedule						
Location	Height [mm]		Width [mm]	Openin	g %	Orientation		
External	wall type	9						
Wall ID	Wall type		Solar absorptance	Wall sh [colour		Bulk inst [R-value]		Reflective wall wrap*
External	wall sch	edule						
	Wall ID	Heigh [mm]	t Width [mm]	Orienta			al shading maximum	Vertical shading feature [yes/no

[#00000000-00] Non-accredited report

Internal wall type Wall ID Wall type Area [m2] **Bulk insulation** Floor type Sub-floor Added insulation Area Location Construction ventilation [R-value] Covering [m²] Ceiling type Construction **Bulk insulation R-value** Reflective Location material/type (may include edge batt values) wrap* **Ceiling** penetrations* Quantity Diameter [mm²] Sealed/unsealed Location Туре **Ceiling** fans Quantity Diameter [mm] Location Roof type Construction Added insulation [R-value] Solar absorptance Roof shade [colour]

Thermal bridging schedule for steel frame elements

Building element	Steel section dimensions [height x width, mm]	Frame spacing [mm]	Steel thickness [BMT,mm]	Thermal break [R-value]

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Appliance schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

Note: A flat assumption of 5W/m² is used for lighting, therefore lighting is not included in the appliance schedule.

Cooling system					
Appliance/ system type	Loca	ation	Fuel type	Minimum efficiency/ performance	Recommended capacity
No Whole of Home perform	ance assessme	ent conducted for the	his certificate.		
Heating system					
Appliance/ system type	Loca	ation	Fuel type	Minimum efficiency/ performance	Recommended capacity
No Whole of Home perform	ance assessme	ent conducted for the	his certificate.		
Hot water system					
		Minimum	Substitution te	olerance ranges	
Appliance/ system type	Fuel type	efficiency/ performance	Zone 3 STC lower limit	Zone 3 STC upper limit	Assessed daily load
No Whole of Home perform	ance assessme	ent conducted for the	his certificate.		
Pool/spa equipment					
Appliance/ system type		Fuel type		Minimum efficiency/ performance	Recommended capacity
No Whole of Home perform	ance assessme	ent conducted for the	his certificate.		

[#000000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Onsite renewable energy schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type	Orientation	System size or generation capacity
No Whole of Home performance asse	ssment conducted for this certificate.	

Battery schedule

(not applicable if a Whole of Home performance assessment is not conducted for this certificate)

System type

Size [battery storage capacity)

No Whole of Home performance assessment conducted for this certificate.

[#00000000-00] Non-accredited report

0.0 Star rating and 00 Whole of Home rating as of [Date]

Explanatory notes

About this report

This report is non-accredited and has been prepared by a non-accredited assessor (Rater**). This is distinct from a NatHERS Certificate.

NatHERS ratings are a reliable guide for comparing different dwelling designs and to demonstrate that designs meet the energy efficiency requirements in the National Construction Code.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the heating and cooling energy loads and energy value* of the whole home. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy generation and storage to estimate the homes energy value*.

The actual energy loads, cost and greenhouse gas emissions of a home may vary from that predicted. This is because the assumptions will not always match the actual occupant usage patterns. For example, the number of occupants and how people use their appliances will vary.

Energy efficient homes use less energy, are warmer on cool days, cooler on hot days and cost less to run.

Rater

Non-accredited assessors (Raters) are not required to have any formal qualifications, insurance, ongoing professional development or quality assurance checks on their ratings. This is distinct from NatHERS accredited assessors who are required to have qualifications, ongoing professional development and have

Glossary

quality assurance checks on their ratings.

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Any questions or concerns about this report should be directed to the rater in the first instance. If the rater is unable to address these questions or concerns, the state or territory building code authority should be contacted.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the rater. It is the rater's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce this report.

The predicted annual energy load, cost and greenhouse gas emissions are not part of a non-accredited report. In a NatHERS Certificate these are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the rater who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the rater using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the rater.

Annual energy load	the predicted amount of energy required for heating and cooling, based on standard occupancy assumptions.
AFRC	Australian Fenestration Rating Council
Assessed floor area	the floor area modelled in the software for the purpose of the NatHERS assessment. Note, this may not be consistent with the floor area in the design documents.
Ceiling penetrations	features that require a penetration to the ceiling, including downlights, vents, exhaust fans, range hoods, chimneys and flues. Excludes fixtures attached to the ceiling with small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating and cooling ducts.
Conditioned	a zone within a dwelling that is expected to require heating and cooling based on standard occupancy assumptions. In some circumstances it will include garages.
COP	Coefficient of performance
Custom windows	windows listed in NatHERS software that are available on the market in Australia and have a WERS (Window Energy Rating Scheme) rating.
Default windows	windows that are representative of a specific type of window product and whose properties have been derived by statistical methods.
EER	Energy Efficiency Ratio, measure of how much cooling can be achieved by an air conditioner for a single kWh of electricity input
Energy use	This is your homes rating without solar or batteries.
Energy value	The net cost to society including, but not limited to, costs to the building user, the environment and energy networks (as defined in the ABCB Housing Provisions Standard).
Entrance door	these signify ventilation benefits in the modelling software and must not be modelled as a door when opening to a minimally ventilated corridor in a Class 2 building.
Exposure	see exposure categories below.
Exposure category – exposed	terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed high-rise unit (usually above 10 floors).
Exposure category – open	terrain with few obstructions at a similar height e.g. grasslands with few well scattered obstructions below 10m, farmland with scattered sheds, lightly vegetated bush blocks, elevated units (e.g. above 3 floors).
Exposure category – suburban	terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing, heavily vegetated bushland areas.
Exposure category – protected	terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial areas.
Horizontal shading feature	provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergolas, carports, or overhangs or balconies from upper levels.
National Construction Code (NCC) Class	the NCC groups buildings by their function and use, and assigns a classification code. NatHERS software models NCC Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found at www.abcb.gov.au.
Net zero home	a home that achieves a net zero energy value*.
Opening percentage	the openability percentage or operable (moveable) area of doors or windows that is used in ventilation calculations.
Provisional value	an assumed value that does not represent an actual value. For example, if the wall colour is unspecified in the documentation, a provisional value of 'medium' must be modelled. Acceptable provisional values are outlined in the NatHERS Technical Note and can be found at www.nathers.gov.au
Recommended capacity	this is the capacity or size of equipment that is recommended by NatHERS to achieve the desired comfort conditions in the zone or zones serviced. This is a recommendation and the final selection sizing should be confirmed by a suitably qualified person.
Reflective wrap (also known as foil)	can be applied to walls, roofs and ceilings. When combined with an appropriate air gap and emissivity value, it provides insulative properties.
Roof window	for NatHERS this is typically an operable window (i.e. can be opened), will have a plaster or similar light well if there is an attic space, and generally does not have a diffuser.
Shading features	includes neighbouring buildings, fences, and wing walls, but excludes eaves.
Solar heat gain coefficient (SHGC)	the fraction of incident solar radiation admitted through a window, both directly transmitted as well as absorbed and subsequently released inward. SHGC is expressed as a number between 0 and 1. The lower a window's SHGC, the less solar heat it transmits.
Skylight (also known as roof lights)	for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) and a diffuser at ceiling level.
STCs	Small-scale Technology Certificates, certificates created by the REC registry for renewable energy technologies that may be bought and sold as part of the Small-scale Renewable Energy Scheme operated by the Clean Energy Regulatory
Thermal breaks	are materials with an R-value greater than or equal to 0.2 that must separate the metal frame from the cladding. This includes, but is not limited to, materials such as timber battens greater than or equal to 20mm thick, continuous thermal breaks such as polystyrene insulation sheeting, plastic strips or furring channels.
U-value	the rate of heat transfer through a window. The lower the U-value, the better the insulating ability.
Unconditioned	a zone within a dwelling that is assumed to not require heating and cooling based on standard occupancy assumptions.
Vertical shading features	provides shading to the building in the vertical plane and can be parallel or perpendicular to the subject wall/window. Includes privacy screens, other walls in the building (wing walls), fences, other buildings, vegetation (protected or listed heritage trees).
Window shading device	a device fixed to windows that provides shading e.g. window awnings or screens but excludes horizontal* or vertical shading features* (eg eaves and balconies)

* Refer to glossary. ** Refer explanatory notes.

Generated on [date] using [software] for [address]

Nationwide House Energy Rating Scheme® **Class 2 Summary** NatHERS® Certificate No. [#00000000-00]

Generated on [date] using [software and version]

[other boilerplate text other boilerplate text]

Property

Address

Lot/DP **NatHERS Climate Zone**

00 Street. Suburb, State/Territory, Postcode] [number] [number]



Accredited assessor

Name **Business name** Email Phone Accreditation No. [assessor name] [business name] [email address] [00 0000 0000] [0000 000 000]

Assessor Accrediting Organisation [name of Assessor Accrediting Organisation]

Verification

To verify this certificate, scan the QR code or visit [Hstar-dev.azurewebsites.net/ QR/Generate?p=MlalcPjqJ.]

When using either link, ensure you are visiting hstar-dev.azurewebsites.net



National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at www.abcb.gov.au.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Summary of all dwellings

Thermal performance Star rating





The rating above is the average of all dwellings in this summary


> For more information on your dwelling's rating see: www.nathers.gov.au

NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled		
block average	0000.0	0000.0
Maximum		
block limit	0000.0	0000.0

Whole of Home performance rating 50 out of 100



The rating above is the lowest of all the dwellings in this summary

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000	A1	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A2	0000.0 (000)	0000.0 (000)	0000.0	0.0	-000
000000000000000000000000000000000000000	A3	0000.0 (000)	0000.0 (000)	0000.0	0.0	-000

[#000000000-00] NatHERS Certificate



Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000000	A4	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000000	A5	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A6	0000.0 (000)	0000.0 (000)	0.0000	0.0	000
0000000000	A7	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A8	0000.0 (000)	0000.0 (000)	0.0000	0.0	000
0000000000	A9	0000.0 (000)	0000.0 (000)	0.0000	0.0	000
0000000000	A10	0000.0 (000)	0000.0 (000)	0.0000	0.0	000
000000000	A11	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A12	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A13	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A14	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A15	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Explanatory notes

About the ratings

The thermal performance star rating in this Certificate is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Certificate is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Certificate.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and societal cost. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the homes societal cost.

For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

For high quality NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and are not quality assured.

Licensed assessors in the Australian Capital Territory (ACT) can produce assessments for regulatory purposes only, using endorsed software, as listed on the ACT licensing register.

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in certificates is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy use, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor while using the NatHERS accredited software tool are presented in this report and further details or data files may be available from the assessor.

Nationwide House Energy Rating Scheme® **Class 2 Summary** NatHERS® Certificate No. [#000000000-00]

Generated on [date] using [software and version]

[other boilerplate text other boilerplate text]

00 Street.

Property

Address Lot/DP

NatHERS Climate Zone

Suburb, State/Territory, Postcode] [number] [number]



Accredited assessor

Name **Business name** Email Phone Accreditation No. [assessor name] [business name] [email address] [0000 0000 0000] [0000 000 000]

Assessor Accrediting Organisation [name of Assessor Accrediting Organisation]

Verification

To verify this certificate, scan the QR code or visit [Hstar-dev.azurewebsites.net/ QR/Generate?p=MlalcPjqJ.]

When using either link, ensure you are visiting hstar-dev.azurewebsites.net



National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Summary of all dwellings



Thermal performance



The rating above is the

average of all dwellings in this summary

> For more information on your dwelling's rating see: www.nathers.gov.au

NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

Heating	Cooling

Modelled block average 0000.0 Maximum block limit 0000.0

0000.0 0.0000 R

Whole of Home performance rating

No Whole of Home performance rating conducted for this summary certificate or

not completed for all dwellings

The rating above is the lowest of all dwellings in this summary

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000	A1	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A2	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A3	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

[#000000000-00] NatHERS Certificate



Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
0000000000	A4	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000000	A5	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A6	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000000000000000000000000000000000	A7	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A8	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A9	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A10	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A11	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A12	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000000000000000000000000000000000	A13	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A14	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000000000000000000000000000000000	A15	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Explanatory notes

About the ratings

The thermal performance star rating in this Certificate is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Certificate is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Certificate.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and energy value*. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the homes energy value*.

For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

For high quality NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and are not quality assured.

Licensed assessors in the Australian Capital Territory (ACT) can produce assessments for regulatory purposes only, using endorsed software, as listed on the ACT licensing register.

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in certificates is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy use, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor while using the NatHERS accredited software tool are presented in this report and further details or data files may be available from the assessor.

Residential energy rating report - Non-accredited No. [#00000000-00]

Class 2 summary

Generated on [date] using [software and version]

This report was created using NatHERS accredited software but the non-accredited assessor (rater) is not accredited under NatHERS and this report is not accredited as being compliant with NatHERS. Reliance on this report is accordingly at your own risk.

Property

Address

Lot/DP NatHERS Climate Zone [00 Street, Suburb, State/Territory, Postcode] [number] [number]

Rater*

Name	[assessor name]
Business name	[business name]
Email	[email address]
Phone	[00 0000 0000]
Declaration of interest	[yes-managed]

Verification

To verify this certificate, scan the QR code or visit [Hstar-dev.azurewebsites.net/ QR/Generate?p=MlalcPjqJ.]

When using either link, ensure you are visiting hstar-dev.azurewebsites.net



National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Summary of all dwellings

Thermal performance Star rating

Average star rating

The rating above is the average of all dwellings in this summary

NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled block average	0000.0	0000.0
Maximum block limit	0000.0	0000.0

Whole of Home performance rating



The rating above is the lowest of all dwellings in this summary

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000	A1	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A2	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A3	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Non-accredited document number [#00000000-00]

Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000000000	A4	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A5	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A6	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000000	A7	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A8	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A9	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000000	A10	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A11	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A12	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A13	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A14	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A15	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Explanatory notes

About this report

The thermal performance star rating in this Report is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Report is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Report.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and societal cost. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the homes societal cost.

For more details about an individual dwelling's assessment, refer to the individual dwelling's Rating Report (accessible via link).

Raters

Non-accredited assessors (Raters) are not required to have any formal qualifications, insurance, ongoing professional development or quality assurance checks on their ratings. This is distinct from NatHERS accredited assessors who are required to have qualifications, ongoing professional development and have quality assurance checks on their ratings.

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Any questions or concerns about this report should be directed to the rater in the first instance. If the rater is unable to address these questions or concerns, the state or territory building code authority should be contacted.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the rater. It is the rater's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce this report.

The predicted annual energy load, cost and greenhouse gas emissions are not part of a non-accredited report. In a NatHERS Certificate these are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the rater who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the rater using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the rater.

Residential energy rating report - Non-accredited No. [#00000000-00]

Class 2 summary

Generated on [date] using [software and version]

This report was created using NatHERS accredited software but the non-accredited assessor (rater) is not accredited under NatHERS and this report is not accredited as being compliant with NatHERS. Reliance on this report is accordingly at your own risk.

Property

Address

Lot/DP NatHERS Climate Zone [00 Street, Suburb, State/Territory, Postcode] [number] [number]

Rater*

Name	[assessor name]
Business name	[business name]
Email	[email address]
Phone	[00 0000 0000]
Declaration of interest	[yes-managed]

Verification

To verify this certificate, scan the QR code or visit [Hstar-dev.azurewebsites.net/ QR/Generate?p=MlalcPjqJ.]

When using either link, ensure you are visiting hstar-dev.azurewebsites.net



National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at <u>www.abcb.gov.au</u>.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Summary of all dwellings

Thermal performance Star rating

Average star rating

The rating above is the average of all dwellings in this summary

NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled block average	0000.0	0000.0
Maximum block limit	0000.0	0000.0

Whole of Home performance rating

No Whole of Home performance rating conducted for this summary report or not completed for all dwellings

The rating above is the lowest of all dwellings in this summary

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
0000000000	A1	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A2	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A3	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Non-accredited document number [#00000000-00]

Summary of all dwellings (continued)

Certificate number and link	Unit Number	Heating load (load limit) [MJ/m2/p.a.]	Cooling load (load limit) [MJ/m2/p.a.]	Total load [MJ/m2/p.a.]	Star Rating	Whole of Home Rating
000000000000000	A4	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A5	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A6	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A7	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A8	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A9	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
00000000000000	A10	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A11	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A12	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A13	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
0000000000	A14	0000.0 (000)	0000.0 (000)	0000.0	0.0	000
000000000	A15	0000.0 (000)	0000.0 (000)	0000.0	0.0	000

Explanatory notes

About this report

The thermal performance star rating in this Report is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Report is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Report.

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and societal cost. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the homes societal cost.

For more details about an individual dwelling's assessment, refer to the individual dwelling's Rating Report (accessible via link).

Raters

Non-accredited assessors (Raters) are not required to have any formal qualifications, insurance, ongoing professional development or quality assurance checks on their ratings. This is distinct from NatHERS accredited assessors who are required to have qualifications, ongoing professional development and have quality assurance checks on their ratings.

For quality assured NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Any questions or concerns about this report should be directed to the rater in the first instance. If the rater is unable to address these questions or concerns, the state or territory building code authority should be contacted.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in the certificate is entered by the rater. It is the rater's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce this report.

The predicted annual energy load, cost and greenhouse gas emissions are not part of a non-accredited report. In a NatHERS Certificate these are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the rater who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the rater using the NatHERS accredited software tool are presented in this report and further details or data files may be obtained from the rater.



