



**WILDBOAR**  
CONCRETE FREE FOOTINGS

E. sales@wildboar.co.nz P. 09 947 5034 www.wildboar.co.nz

## ADJUSTABLE STUMP TOPS

\*XX denotes 75mm, 90mm or 100mm SHS



SR-SO-XX  
Screw On Adjustable



SR-WO-XX  
Weld On Adjustable



SR-RET-XX  
Retro Fit


## BASES



SR-XX-2HBP  
2 Hole Base Plate



SR-XX-4HBP  
4 Hole Base Plate



SR-XX-CIB  
Cast In Base Plate

## BRACING SYSTEMS


Can be used for:

- post-to-post connection
- post-to-bearer connection

The Full Cross Bracing Set is 3m long, but can be cut to suit your installation.

Longer length options available.

**Bracing does not require any welding for installation.**



**SUREFOOT**<sup>TM</sup>

CONCRETE FREE FOOTING SYSTEM



**WILDBOAR**  
CONCRETE FREE FOOTINGS

E. sales@wildboar.co.nz P. 09 947 5034 www.wildboar.co.nz

## TOP PLATES



SR-ST  
Straight Top



SR-CT  
Corner Top



SR-ET  
End Top



SR-TT  
Tee Top



SR-VST/VT  
Vertical Top



SR-SLT  
Straight Large Top

	A	B	C	THICKNESS
SMALL	75	90	90	6
LARGE	75	125	140	6
XLARGE	85	220	200	6



**SUREFOOT**<sup>TM</sup>  
CONCRETE FREE FOOTING SYSTEM



**WILDBOAR**  
CONCRETE FREE FOOTINGS

E. sales@wildboar.co.nz P. 09 947 5034 www.wildboar.co.nz

MISCELLANEOUS



SR-GWP  
Guy Wire Plate




SR-4HBP-Fin  
Fin Plate  
\* for timber posts



Complete Stumps  
\* made to order



SR-DC  
Single Dog Clamp



SR-SST  
Straight Slotted Top



SR-CT  
Container Twistlock  
Adjustable/Non-adjustable



**SUREFOOT**<sup>TM</sup>  
CONCRETE FREE FOOTING SYSTEM