

# Weatherboard Cladding Systems

## WHAT IS CERTCLAD?

CertClad is the brand name for ITI Timspec's certified cavity-based weatherboard cladding systems. These are tested and assessed in accordance with the requirements of NZ Building Code Clause E2/VM1, by a third-party organisation and have attained CodeMark certification.

## TESTING/ COMPLIANCE & CONSENTING

The CertClad weatherboard systems are audited annually by a third party independent auditor, within the framework of JAS-ANZ. These systems are not only compliant to NZ Building Code but, exceed the minimum requirements. Moreover, CertClad certified systems are deemed to comply, and are generally not subjected to the discretion of consenting authorities in New Zealand.

## WHAT IS CODEMARK?

CodeMark is a voluntary product certification scheme that provides an easily understood and robust way to show a building product meets the requirements of the New Zealand Building Code. A product can be a building, construction method, building design or a building material. CertClad systems are CodeMark certified and are approved to be used as a partial or full cladding system for residential or small scale commercial building types.

## WARRANTY

The warranty for each species and or system is outlined in the relevant CertClad system documents. CertClad cladding systems are warranted only if, installed using ITI Timspec approved products and in accordance with the installation manuals and drawings provided by ITI Timspec.

For more information please visit, [www.ititimspec.nz](http://www.ititimspec.nz) or call us on (09) 620 0260.



Accoya® is the world's leading high technology wood. It is produced from sustainably sourced, fast growing softwood using non-toxic modification process. For more information on Accoya, Please visit, [www.ititimspec.nz](http://www.ititimspec.nz)





Look for our FSC® certified products on our website

RADIATA PINE



ACCOYA



SPECIES	DESCRIPTION	PROFILES AVAILABLE	COATING	CERTIFICATION	PRICE RANGE
<b>ACCOYA®</b>  	<p>Accoya is the world's leading high technology wood. It is produced from a non-toxic cellular modification process known as acetylation. The softwood used in the process is Radiata Pine sourced from sustainably managed forests in New Zealand. The result is a durable, stable and non-toxic material with performance characteristics better than any hardwood.</p> <p>Accoya holds industry leading environmental credentials. (<a href="http://www.ititimspec.nz">www.ititimspec.nz</a>).</p> <p>The exceptional durability of Accoya is warranted for a minimum life of 50 years above ground and 25 years in-ground.</p>	<p>Accoya is available in multiple style weatherboards such as bevelback, rusticated, vertical shiplap and custom profiles on request.</p>	<ul style="list-style-type: none"> <li>• Pre-primed clears</li> <li>• Stained/ Oiled</li> <li>• Uncoated</li> </ul>	<p>FSC®</p> 	Medium- High
<b>RADIATA PINE</b>	<p>Radiata Pine is the most commonly used weatherboard species and is sourced from sustainably managed forests in New Zealand. It is a medium density softwood, straight grained with an even texture. It is treated to H3.2 for durability and works well with hand and machine tools.</p> <p><i>Scientific name:</i> Pinus radiata  <i>Other names:</i> Monterey pine, Insignis pine.  <i>Origin:</i> Native to central and southern coastal California.</p>	<p>Radiata Pine is available in multiple style weatherboards such as bevelback, rusticated, vertical shiplap and custom profiles on request.</p>	<ul style="list-style-type: none"> <li>• Pre-primed clears</li> <li>• Uncoated or stained –not recommended</li> </ul>	<p>FSC®</p> 	Low-Medium
<b>WESTERN RED CEDAR</b>	<p>Western Red Cedar is a popular cladding choice in New Zealand. It is sourced from sustainably managed forests in British Columbia, Canada. Western Red Cedar is known for its outstanding aesthetic qualities, performance, texture, grain feature and distinctive fragrance.</p> <p><i>Scientific name:</i> Thuja plicata  <i>Other names:</i> Pacific red cedar  <i>Origin:</i> North America</p>	<p>Western Red Cedar is available in multiple style weatherboards such as bevelback, rusticated, vertical shiplap and custom profiles on request.</p>	<ul style="list-style-type: none"> <li>• Pre-primed clears</li> <li>• Stained</li> </ul>	<p>PEFC™</p> 	Medium

To find more about durability, coating and installation, please visit [www.ititimspec.nz /Weatherboard-Profiles--CAD/](http://www.ititimspec.nz/Weatherboard-Profiles--CAD/)

**FINISHES:** We offer dressed and band-sawn face finishes.

**HANDLING & STORAGE:** Care must be taken to ensure that timber and accessories are kept clean and dry and timber boards are not to be damaged whilst waiting application. Extra care is to be taken while handling timber to ensure that they are not damaged. Timber is to be stacked on flat level bearers/ dunnage that are a maximum of 900mm apart and at least 100mm off the ground. Timber should be either stored inside an enclosed building or covered and protected from the external elements when stored outside.

**Note:** Timber weatherboards should not be installed if the moisture content is greater than 14-18%.

ACCOYA



RADIATA PINE



WR CEDAR





# WEATHERBOARD PROFILE STYLE

## VERTICAL SHIPLAP WEATHERBOARDS

Vertical shiplap weatherboard cladding produces a contemporary impression with sharp straight vertical grooves creating distinctive shadow lines. When combined with other building materials such as brick, stone and masonry or timber weatherboards, the appearance and the texture is stunning. Now with a cavity based solution, vertical shiplap weatherboard applications are endless, enabling design flexibility with a variety of profile thicknesses and widths available. The ITI Timspec profile chart displays species, dimensions and the profile numbers in order to help with the right choice to meet design and performance requirements. To find our profile chart please visit, [www.ititimspec.nz](http://www.ititimspec.nz)

WR CEDAR



WR CEDAR



ACCOYA



RADIATA PINE



ACCOYA



CertClad vertical shiplap weatherboards are laid over a 20mm drained cavity. The cavity is created using either cavibat fluted battens or timber castellated battens fixed horizontally over nogging. This type is suitable in windzones up to very high, without a rigid wall underlay. With a rigid wall underlay, vertical shiplap weatherboards are suitable for very high and extra high windzones. The construction details and guides are available in the installation manuals on our website.

SOUND TIGHT KNOTTY WR CEDAR



ACCOYA





# WEATHERBOARD PROFILE STYLE

## BEVELBACK WEATHERBOARDS

Bevelback weatherboards are a favorite of New Zealanders, with a striking horizontal line popular in both residential and commercial buildings for over a century. They are often regarded as the most robust and best performing timber cladding option, especially in exposed or extreme locations where durability and weathertightness are paramount. There are numerous size options available in Accoya, Western Red Cedar and Radiata Pine species.

ACCOYA



ACCOYA



WR CEDAR



RADIATA PINE



Bevelback weatherboards are laid over a 20mm cavity batten. The construction details and guides are available in the installation manuals on our website.

RADIATA PINE



ACCOYA



ACCOYA





# WEATHERBOARD PROFILE STYLE

## RUSTICATED PROFILE

Rusticated weatherboards are a popular option in New Zealand and have been performing well for almost a century with regards to appearance, functionality and weathertightness. In recent times they have undergone somewhat of a revolution which has resulted in a new more refined or contemporary look with sharper grooves and shadow lines in comparison to the traditional scalloped profiles. At ITI Timspec we supply a variety of rusticated styles with varying widths and thicknesses to accommodate different design options available in Accoya, Western Red Cedar and Radiata Pine.



Rusticated weatherboards are laid over a 20mm cavity batten. The construction details and guides are available in the installation manuals on our website.





WR CEDAR



For more information on profiles, species and technical drawings, please visit [www.ititimspec.nz/Weatherboard-Profiles--CAD/](http://www.ititimspec.nz/Weatherboard-Profiles--CAD/)



We are on Masterspec & Smartspec



Masterspec is a leading specification system in the NZ construction industry used by design practices. Masterspec is available on two operating platforms. One is Masterspec word linked to a browser and the other is Masterspec NextGen2, an entirely new intuitive online platform. Masterspec provides detailed specification resources that can be easily modified to suit any project.

Read more at [www.masterspec.co.nz](http://www.masterspec.co.nz)

Smartspec is automated with templates and is suitable for residential and commercial building specification writing. NZ standard specification including ITI Timspec CertClad systems can be found on the Smartspec website. Smartspec suits best for small scale design practices. Read more at [www.smartspec.co.nz](http://www.smartspec.co.nz)

**Auckland**, 64 Stoddard Road, Mt Roskill-1041. PO Box: 27-496, Mt Roskill-1440. Ph: (09) 620 0260 Fax: (09) 620 0261.  
**Christchurch**, 9B Francella Street, Bromley- 8062. PO Box 6387, Upper Riccarton- 8442. Ph: 03 384 5287, Fax: 03 384 5289

Find us on:

