

millboard®

Live.Life.Outside.



## The Envello® Collection

[millboard.co.uk](https://millboard.co.uk)



◀ **Envello**  
Shadow Line  
Golden Oak

**Crafted to be perfectly imperfect**  
Envello cladding is hand-coloured to enhance its realistic appearance.



◀ **Envello**  
Board & Batten  
Antique Oak

■ **Cover image:**

**Envello®**  
Board & Batten  
Golden Oak

**Enhanced Grain**  
Golden Oak - Decking

For Millboard fire rating please contact us on 024 7643 9943 or [millboard.co.uk/envello](http://millboard.co.uk/envello) for further information.

# Envello® Cladding

Envello cladding has been hand-moulded from carefully selected natural timbers and hand-coloured by our master craftsmen, to provide an unmistakably organic look, only requiring occasional cleaning to preserve its beauty.

## Available in two profiles and a range of colours

From the smooth finish of the Shadow Line profile to the pleasing grain variance of the Board and Batten, there's a Millboard Envello Cladding profile for every property type. Years of development means this product is perfectly designed to stand the test of time. The distinctive chamfered cut of the profiles also enables the rain to naturally clean the boards, reducing the need for manual cleaning or treatment.

The boards lock together with a specially designed tongue and groove for added rigidity and increased installation speed. The tongue and groove has been profiled with a relief angle to allow the boards to curve when used vertically, as well as limiting the passage of air and water through the system. The tongue of the board features a notch which the fixings are aligned with, the next board then covers over the fixing creating a clean finish.

Both profile of boards can be installed horizontally or vertically, depending on the nature of the design.



### Ultra-realistic wood-look

Skilfully moulded by hand and authentically coloured, replicating timber in the most realistic way.



### Impact resistant

A durable coating and elastomeric lastane surface ensures increased resilience against hail & natural weathering



### Resistant to moisture ingress

Due to Envello's non-porous composition, no sealing is required, unlike other available products.



### Easy installation

No specialist tools required, Envello can be cut and installed in the same way as traditional timber.



### UV and Weathering stability

UV stabilised for better performance and fade resistance over time.



### Does not warp or rot

Envello is solid, not hollow, making it strong. This means it will not rot or warp like timber.

**Order your free cladding samples now** and see the true beauty of Millboard for yourself, visit [millboard.co.uk](http://millboard.co.uk) or call **024 7643 9943**

# Envello® Shadow Line

The grooved profile created between boards gives visual definition to the individual grain patterns

The Shadow Line board has been designed to perfectly replicate smooth timber with a flat grained finish, giving a clean authentic look. The increased width of the Shadow Line board compared to standard timber boards means that there is larger grain detail. This gives an enhanced visual impact, without the risk of the board twisting or warping over time. The Shadow Line board has been profiled with oblique angles to prevent water collecting between two profiles, as well as helping rain water wash over the face of the cladding. The indent created between boards gives visual definition to the individual grain patterns.



◀ Antique Oak  
MCG360A

◀ Golden Oak  
MCG360G

◀ Burnt Cedar  
MCG360R

◀ Smoked Oak  
MCG360D

Order your free cladding samples now and see the true beauty of Millboard for yourself, visit [millboard.co.uk](http://millboard.co.uk) or call **024 7643 9943**





Like wood, no two Millboard Envello boards are the same colour, with the subtle differences giving the most natural appearance. This is to give your cladding all the good looks of timber, but with none of the maintenance drawbacks associated with it.




## Envello® Shadow Line

### Cross sections



Cladding Board



External and internal corner profiles

### Board dimensions

Length:	3600mm
Width:	200mm
Thickness:	18mm
Installed Width:	181mm (19mm overlap)
Boards per m <sup>2</sup> :	1.53 boards*

\*When installed

**Order your free cladding samples now** and see the true beauty of Millboard for yourself, visit [millboard.co.uk](http://millboard.co.uk) or call **024 7643 9943**



▲ **Envello**  
Shadow Line  
Antique Oak



▲ **Envello**  
Shadow Line  
Smoked Oak

Corner profiles and fascia boards add distinction to corners of buildings, window and door reveals, soffits and much more. Our trims are specially selected to fit our profile, for a cleaner look and a faster, easier install.

Live. Life. Outside.

► **Envello**  
Shadow Line  
Burnt Cedar

The stunning grain patterns of Envello cladding magically elevate the colour of each board to look lighter or darker, depending on the angle you are viewing them from.





► **Envello**  
Shadow Line  
Golden Oak



► **Envello**  
Shadow Line  
Burnt Cedar



◀ **Envello**  
Board & Batten  
Burnt Cedar  
and  
Shadow Line  
Smoked Oak

# Envello® Board & Batten

A truly unique balance for both contemporary and traditional designs

Our Board and Batten collection has been moulded from individual pieces of timber with a range of different masters, creating a truly unique balance for both contemporary and traditional designs. With a tongue and groove profile that only requires fixings through the tongue, the install time is dramatically reduced compared to the traditional method of timber batten-on-board cladding. The profiles on the Board or Batten are designed with differing angles to create shadow definition between the grain patterns, as well as facilitating drainage when used horizontally..

▼ **Antique Oak**  
MCB360A

▼ **Golden Oak**  
MCB360G

▼ **Burnt Cedar**  
MCB360R

▼ **Smoked Oak**  
MCB360D



◀ **Millboard Decking**  
Enhanced Grain  
Smoked Oak

**Order your free cladding samples now** and see the true beauty of Millboard for yourself, visit [millboard.co.uk](http://millboard.co.uk) or call **024 7643 9943**

## Envello® Board & Batten

### Cross sections



Cladding Board



Square corner trim

### Board dimensions

Length:	3600mm
Width:	200mm
Thickness:	26mm
Installed Width:	181mm (19mm overlap)
Boards per m <sup>2</sup> :	1.53 boards*

\*When installed



► **Envello**  
Board & Batten  
Burnt Cedar

► **Millboard Decking**  
Enhanced Grain  
Antique Oak

▼ **Envello**  
Board & Batten  
Smoked Oak



Add a finishing touch to your Envello cladding project. Our specially designed wood-look edging trims provide a seamless continuation to any corner, making your whole project come together.

**Order your free cladding samples now** and see the true beauty of Millboard for yourself, visit [millboard.co.uk](http://millboard.co.uk) or call **024 7643 9943**



► **Envello**  
Board & Batten  
Golden Oak

Live. Life. Outside.



**Millboard Showroom** ▶  
London Design Hub  
Goswell Road, EC1V 7EN

## Millboard showrooms

Visit one of our selected showrooms to experience the true beauty of Millboard decking and cladding and witness the endless design possibilities that you can achieve with Millboard products.

Each showroom includes striking displays of the many creative ways in which Millboard can be used – both innovative laying styles and alternative uses.

**Millboard Showroom** ▶  
Midlands Design Hub  
Bodmin Road, CV2 5DB





envello



For your nearest showroom and opening times visit [millboard.co.uk/showrooms](https://millboard.co.uk/showrooms)



To find an approved installer or stockist visit [millboard.co.uk/locator](https://millboard.co.uk/locator)

For Millboard fire rating please contact us on 024 7643 9943 or [millboard.co.uk/envello](https://millboard.co.uk/envello) for further information.

Live. Life. Outside.



**The Millboard Company Ltd**

UK Head Office  
Castle Court  
Bodmin Road  
Coventry CV2 5DB

**T:** +44 (0)24 7643 9943

**E:** [enquiries@millboard.co.uk](mailto:enquiries@millboard.co.uk)

**[millboard.co.uk](http://millboard.co.uk)**

