



PSP COMPANY PROFILE & PRODUCT RANGE



www.psp.co.nz

COMPANY PROFILE

Project Solutions People

PSP Limited proudly offers the industry the highest quality, widest choice and expert advice on the most innovative materials now available.

With over thirty five years of commitment to the New Zealand building, glazing, signage and display markets – and now the flexible signage media market - PSP has established a reputation for quality and consistency, weathering the many challenges the sector has faced over that time.



6

Warehouses nationwide.



68

Total staff members.



14

Dedicated sales reps.




3000+

Products in our range.



7000m²

Warehouse space.



Coverage nationwide

Sitting behind PSP's superior range of over 3,000 products in an extensive warehouse covering 7000m² run by experienced operations and support staff with branches located in:

Auckland - Albany (Head Office)
Auckland - East Tamaki
Auckland - Glenfield
Hamilton
Wellington
Christchurch

With fourteen sales staff located throughout the country, PSP has the depth to offer you the detailed, technical advice that will improve your project, and your world.

THE BRANDS

PSP

PLASTIC SHEETS

Plastic Sheets

We provide a comprehensive range of products specifically for the retail, fitout, plastic fabrication, signage, glazing and construction markets. We offer a wide range of materials including acrylic, polycarbonate, PVC, PETG and polypropylene. Most of the product is available in various sheet sizes with cut to size options available.

PSP

SIGNAGE SOLUTIONS

Signage Solutions

As well as offering a range of rigid solutions (such as ACM, PSP Flute and Palight), PSP also offers a range of coloured film, digital film, overlaminates, window film and architecturally textured film under well recognised brands such as General Formulations, Metamark and CoverStyl'.

PSP

TRANSLUCENT ROOFING

Translucent Roof

We offer a wide range of profiled and flat translucent roofing materials for architecturally-designed projects and the home handyman DIY market. Many of our products are supplied through New Zealand's major building supply companies such as Bunnings and PlaceMakers.

PSP

BUILDING SOLUTIONS

Building Solutions

This business unit showcases our innovative range of products suitable for the architectural, designer, joinery and construction markets. We provide a range of decorative MDF panels, high gloss splashback and wall lining materials and maintenance free fencing and cladding solutions. Our exciting range of products from some of the worlds leading producers will make any interior and exterior design stand out and be admired for years to come.

The following product information gives you a snapshot of the products PSP offers the New Zealand market. For more detailed information on product specifications, samples or advice please don't hesitate to contact PSP.



Exclusive, world-leading brands of the highest quality: products you can build your business on.



36-year track record: we live in the real world, in many markets, so we know many links in the chain: architects, fabricators, installers.



Team knowledge: because our people stick around at PSP, there's always someone in our team in a great position to help you.



Ideas: we're in the solutions business. Our extensive product knowledge and industry expertise exists to solve your challenges.



Service and support: going the extra mile is part of our DNA.



Dependability and trust: we hate to let anyone down, so we always stand behind our products.



PartnerShip: we'll work together with you to achieve your goals, always seeking best-for-customer outcomes, always thinking of ways to ensure the longevity of our products.

We are in the solutions business: **challenge us!**

Proudly New Zealand owned and operated, PSP is a leading-edge provider of materials, innovation, and advice - keeping ahead where others have only followed.



No job too big, no job too small: We do it all.

We import and distribute the widest range of architectural and building products and plastics, in a pre-finished state:

- » A huge range of world-leading products including: Suntuf, EuroClad, ALPOLIC®, Palsun, General Formulations and Metamark.
- » We offer unparalleled service.
- » We apply innovative solutions.

Our innovative materials and highly experienced, skillful people, create exciting opportunities for unique design solutions.

You will stand out and so will your project.

Gain an assured edge - leverage the PSP brand for better options, choice, assurance and confidence. We will help you to:

- » Achieve better project results
- » Innovate and get ahead of your competition
- » Be better protected
- » Tender with confidence
- » Win more work
- » Enhance your image/reputation in your clients' eyes



Plastic Sheets

ACRYLIC

- General Purpose Acrylic – Cast
- Mirror Acrylic
- Green ✓ Tick Acrylic®

SPECIALITY ACRYLIC

- SatinGlas Matt Acrylic
- Guaranteed Acrylic
- Resist - High Impact
- Transparent Noise / Safety Barriers
- Image Plus (UV100)
- Surface Guard

LED ACRYLIC

- LED Edge Lighting
- LED Back Lighting
- LED Block
- Lucent Black/White

POLYCARBONATE

- Palsun UV
- PALGARD AR2 Abrasive Resistant
- PALSHIELD Bullet Resistant

INDUSTRIAL PLASTICS

- PETG
- Polypropylene
- Rigid PVC
- Multiboard PVC

Signage Solutions

ACM

- AlucoLITE
- AlucoDIGITAL
- AlucoAIR
- AlucoWRAP
- AlucoWHITE
- AlucoWHITE Plus
- AlucoWHITE Plus XXL
- AlucoWHITE Plus FR
- AlucoSIGN
- ALPOLIC®/FR

DIGITAL

- PSP Flute
- Palight
- Palfoam
- Thin Gauge Polypropylene

VINYL

- General Formulations
- Metamark
- CoverStyl'
- Tools & Accessories

ACCESSORIES

- Adhesives
- Sloan LEDs

Translucent Roofing

ROOFING SYSTEMS

- ClearVue Roofing
- SunTuf SunGlaze
- Twinwall Polycarbonate

PROFILED SHEETING

- PVC Sheeting
- Tufclad Ultra Polycarbonate
- Suntuf Polycarbonate
- Suntuf Diffused Skylighting
- Fixings & Accessories

Building Solutions

WALL LINING

- DumaWall+
- DumaWall XL
- Covet Battens
- Palclad Pro
- Polywall
- AG TUF

JOINERY

- EvoStone
- DesignerSplash
- Valchromat
- Multiboard
- Toe Spaces
- HPL Plywood

HANDRAIL SYSTEM

- Promenaid

CLADDING

- EuroClad
- ALPOLIC®/FR & NC/A1

FENCING/SCREENING

- AlumaLuxe
- RustFX
- XPRESS Fence - Aluminium
- XPRESS Fence - Timber
- EliteFence

Product Range - Plastic Sheets

Acrylic Range



General Purpose Acrylic

Features

- Lightweight
- Strong
- UV stabilised
- Excellent clarity
- Easy to fabricate
- Large range of colours, sheet sizes & thicknesses

Applications

- Point of sale
- Signage
- Display cabinets
- Boat windscreens
- Furniture
- Glazing
- Partitions
- Temporary glazing

Product Range

Sheet Size: 2440mm x 1220mm, 2490mm x 1880, 3050mm x 2030mm, cut to size available

Gauge (availability varies with colour range): 2.0mm – 50.0mm

Colours: Transparent: Clear, Grey Tint, Bronze Tint, Red, Blue, Amber, Green and Glass Edge. **Opaque:** Opal and Light Opal

Solid Colour: Black, White, Yellow, Red, Green, Blue, Orange, Light Blue and Dark Red.

Fluorescent: Pink and Green.

Mirror Acrylic

Features

- Mirror finish
- Flat & rigid
- Strong
- Lightweight
- Easy to cut

Applications

- Point of sale
- Retail fit-out
- Furniture & joinery
- Feature wall
- Safety mirror

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 3.0mm

Colours: Silver & Gold



Product Range - Plastic Sheets

Speciality Acrylic Range



Green ✓ Tick Acrylic®

Features

- Specially formulated proprietary technology
- Excellent light transmission & optical clarity
- Perfect cast acrylic finish (no manufacturing lines & inclusions)
- Good mechanical properties; shatter resistant
- Picture framing
- POP Displays
- Exhibit displays
- Signage & displays
- Poster advertising protection

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 2.0mm, 3.0mm, 4.5mm, 6.0mm & 10.0mm

Colours: White & Clear

Green ✓ Tick Acrylic® is the registered trademark of the product manufacturer. Green ✓ Tick Acrylic® is not associated with any product certification services.

Guaranteed Sheet

Features

- 30 year warranty – Clear
- 10 year warranty – Tint
- Excellent clarity
- Lightweight
- Strong
- Easy to fabricate
- Architectural glazing
- Boat windscreens
- Aquariums Furniture
- Furniture
- Construction


Product Range

Sheet Size: 2440mm x 1220mm & 3050mm x 2030mm

Gauge (availability varies with colour range): 3.0mm, 4.0mm, 4.5mm, 6.0mm, 8.0mm, 10.0mm & 12.0mm

Colours: Clear, Grey and Marine Green Tint

Product Range - Plastic Sheets Acrylic Range



SatinGlas - Matt Acrylic

Features

- Lightweight
- Excellent illumination properties
- Fingerprint resistant
- Range of vibrant colours available
- Easy to fabricate on site

Applications

- Retail Fitout
- Illuminated signage & display
- Point of sale
- Partitioning & feature walls
- Glazing
- Furniture & joinery

Product Range

Sheet Size: 2440mm x 1220mm & 3050mm x 2030mm

Gauge (availability varies with colour range): 3.0mm, 4.0mm, 6.0mm & 10.0mm

Colours: Crystal, Snow, Blue, Red, Cherry, Orange, Lime, Plum, Yellow, Green Edge, White and Black

Transparent Noise Safety Barrier

Features

- Excellent clarity
- Specialty reinforced sheets
- Impact resistant
- Noise reduction
- UV resistant

Applications

- Noise & safety barriers
- Motorway & railway noise barriers
- Architectural glazing

Product Range

Available on indent.

Product Range - Plastic Sheets Speciality Acrylic Range




Image Plus UV100

Features

- Lightweight
- High impact strength
- Easy to cut & install
- Less than 1% UV transmission

Applications

- Conservation framing
- Museum case protection

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 3.0mm

Colours: Clear

Lucent Surface Guard (Hard Coat)

Features

- Strong
- 99.7% UV resistant
- High surface hardness
- Excellent clarity
- Resistant to abrasion & chemicals
- Good gauge control

Applications

- Display cases for museums & galleries
- Picture, photo & frame glazing

Product Range


Sheet Size: 2440mm x 1220mm

Gauge: 3.0mm, 4.0mm & 6.0mm

Colours: Clear



Product Range - Plastic Sheets Speciality Acrylic Range



Lucent LED Back Lighting

Features

- Maximum transmission
- Optimum light diffusion

Product Range

Sheet Size: 2440mm x 1220mm , 3050mm x 2030mm

Gauge: 3.0mm, 4.5mm & 6.0mm

Colours: Translucent White

Applications

- Back lit signage
- Lightboxes
- Illuminated panels & displays

Lucent LED Block

Features

- Excellent light transmission
- Ease of fabrication
- Lightweight & strong
- Weather resistant

Applications

- Signage
- Illuminated 3D lettering

Product Range

Sheet Size: 2400mm x 1220mm

Gauge: 20.0mm & 30.0mm

Colours: Translucent White

Product Range - Plastic Sheets Speciality Acrylic Range



Lucent Edge Lighting

Features

- Edge lit light technology
- Lightweight
- Strong
- Dot matrix

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 4.0mm & 8.0mm

Colours: Clear

Applications

- Illuminated signage

Lucent LED Black/White

Features

- Ease of fabrication
- Great surface hardness
- Unique colour altering properties

Applications


- Signage
- Illuminated signage

Product Range

Sheet Size: 2400mm x 1220mm

Gauge: 3.0mm

Colours: Black/White





Palsun - Polycarbonate UV Sheet

Features

- High impact resistance
- Good clarity & light transmission
- UV resistant 1 & 2 sided
- 15 year warranty
- Lightweight

Applications

- Architectural glazing
- Safety glazing
- Security glazing
- Machine guards
- Boat windscreens

Product Range

Sheet Size: 2440mm x 1220mm, 2440mm x 1830mm, 3050mm x 2030mm & cut to size available

Gauge (availability varies with colour range): 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm, 6.0mm, 10.0mm, 12.0mm

Colours: Clear, Grey Tint, Opal & Blue Breeze

PALGARD AR2 - Abrasion Resistant Polycarbonate

Features

- Abrasive resistant both sides
- UV protected both sides
- High impact strength
- Chemical resistant
- Lightweight
- Clarity

Applications

- Architectural glazing
- Secure health facilities
- Security glazing
- Prisons
- Safety glazing for forestry & industrial machinery

Product Range

Sheet Size: 2440mm x 1220mm, 2440mm x 1830mm & cut to size available

Gauge (availability varies with colour range): 3.0mm, 4.5mm, 6.0mm, 9.5mm & 12.7mm

Colours: Clear, Grey and Marine Green Tint



PALSHIELD - Bullet Resistant Polycarbonate

Features

- Bullet resistant (level B ballistics 9.0mm)
- UV protection
- Clarity

Applications

- Security glazing
- Retail environments
- Windscreens on forestry & industrial machinery

Product Range

Sheet Size: 1980mm x 965mm, 1830mm x 1220mm & 2440mm x 1830mm

Gauge (availability varies with sheet size): 19.5mm & 32.0mm

Colours: Clear

Rigid PVC

Features

- Chemical resistant
- UV stable
- Good impact strength
- Suitable for screen printing & digital print
- Easy to thermoform & fabricate

Applications


- Signage
- Flume cabinets
- Point of sale
- Industrial applications where chemical resistance is required

Product Range

Sheet Size: 2440mm x 1220mm


Gauge (availability varies with colour range): 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.0mm, 6.0mm, 10.0mm & 12.0mm

Colours: White, Grey & Clear



Product Range - Plastic Sheets

Industrial Plastics



Multiboard- Integral Skin Foam PVC

Features

- UV stable
- Firm outer skins
- Chemical resistant
- Non corrosive
- Water resistant
- Good impact strength
- Lightweight
- Easy to fabricate, similar to timber

Applications

- Kitchen joinery
- Construction
- Marine applications
- Bathroom joinery
- Signage
- Routered letters

Product Range

Sheet Size: 2440mm x 1220mm & 3000mm x 1220mm
Gauge: 10.0mm, 16.0mm, 20.0mm, 25.0mm & 30.0mm
Colours: White

PETG

Features

- High clarity co-polyester
- Excellent strength
- Chemical resistant
- Cold formable
- Thermoformable

Applications


- Industrial guards
- Vending machine parts
- Point of sale
- Signage

Product Range

Sheet Size: 2440mm x 1220mm
Gauge: 0.75mm, 1.0mm, 1.5mm, 2.0mm, 3.0mm, 4.5mm & 6.0mm
Colours: Clear

Product Range - Plastic Sheets

Industrial Plastics



Polypropelene

Features

- Tough
- Hygienic
- Won't absorb moisture
- Flexible
- Easy to fabricate

Applications

- Hygienic wall linings
- Industrial components
- Bin liners

Product Range

Sheet Size: 2440mm x 1220mm
Gauge: 3.0mm & 4.5mm
Colours: White & Black



Product Range - Signage Solutions LED Range



Sloan LED

Features

- High performance LED's
- Consistent colour & intensity
- Reduced maintenance & service costs
- Easy to install
- 24 hour use
- 5 year warranty

Applications

- Illuminated signage
- Channel & halo letters
- Shadow face-lit applications

Product Range

Backlighting: Prism Nano, Prism Mini, Prism 24, VL4 Standard, VL4 Mini

Sidelighting: PosterBOX Mini, SignBox (indent only)

Strip: FlexTape

Power Supplies: 60W 12V, 100W 24V



Product Range - Signage Solutions Aluminium Composite Material (ACM)



AlucoLite - 5 Year Limited Warranty

Features

- Excellent illumination properties
- Fingerprint resistant
- Range of vibrant colours available

- Easy to fabricate
- Lightweight

Applications

- Illuminated signage & displays
- Point of sale
- Feature walls
- Retail fit-out

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 3.0mm & 4.0mm

Colours: Gloss Red/Gloss Yellow, Gloss Blue/Gloss Green, Gloss Black/Gloss Black.

Indoor use only: Brushed Silver/Brushed Gold & Mirror 1 Face.

AlucoWhite - 10 Year Warranty

Features

- Polyester paint finish
- 10 year warranty
- Won't warp

- Weather resistant
- Gloss finish
- Lightweight

Applications

- Signage
- Retail fit out
- Industrial applications

Product Range

Sheet Size: 2440mm x 1220mm & 3050mm x 1500mm

Gauge: 3.0mm & 4.0mm

Colours: Gloss White/Service Coating & Gloss White/Gloss White

Product Range - Signage Solutions Aluminium Composite Material (ACM)



AlucoWhite Plus - 10 Year Warranty

Features

- Polyester paint finish
- 10 year warranty
- Won't warp
- Weather resistant
- Gloss finish
- Lightweight
- Can be fabricated

Applications

- Signage
- Retail fit out
- Industrial applications

Product Range

Sheet Size: 2440mm x 1220mm, 3050mm x 1500mm, 3650mm x 1500mm & 4050mm x 1500mm

Gauge: 4.0mm & 6.0mm

Colours: Gloss White/Gloss White

AlucoWhite Plus XXL - 10 Year Warranty

Features

- Polyester paint finish
- 10 year exterior warranty
- Won't warp
- Weather resistant
- Gloss finish
- Lightweight

Applications

- Signage
- Retail fit out
- Industrial applications

Product Range

Sheet Size: 4050mm x 2000mm & 6000mm x 1500mm

Gauge: 4.0mm

Colours: Gloss White/Service Coating

Product Range - Signage Solutions Aluminium Composite Material (ACM)



AlucoWhite Plus FR - 10 Year Warranty

Features

- Fire Rated
- FEVE paint finish
- 10 year exterior warranty
- Weather resistant
- Won't warp
- Gloss finish
- 0.3 aluminium skins
- Lightweight
- Can be fabricated

Applications

- Signage
- Corporate signage
- Retail fit out
- Fascias
- Industrial applications

Product Range

Sheet Size: 2440mm x 1220mm, & 3050mm x 1500mm

Gauge: 4.0mm

Colours: Gloss White/Satin White

AlucoSign - 10 Year Warranty

Features

- FEVE paint finish
- 10 year exterior warranty
- Weather resistant
- Won't warp
- Gloss finish
- Colour matching to corporate colours available
- 0.3 aluminium skins
- Lightweight
- Can be fabricated

Applications

- Signage
- Corporate signage
- Retail fit out
- Fascias
- Industrial applications

Product Range

Sheet Size: 2440mm x 1220mm, 3050mm x 1500mm, 3650mm x 1500mm & 4050mm x 1500mm **Gauge:** 4.0mm

Colours: Gloss Black/White (PE Paint)

Sheet Size: 2440mm x 1220mm & 3050mm x 1500mm **Gauge:** 4.0mm

Colours: Satin Black/Service Coat, Anthracite/Silver, Gloss Red/Orange, Gloss Blue/Sea Blue, Gloss Yellow/Lemon Yellow

Sheet Size: 2440mm x 1220mm **Gauge:** 4.0mm

Colours: Brushed Silver/Service Coat, Brushed Copper/Service Coat



Product Range - Signage Solutions Aluminium Composite Material (ACM)



AlucoDigital

Features

- Special satin finish for excellent ink adhesion when direct digital flatbed printing
- Won't warp
- Weather resistant
- East peel masking to eliminate residue for fabrication
- Lightweight

Applications

- Digital print signage
- Retail fit out

Product Range

Sheet Size: 2440mm x 1220mm & 3050mm x 1500mm

Gauge (availability varies with sheet size): 2.0mm, 3.0mm & 4.0mm

Colours: Satin White/Service Coat

AlucoWrap

Features

- Lightweight
- 0.21/0.21 Aluminium skin
- Won't warp
- Weather resistant

Applications

- Signage
- Retail fit out
- Trade Shows

Product Range

Sheet Size: 2440mm x 1220mm & 3050mm x 1500mm

Gauge: 4.0mm

Colours: Service Coat/Service Coat



Product Range - Signage Solutions Aluminium Composite Material (ACM)



ALPOLIC®/fr - 20 Year Warranty

Features

- Fire-retardant mineral filled core (Passes NFPA285 and ISO9705 Group 1)
- Coated with LUMIFLON™ - based FEVE uropolymer paint with a 20 year warranty*
- Available with a gloss level of 15% to 80%
- Triple coat finish, the third layer is a protective clear coat
- 15 year delamination warranty*
- Withstands up to 5kpa wind loading exceeding NZS4284 (4mm sheet)
- A range of stocked colours with over 200 colours available on indent
- A2 High fire-retardant core option available on indent

Applications

- Commercial, high-rise & curtain-wall cladding
- Domestic cladding
- Fascia
- Fire-rated wall linings
- Fire-rated ceilings
- Feature walls
- Corporate signage
- Petrol station & train station canopies

Product Range

Sheet Size: 4000mm x 1575mm

Gauge: 3.0mm (Mirror Only) & 4.0mm

Skin Gauge: 0.5/0.5mm

Colours (more available on request): White (M9010 Gloss 30%), Black (MJ062 Gloss 30%), Charcoal (MJ991 Gloss 30%), Silver Metallic (M9170 Gloss 30%), Dark Grey Metallic (MB106 Gloss 30%), Medium Bronze Metallic (M9221 Gloss 30%), Manganese Metallic (MJ803 Gloss 30%), Sparkling White (MD046 Gloss 80%) & Mirror

Product Range - Signage Solutions Digital Range



PSP Flute

Features

- Lightweight polypropylene
- Cost effective
- Waterproof
- Printable
- Easy to cut

Applications

- Promotional signage
- Real estate signage
- Temporary signage
- Waterproof linings

Product Range

Sheet Size: 600mm x 900mm, 900mm x 600mm, 900mm x 1200mm, 1800mm x 900mm, 1830mm x 1220mm, 2440mm x 1220mm & 2700mm x 1225mm

Gauge (availability varies with colour range): 3.3mm, 5.0mm, 6.0mm & 8.0mm

Colours: White, Black, Red, Blue, Yellow

Thin Gauge Polypropylene

Features

- UV Stabilised
- Waterproof
- Impact Resistant
- Direct Printing
- Food contact approved
- Available in Flame Retardant
- Non Toxic and Chemical Resistant
- Wide range of grades available
- Available in Flame Retardant
- PMS Colour Matching Available

Applications


- Point of sale
- Signage & advertising posters
- Print & promotional media
- Illuminated signage & displays
- Fabricated merchandise presentation displays
- Fridge Headers

Product Range

Sheet Size: 1220mm x 685mm, 1235mm x 665mm, 1360mm x 650mm & 1800mm x 800mm

Gauge (availability varies with colour range): 0.38mm, 0.6mm, 0.8mm, 1.0mm, 1.2mm, 1.4mm & 1.9mm

Colours (more colours available on request): White, Black, Clear, Opal.



Product Range - Signage Solutions Digital Range



Foam PVC - Palight

Features

- Value-oriented for cost sensitive projects
- Slightly lighter weight than standard PALIGHT Foam PVC sheet
- Bright, smooth and uniform surface
- Easily worked with conventional tools, prints and paints
- Can be easily bonded, vacuum formed, nailed and bolted
- High chemical resistance
- Low water absorption
- Non-toxic
- High insulation
- Good ink adhesion and print quality

Applications

- Portable displays
- Point-Of-Purchase displays
- Signs
- Displays
- Interior decoration
- Exhibition boards
- Display cladding

Product Range

Sheet Size: 2440mm x 1220mm, 3050mm x 1220mm & 3050mm x 1560mm

Gauge: 2.0mm, 3.0mm, 4.0mm & 6.0mm

Colours: White

Sheet Size: 2440mm x 1220mm

Gauge: 3.0mm

Colours: Black



General Formulations

3-10 Year Warranty

Features

- Quality vinyl products
- Extensive range available
- Easy and efficient to apply
- Excellent print quality

Applications

- Fleet & Vehicle
- Interior & Exterior Wall Wraps
- Window Graphics
- Retail Displays

Metamark - High Performance Calendered Sign Vinyl

3 Year Warranty

Features

- Available in standard & air release
- Over 90 colours available
- PE lay flat liner
- Calendered etched films

Applications

- Glass displays
- Vehicle graphics
- Exterior signage
- Exhibitions & displays



CoverStyl'

10 Year Warranty

Features

- Architectural textured adhesive film
- Easily installed with air flow & bubble free technology
- Over 200 styles
- Cost effective

Applications

- Renovations/upcycling
- Commercial
- Residential

Tools & Accessories

Features

- Easy to use
- Extensive range

Applications

- Squeegees
- Knives & blades
- Rulers
- Application tape & more

Product Range - Translucent Roofing Profiled Roofing Sheets



Suntuf Polycarbonate Sheeting

Features

- 90% light transmission (clear)
- 15 year hail breakage warranty
- 25 year light transmission warranty
- Lightweight & strong
- DIY & easy installation
- Blocks 99.9% of UV rays

Applications

- Canopies
- Skylights
- Awnings
- Gazebos
- Porches
- Outdoor play & family areas



Product Range - Available from leading building merchants

Sheet Size (availability varies with colour range): 1800mm, 2100mm, 2400mm, 2700mm, 3000mm, 3600mm, 4200mm, 4800mm, 6000mm, 7200mm

Gauge: 0.8mm

Colours: Clear, Bronze & Grey Tint

Profile: Corrugated (width 860mm) & Greca (width 810mm) (760mm Cover).

Suntuf LightTech Polycarbonate Sheeting

Features

- 85% light transmission (clear)
- 15 year hail breakage warranty
- 25 year light transmission warranty
- Lightweight & strong
- DIY & easy installation
- Blocks 99.9% of UV rays

Applications

- Canopies
- Skylights
- Awnings
- Gazebos
- Porches
- Outdoor play & family areas

Product Range - Available from leading building merchants

Sheet Size: 1800mm, 2400mm, 3000mm, 3600mm, 4800mm, 6000mm & 7200mm x 860mm Width

Gauge: 0.8mm

Colours: Diffused

Profile: Corrugated (760mm Cover)



Product Range - Translucent Roofing Profiled Roofing Sheets



Suntuf CoolTech Polycarbonate Sheeting

Features

- Lightweight & strong
- DIY & easy installation
- Blocks 99.9% of UV rays
- Reduces heat by approx 55% compared to Clear

Applications

- Canopies
- Skylights
- Awnings
- Gazebos
- Porches
- Outdoor play & family areas

Product Range - Available from leading building merchants

Sheet Size (availability varies with colour range): 1800mm, 2400mm, 3000mm, 3600mm, 4800mm, 6000mm & 7200mm

Gauge: 0.8mm

Colours: CoolTech Ice & CoolTech Grey

Profile: Corrugated (width 860mm) & Greca (width 810mm) (760mm Cover)

Tufclad Ultra Polycarbonate Sheeting

Features

- Lightweight & strong
- DIY & easy installation
- Blocks 99.5% of UV rays
- 15 year light transmission warranty
- 10 year hail breakage warranty

Applications

- Canopies
- Skylights
- Awnings
- Gazebos
- Porches
- Outdoor play & family areas

Product Range - Available from leading building merchants

Sheet Size: 1800mm, 2400mm, 3000mm, 3600mm, 4800mm & 6000mm x 860mm width

Gauge: 0.8mm

Colours: Clear & Grey Tint

Profile: Corrugated (760mm Cover)

Product Range - Translucent Roofing Profiled Roofing Sheets



Translucent PVC Corrugated Sheeting

Features

- Lightweight
- UV stabilised
- Economical
- 5 year warranty on Clear
- DIY installation

Applications

- Porches
- Playhouses
- Skylights
- Carports

Product Range - Available from leading building merchants

Gauge: 0.8mm

Colours: Clear & Translucent Blue

Clear Sheet Size: 1800mm, 2400mm, 3000mm & 3600mm x 660mm Width (610mm Cover)

Translucent Blue Sheet Size: 1800mm, 2400mm, 3000mm & 3600mm x 690mm Width (610mm Cover)

Suntuf Diffused Skylighting Polycarbonate Sheeting

Features

- BRANZ Group 1S Fire Rated
- 85% Light Transmission
- NZBC Durability Compliant
- 180 degree spread of light
- Virtually unbreakable
- Reduces glare

Applications

- Canopies
- Skylights
- Pergolas
- Barn & farm sheds
- Warehouse & DIY trade merchant stores



Product Range - Available from leading building merchants

Sheet Size: 1800mm, 2400mm, 3000mm, 3600mm, 4200mm, 4800mm, 6000mm, 7200mm & 9000mm

Gauge: 1.2mm

Colours: Diffused

Product Range: Corrugated (860mm width) & TrimSpan 5 Rib (735mm Width)



Product Range - Translucent Roofing Flat Translucent Roofing Systems



ClearVue Roofing System

Features

- BRANZ appraisal
- Impact resistant
- 15 year full replacement
- Economical priced vs glass
- High UV protection
- DIY & easy installation
- Modern aluminum glazing or span bar system

Applications

- Skylights
- Gazebos
- Outdoor play & family areas
- Canopies
- Awnings
- Porches

Product Range

Sheet Size: 3700mm x 586mm, 6000mm x 736mm & 5100mm x 586mm, 3700mm x 736mm & 5100mm x 736mm

Gauge (availability varies with colour range): 6.0mm & 8.0mm

Colours: Clear, Grey Tint, Diffused, Solar Control & Blue Breeze

SunTuf Twinwall - Fluted Polycarbonate

Features

- Lightweight & flexible
- Excellent insulation
- Cost effective
- Double sided UV
- 10 year limited warranty

Applications

- Sunrooms
- Gazebos
- Pergolas
- Covered walkways
- Porches
- Partitioning

Product Range

Sheet Size: 1800mm x 1220mm, 2400mm x 1220mm, 3000mm x 1220mm, 3600mm x 1220mm & 5500mm x 1220mm

Gauge: 8.0mm

Colours: Clear, Bronze Tint & Grey Tint



Product Range - Translucent Roofing Profiled Roofing Sheets



SunTuf SunGlaze

Features

- Glass like appearance
- Quick & easy installation
- Powder Coating options available
- Low Maintenance
- Lightweight
- UV Resistance

Applications

- Porches
- Carports
- Gazebos
- Pool Covers
- Walkways, Awnings & Entrances

Product Range

Sheet Size: 1800mm x 1220mm, 2400mm x 1220mm, 3000mm x 1220mm, 3600mm x 1220mm & 5000mm x 1220mm

Gauge: 4.0mm

Colours: Clear, Bronze Tint & Grey Tint

Product Range - Building Solutions Decorative Wall Lining



DumaWall+ Tiles

Features

- Strong & lightweight
- UV resistant
- Waterproof
- Easy tongue & groove installation
- Easy to cover over existing walls
- Simple to clean & maintain

Applications

- Showers
- Bathrooms
- Laundry
- Feature Walls
- Kitchens
- Vanities & mirror surrounds

Product Range

Tile Size: 375mm x 650mm – 8 tiles per pack (1.95m²)

Gauge: 5.0mm

Colours: Signature Series: White, Light Cement, Chicago, Denver, Mystic Dark Grey

Designer Series: Calacutta, Sardinia, Sicilia, Terrazzo Beige & Terrazzo Dark Grey

Glue & accessories also available

DumaWall XL Panels

Features

- Strong & lightweight
- UV resistant
- Waterproof
- Easy tongue & groove installation
- Easy to cover over existing walls
- Simple to clean & maintain

Applications

- Showers
- Bathrooms
- Laundry
- Feature Walls
- Kitchens
- Vanities & mirror surrounds

Product Range

Tile Size: 2600mm x 900mm – 2 panels per pack (4.68m²)

Gauge: 5.0mm

Colours: Signature Series: White, Light Cement, Chicago, Denver, Mystic Dark Grey

Designer Series: Corleone, Sardinia & Sicilia

Glue & accessories also available



Product Range - Building Solutions Hygienic Wall Lining



Palclad Pro PVC Cladding System

Features

- Complete HYG cladding system
- Withstands frequent cleaning
- Easily fabricated & thermoformed
- Long lasting antimicrobial protection
- Fire rated
- Resistant to chemicals

Applications

- Agriculture
- Medical facilities
- Public transport restrooms
- Food plants
- Restaurants
- Healthcare

Product Range

Sheet Size: 3000mm x 1500mm
Gauge: 2.0mm
Colours: White; other colours available on indent.

PolyWall

Features


- Resistant to chemicals
- Hygienic & resistant to bacteria
- Flexible & easy to fabricate
- Easy to install
- Non-porous
- Durable

Applications

- Food processing plants
- Livestock & dairies
- Sterile/clean rooms
- Rest rooms
- Hospitals & clinics
- Sorting halls

Product Range

Sheet Size: 2440mm x 1220mm
Gauge: 3.0mm
 Joints & fixings also available.



Product Range - Building Solutions Hygienic Wall Lining/Joinery



AG TUF

Features

- Weather & UV resistant
- High fire resistance
- Excellent chemical resistance
- Resists marking & scratching
- Resists livestock related gasses
- High gloss finish for easy cleaning
- Industrial buildings
- Fertilizer storage
- Car & truck washes
- Meat packing
- Factories
- Poultry farms

Product Range

Sheet Size: 2440mm x 1190mm
Gauge: 1.0mm
Colours: White

EvoStone

Features

- Waterproof non-porous
- Durable & Lightweight
- Easy to cut/fabricate.
- Repairable
- Low maintenance
- Hygienic & food safe.
- Safe fabrication (doesn't contain silica)

Applications

- Kitchens
- Vanities
- Laundries

Product Range

Sheet Size (availability varies with colour): 3600mm x 610mm, 3600mm x 620mm, 3050mm x 900mm & 1000mm x 900mm
Gauge: 20.0mm
Colours: White, White Sand, Absolute Concrete, River, Vapor & Monsoon



DesignerSplash ACM Splashback

Features

- Flame retardant
- Water resistant
- Cost effective
- High gloss finish
- Easy installation
- 10 year warranty
- Suitable behind gas hob
- Low maintenance

Applications

- Splashbacks
- Laundry areas
- Shower linings
- Feature walls
- Retail fitouts
- Wall linings

Product Range

Sheet Size: 600mm x 750mm, 900mm x 750mm, 3100mm x 750mm, 2100mm x 750mm, 3100 x 1550mm & 2100mm x 1550mm

Gauge: 4.0mm

Colours: Cape Reinga (Silver)/Paeroa (Taupe), Fox Glacier (Mint)/Waitomo (Anthracite), Goat Island (Teal)/Ruapehu (Ash), Mt Taranaki (Grey)/Tirau (Brushed Aluminium), Piha (Black)/Fiordland (Sky), Remarkables (White)/K Road (Red)

VALCHROMAT - Coloured MDF Panels

Features

- Durable
- Moisture resistant
- Coloured throughout panel
- Greater resistance to bending
- Easy to fabricate/machine
- Coloured with organic dye

Applications

- Bathroom vanity
- Retail fitouts
- Cabinetry
- Furniture
- Doors

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 8.0mm, 12.0mm, 16.0mm, 19.0mm & 30.0mm

Colours: Light Grey, Grey, Black, Chocolate, Red, Yellow, Orange, Violet, Blue, Green Mint



Multiboard/Toe Spaces

Features

- Good impact strength
- Firm outer skins
- Lightweight
- Non-corrosive
- UV stable
- Chemical resistant
- Water resistant
- Easy to fabricate

Applications

- Boat building
- Kitchen joinery
- Bathroom joinery
- Industrial applications
- Construction

Product Range - Multiboard Sheets

Sheet Size: 2440mm x 1220mm & 3000mm x 1220mm

Gauge (availability varies with sheet size):

10.0mm, 15.0mm, 20.0mm, 25.0mm & 30.0mm

Colours: White

Product Range - Multiboard Toe Spaces

Sheet Size: 3600mm x 150mm & 3600mm x 1200mm

Gauge: 16.0mm

Colours: Black, Stainless Steel, Brushed Aluminium

HPL Plywood

Features

- Chemical resistant
- Water resistant
- Cost effective
- Durable

Applications

- Kitchen cabinetry
- Bathroom vanity
- Furniture
- Retail fit outs

Product Range

Sheet Size: 2440mm x 1220mm

Gauge: 16.0mm

Colours: Black & White

Product Range - Building Solutions Handrail System



Promenaid - Handrail System

Features

- Easy install modular components
- Ergonomic aluminium handrail system
- Patented screw system
- Suitable for interior & exterior
- Brackets support over 225kgs

Applications

- Stairways & walkways
- Bathrooms & showers
- Doorway entrances

Product Range

Rail Length: 1200mm, 2400mm, 3000mm, 3600mm & 4880mm

Colours: Champagne Silver, Satin Black & Red Oak

Brackets & accessories also available.



Product Range - Building Solutions Cladding



ALPOLIC® - FR & NC/A1

Features

- PVDF paint finish - 20 year warranty
- 0.5/0.5 Aluminium skins
- Easy to fabricate

- Fire rated and non combustable options
- Lightweight

Applications

- Commercial cladding
- High rise cladding
- Curtain wall cladding
- Corporate signage
- Apartment complex
- Commercial fitout

Product Range

Sheet Size: 2440mm x 1220mm (Mirror Only), 3099m x 1270mm, 3099mm x 1575mm & 4000mm x 1575mm

Colours: White, Black, Charcoal, Silver Metallic, Dark Grey Metallic, Medium Bronze Metallic, Anodised Black, Manganese Metallic, Sparkling White & Mirror

Skin Gauge: 0.5mm/0.5mm

NOTE: NC/A1 Range available on indent only.

EuroClad Prefinished Engineered Timber Cladding

Features

- Moisture resistant
- Hidden fixing system
- Rot & pet resistant
- Fire Rated (AS5113)
- Pre-finished
- PEFC certified
- Non leaching
- 15 year warranty

Applications

- External facade
- Coastal areas
- Feature cladding
- Apartment cladding
- Soffits

Product Range

Panel Size: 5400mm x 170mm x 18mm

Colours: Dark Cedar, Silver Oak, Cedar, White Oak, Coast White & African Ebony

Sealants, fixings, aluminium trims also available



Covet Battens

Features

- Lightweight
- High quality aluminium
- Alternative decorative cladding to timber
- Fire Tested AS/NZ 1530.3: Index 0 (spread of flame)
- UV Tested SAE J1960-2004 Xenon Arc Chamber: 9000hrs
- Fire Tested AS/NZ 3837-1998 (Group 1)

Applications

- Residential & commercial cladding
- Coastal/beachfront environments
- Interior & exterior applications
- Apartment buildings
- Soffits & gable ends
- Garage doors

Product Note

For large quantities battens lengths can be made to order to reduce wastage and minimise cost. Allow 8-12 weeks lead time as our timber look aluminium cladding is made to order in Japan. Refer to individual product guides for further details. Please email technical@psp.co.nz for further questions.



AlumaLuxe

Features

- Durable aluminium surface
- Optional framing system
- Lightweight polymer core
- Rust & rot resistant
- Easy installation
- No painting required

Applications

- Privacy screening
- Feature wall/screen

Product Range

Sheet Size: 1850mm(h) x 1000mm(w)

Gauge: 3.0mm

Colours: 6 Designs in charcoal available.

Rust FX

Features

- Quick & easy installation
- Inspired pattern designs
- Genuine weathering steel
- Fast forming RustFX finish

Applications

- Privacy screening
- Feature wall/screen

Product Range

Sheet Size: 1850mm(h) x 1000mm(w)

Gauge: 1.0mm

Colours: 6 Designs in Rust available.

Note: Be mindful of potential oxide staining surfaces in contact with weathering steel.



XPRESS Fence - Aluminium

Features

- 10 year colour coat warranty*
- 15 year durability warranty*
- No welding or screws required.
- Lightweight.
- DIY and easy to install system.
- Pre-finished; no need to paint or stain.
- Flat pack in a box; easy to store, transport and handle.
- Slat spacing can be adjusted with 9mm or 20mm spacer blocks.
- Simple to adjust height and widths on site using conventional cutting tools.

Applications

- Fencing
- Boundary Fencing
- Privacy Screening

Product Range

Panel Size: 2400mm (w) x 1800mm (h), 1800mm (w) x 1200mm (h)

Colours: Grey, Charcoal & White

Posts & accessories also available

XPRESS Fence - Timber Framing System

Features

- 15 year durability warranty
- 10 year colour coat warranty
- Easy installation & ability to cut on site
- Suitable for Timber 18mm -21mm Pine/Hardwood
- Easily inserted by a patented framing system with gripping legs
- Can be used on existing and new fence applications
- No screws or nails required

Applications

- Fencing
- Boundary Fencing
- Privacy Screening

Product Range

Side Frame: 2100mm long

Aluminium Posts: 1800mm (Long) or 2400mm (Long) x 50mm x 50mm

Colours: Charcoal

End Plates, Spacer Blocks, Dress Ring, Base Plate Set, 2 Part Domical Cover and Top Plate also available



EliteFence

Features

- No welding or screws
- Complete kit sets
- Gate option available
- Easy installation
- Adjustable slats & Louvre options
- Lightweight & impact resistant
- 15 year durability warranty
- 10 year colour coat warranty

Applications

- Fencing
- Boundary fencing
- Privacy screening

Product Range

Panel Size: 2400mm (w) x 1800mm (h), 1800mm (w) x 1200mm (h)

Gate Size: 1000mm (w) x 1800mm (h)

Colours: Grey, Charcoal & White

Posts & accessories also available



Auckland - Hamilton - Wellington - Christchurch

info@psp.co.nz | **0800 786 883** | www.psp.co.nz

   @PSPLimited

NOTE: Uncontrolled in print format.