



Plumbing and Sanitary

3monkeez[®]
innovate. create. deliver.



2022

3monkeez[®]

www.3monkeez.com.au

sales@3monkeez.com.au

Plumbing & Sanitary

Contents

Deluxe Slab Urinal	3	Pedestal Toilet Pan - P Trap with Seat	28
Standard Slab Urinal	4	Pedestal Toilet Pan - S Trap with Seat	29
Standard Wall Hung Urinal - Off The Shelf	5	Wall Faced Toilet Pan	30
Standard Wall Hung Urinal - Custom Made	6	Ambulant Wall Faced Toilet Pan	31
Urinette	7	Disabled Compliant Wall Faced Toilet Pan	32
Pod Urinal	8-9	Wall Faced Close Coupled Toilet Pan	33
Urinal Parts	10	Ambulant Wall Faced Close Coupled Toilet Pan	34
Spreaders	11	Disabled Compliant Wall Faced Close Coupled Toilet Pan	35
Urinal Accessories Kit	12	Long Drop Toilet Pan	36-37
Stainless Steel Pull Chain Cistern	13-14	Combination Unit 90	38
Stainless Steel Dual flush Cistern	15-16	Combination Unit 45	39
Stainless Steel Disabled Compliant Dual Flush Cistern	17-18	Stainless Steel Pedestal Slop Hopper - P Trap - Made to Order	40
Stainless Steel Front Press Cistern	19-20	Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order	41
Stainless Steel Side Press Cistern	21-22	Stainless Steel Wall Faced Slop Hopper - Made to Order	42
Stainless Steel Cistern Case	23	Toilet Seats	43-44
Flushpipes	24		
Cistern Spare Parts	25		
Pedestal Toilet Pan - P Trap	26		
Pedestal Toilet Pan - S Trap	27		


Warranty Exclusions: Cistern valves, cistern buttons and pan bends are NOT included in the warranty period.



Deluxe Slab Urinal

M-DSUR

- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available
- Suitable for use with self flushing systems
- Custom made products incur a lead time



Optional Top Inlet Accessories Kit

M-URACCKIT


Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer



Standard Slab Urinal

M-SSUR

- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available
- Suitable for use with self flushing systems
- Custom made products incur a lead time



Plumbing & Sanitary





Standard Wall Hung Urinal - Off The Shelf



- M-SWHUR-600C
- M-SWHUR-900C
- M-SWHUR-1200C
- M-SWHUR-1500C
- M-SWHUR-1800C
- M-SWHUR-2400C

- Constructed from 1.2mm 304 grade stainless steel
- Centre outlet
- Available in 600mm, 900mm, 1200mm, 1500mm, 1800mm and 2400mm
- Centre 25mm male BSP top inlet (2400mm has two top inlets which are 600mm in from ends)



Optional Top Inlet Accessories Kit
M-WHURACCKIT
 Includes pull chain cistern, sparge adaptor, flush pipe, nut and washer and domed grate



Suggested mounting height from floor level to front rim:


- Adults - 610mm
- Children - 510mm

Standard Wall Hung Urinal - Custom Made


M-SWHUR

- Constructed from 1.2mm 304 grade stainless steel
- Outlet position as required
- Length as required
- Rear or top inlet available for custom made
- Custom made products incur a lead time

Top



Side



Optional Top Inlet Accessories Kit
M-WHURACKIT
Includes pull chain cistern, sparge adaptor, flush pipe, nut and washer and domed grate



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Urinette



AB-URN

- Pre-drilled fixing holes
- Constructed from 1.2mm 304 grade stainless steel
- 50mm outlet
- Complete with top entry spreader and domed grate
- Cross breaks to outlet
- In stock and available for immediate delivery






Includes
URNG



Suggested mounting height from floor level to front rim:

- Adults - 610mm
- Children - 510mm



Optional Top Inlet
Accessories Kit

M-URACCKIT

Includes pull chain cistern,
sparge adaptor, flush pipe
and nut and washer



Pod Urinal




URN-TD-S (REAR INLET)


- Pre-drilled fixing holes with wall bracket
- Vandal resistant
- 1/2" MI BSP rear inlet
- 2" MI BSP outlet
- Includes domed grate
- Fully conceals plumbing fixtures
- Constructed from 1.2mm 304 grade stainless steel
- In stock and available for immediate delivery




Top




Bottom




Side



Back



Bracket



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Pod Urinal




URN-TD-TI (TOP INLET)


- Pre-drilled fixing holes with wall bracket
- Vandal resistant
- 1" MI BSP top inlet
- 2" MI BSP outlet
- Includes domed grate
- Fully conceals plumbing fixtures
- Constructed from 1.2mm 304 grade stainless steel
- In stock and available for immediate delivery




Top




Bottom




Side



Back



Bracket



Optional Top Inlet Accessories Kit M-URACCKIT

Includes pull chain cistern, sparge adaptor, flush pipe and nut and washer



Suggested mounting height from floor level to front rim:

Adults - 610mm

Children - 510mm

Plumbing & Sanitary

Urinal Parts



URNNW

(NUT AND WASHER)

URNNW-3

(40MM NUT AND WASHER)

URNNW-1

(SPARGE ADAPTOR)

URNG

(DOMED URINAL GRATE)

URNPG

(100MM PUSH IN URINAL GRATE)

URNNW: This nut and washer is chrome plated. It comes with a reducing washer, which allows it to accommodate 20mm or 25mm sparge pipes

URNNW-3: This nut and washer is chrome plated. It accommodates 40mm sparge pipes

URNNW1: This sparge adaptor is chrome plated and reduces from a 40mm thread to a 20mm or 25mm sparge pipe

URNG: Suits wall hung urinals and urinettes with 50mm BSP connection

URNPG: Suits existing slab urinal outlets and replaces damaged or lost grates

URNNW



URNNW-3



URNNW-1



URNG



URNPG



Plumbing & Sanitary

Spreaders



URNSB2

URNS

URNSB2: This rear entry button spreader has a 20mm female BSP thread

URNS: The chrome plated top entry exposed spreader comes complete with a chrome plated nut and washer, and it is designed to accommodate 20mm or 25mm sparge pipes

URNSB2 - Rear Entry Button Spreader



URNS - Top Entry Exposed Spreader



Urinal Accessories Kit




M-URACCKIT

M-WHURACCKIT


- Urinal Accessories Kit - Includes URNNW, M-FP600-C, URNNW-1 and AB-CIS-PC
- Wall Hung Urinal Accessories Kit - Includes URNG, URNNW, M-FP600-C, URNNW-1 and AB-CIS-PC




Top



Front



Side



Plumbing & Sanitary






Stainless Steel Pull Chain Cistern



AB-CIS-PC (BOTTOM ENTRY)

- Assembled with high quality adjustable inlet and outlet valves
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 40mm BSP outlet - Use URNNW-1 to reduce the outlet to suit 20mm or 25mm sparge pipes



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Pull Chain Cistern



AB-CIS-PC-SE-L (LEFT SIDE ENTRY)


AB-CIS-PC-SE-R (RIGHT SIDE ENTRY)

- Assembled with high quality adjustable inlet and outlet valves
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 40mm BSP outlet - Use URNNW-1 to reduce the outlet to suit 20mm or 25mm sparge pipes




Side Entry Right photo shown


Top



Front



Side



Side Entry Left Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Dual Flush Cistern




AB-CIS-DF-2 (BOTTOM ENTRY)


- Assembled with approved high quality inlet and outlet valves
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet



Top



Front



Side



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Dual Flush Cistern




AB-CIS-DF-2-SE-L (LEFT SIDE ENTRY)

AB-CIS-DF-2-SE-R (RIGHT SIDE ENTRY)


- Assembled with approved high quality inlet and outlet valves
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet




Top



Front



Side



Left Side Entry Photo Shown

Right Side Entry Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au


Stainless Steel Disabled Compliant Dual Flush Cistern




AB-CIS-DCDF (BOTTOM ENTRY)

- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet


Top



Front



Side



Stainless Steel Disabled Compliant Dual Flush Cistern




AB-CIS-DCDF-SE-L (LEFT SIDE ENTRY)

AB-CIS-DCDF-SE-R (RIGHT SIDE ENTRY)


- AS1428 compliant
- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet




Top



Front



Side



Side Entry Right photo shown

Side Entry Left Drawing Shown

Refer to warranty for exclusions.

Plumbing & Sanitary



Stainless Steel Front Press Cistern


AB-CIS-FP-SE-L (LEFT SIDE ENTRY)

AB-CIS-FP-SE-R (RIGHT SIDE ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on front of cistern
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet



Top



Front



Side



Side Entry Left photo shown

Side Entry Right Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Side Press Cistern




AB-CIS-SP (BOTTOM ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on side of cistern (can be either left or right)
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet




Top



Front



Side



Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary



Stainless Steel Side Press Cistern




AB-CIS-SP-SE-L (LEFT SIDE ENTRY)

AB-CIS-SP-SE-R (RIGHT SIDE ENTRY)


- Water saving half flush feature
- Adjustable inlet and outlet valves for setting the required flushing volume
- Buttons located on side of cistern (can be either left or right)
- Constructed from high quality 1.2mm 304 grade stainless steel
- Reversible inlet valve - suits left or right
- 50mm BSP outlet




Top



Front



Side



Side Entry Right photo shown

Side Entry Left Drawing Shown

Refer to warranty for exclusions.

3monkeez.com.au



Stainless Steel Cistern Case



CIS-60 (WITH HOLES)


CIS-60-1 (WITHOUT HOLES)

The 3monkeez® cistern case is available with or without holes. Holes can also be custom punched to the customer's requirement.


- Constructed from high quality 1.2mm 304 grade stainless steel
- Holes can be custom cut in CIS-60-1 to customer's requirements
- In stock and available for immediate delivery




Top (CIS-60-1)




Top (CIS-60)



Back



Side



Plumbing & Sanitary



Flushpipes



M-FP600-C
(OFFSET URINAL/URINETTE FLUSHPIPE)

M-FP1000-C
(OFFSET URINAL/URINETTE FLUSHPIPE)


M-FP600-S
(STRAIGHT FLUSHPIPE)

M-FP600-40
(OFFSET FLUSHPIPE)


M-FP-WC
(90 DEGREE TAPERED FLUSHPIPE)

Custom options available on request


M-FP600-C




M-FP1000-C




M-FP600-40



M-FP600-S



M-FP-WC



Plumbing & Sanitary

Cistern Spare Parts

P-CIS-INLET (INLET VALVE)

- 1/2" MI BSP

P-CIS-INLET-SIDE ENT (SIDE ENTRY INLET VALVE)

- 1/2" MI BSP

P-K4-OUTLET (PULL CHAIN OUTLET VALVE)

- 40mm MI BSP

P-CIS-DF OUTLET (DUAL FLUSH OUTLET VALVE)

- 50mm MI BSP

P-CIS-CDF OUTLET (DUAL FLUSH OUTLET CABLE VALVE)

- 50mm MI BSP
- Cable allows buttons to be placed in any position

P-CIS-DCDF BUTTONS (DISABLED COMPLIANT BUTTONS)

- AS1428 compliant

P-CIS-INLET



P-CIS-INLET-SIDE ENT



P-K4 OUTLET



P-CIS-DF OUTLET



P-CIS-CDF OUTLET



P-CIS-DCDF BUTTONS



Plumbing & Sanitary




Pedestal Toilet Pan - P Trap




WC-SSPP

- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery


Top




Front




Rear




Bottom



Floor Clip



Cross Section



Refer to warranty for exclusions.

3monkeez.com.au


Pedestal Toilet Pan - S Trap




WC-SSPS

- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery


Top




Front




Rear




Bottom



Floor Clip



Cross Section



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 240mm - 470mm from wall to centre of outlet.

Refer to warranty for exclusions.

Pedestal Toilet Pan - P Trap with Seat



WC-SSPP-D


- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery

SEAT


- Solid strong moulding
- 50mm height
- Locking stability buffers




Top




Bottom




Rear




Cross Section



Floor Clip



Seat



Pedestal Toilet Pan - S Trap with Seat



WC-SSPS-D


- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery

SEAT


- Solid strong moulding
- 50mm height
- Locking stability buffer




Top




Bottom




Rear




Cross Section



Floor Clip



Seat



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 295mm from wall to centre of outlet.

Refer to warranty for exclusions.

3monkeez.com.au

Wall Faced Toilet Pan




WC-SSWFP (P TRAP)


WC-SSWFS (S TRAP)

- Vandal proof design
- No ligature points
- Suitable for use with an in wall cistern
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery


Top




Side




Rear




Bottom



Detail B



Cross Section



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.

Refer to warranty for exclusions.

Plumbing & Sanitary



Ambulant Wall Faced Toilet Pan


WC-SSAP (P TRAP)

WC-SSAS (S TRAP)


- Suitable for ambulant applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- Compatible seat
 - WC-CSFSEAT
 - WC- CSFSEAT-B (BLACK)
 - WC-CSFSEAT-BL (BLUE)




Top




Rear




Side



Bottom



Detail B



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm.

Refer to warranty for exclusions.

3monkeez.com.au

Disabled Compliant Wall Faced Toilet Pan




WC-SSDP (P TRAP)

WC-SSDS (S TRAP)


- Suitable for disabled applications
- Vandal proof design
- No ligature points
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery
- Compatible seat
 - WC-CSFSEAT
 - WC- CSFSEAT-B (BLACK)
 - WC-CSFSEAT-BL (BLUE)




Top




Rear



Side



Bottom



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.

Refer to warranty for exclusions.

3monkeez.com.au

Wall Faced Close Coupled Toilet Pan


WC-SSWFCCP (P TRAP)

WC-SSWFCCS (S TRAP)


- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- Compatible seat
 - WC-CSFSEAT
 - WC- CSFSEAT-B (BLACK)
 - WC-CSFSEAT-BL (BLUE)




Top



Front



Side



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.



Ambulant Wall Faced Close Coupled Toilet Pan


WC-SSACCP (P TRAP)

WC-SSACCS (S TRAP)


- Suitable for ambulant applications
- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- Compatible seat
 - WC-CSFSEAT
 - WC- CSFSEAT-B (BLACK)
 - WC-CSFSEAT-BL (BLUE)




Top



Front



Side



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 105mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.

Refer to warranty for exclusions.

Disabled Compliant Wall Faced Close Coupled Toilet Pan


WC-SSDCCP (P TRAP)

WC-SSDCCS (S TRAP)


- Suitable for disabled applications
- Vandal proof design
- No ligature points and concealed fixings
- Available in P trap or S trap
- Radius edges
- Inbuilt dual flush cistern
- Adjustable inlet and outlet valves for setting the required flush volume
- 2mm 304 grade satin finish stainless steel
- In stock and available for immediate delivery
- Compatible seat
 - WC-CSFSEAT
 - WC- CSFSEAT-B (BLACK)
 - WC-CSFSEAT-BL (BLUE)




Top



Front



Side



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm. Mini stop to be 150mm-350mm FFL and 100mm out from centre of pan.


Disabled Compliant Long Drop Toilet Pan

M-WC-SSLD (LONGDROP)


- Suitable for pit toilet systems
- Vandal proof design
- Extended chute
- No ligature points
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- AS1428 dimensional compliant




Top



Side




Rear




Ambulant Long Drop Toilet Pan

M-WC-SSALD (LONGDROP)


- Suitable for pit toilet systems
- Vandal proof design
- Extended chute
- No ligature points
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- AS1428 dimensional compliant



Side



Back



Combination Unit 90




M-WC-SSCU90L-P (P TRAP)

M-WC-SSCU90L-S (S TRAP)

M-WC-SSCU90R-P (P TRAP)



M-WC-SSCU90R-S (S TRAP)

- Vandal proof design with security screws
- No ligature points
- Available in P trap or S trap
- Integrated hand basin and toilet roll holder
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel



P Trap

S Trap



Please Note: S trap pan is supplied with a separate pan bend. Left hand dimensions shown.

Plumbing & Sanitary



Combination Unit 45

M-WC-SSCU45L-P (P TRAP)



M-WC-SSCU45L-S (S TRAP)

M-WC-SSCU45R-P (P TRAP)

M-WC-SSCU45R-S (S TRAP)

- Vandal proof design with security screws
- No ligature points
- Available in P trap or S trap
- Integrated hand basin and toilet roll holder
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel


Top




Back



P Trap



S Trap



Please Note: S trap pan is supplied with a separate pan bend. Left hand dimensions shown.

Plumbing & Sanitary




Stainless Steel Pedestal Slop Hopper - P Trap - Made to Order




M-SH-PP

- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery


Top




Front




Rear




Bottom




Floor Clip




Cross Section



Slophopper



- Also available with a 150mm high shroud and top inlet if required



Refer to warranty for exclusions.


3monkeez.com.au

Stainless Steel Pedestal Slop Hopper - S Trap - Made to Order




M-SH-PS

- Vandal proof design
- Compatible with 3monkeez® Dual Flush Cistern - AB-CIS-DF-2 or 3monkeez® Pull Chain Cistern - AB-CIS-PC
- Easy to retrofit
- Simple installation
- Radius edges
- Satin finish
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery




- Also available with a 150mm high shroud and top inlet if required


Top




Front




Rear




Bottom




Floor Clip



Cross Section



Slophopper



If used with 3monkeez® cistern and stainless steel flushpipe, set out range is 240mm - 470mm from wall to centre of outlet.

Refer to warranty for exclusions.

3monkeez.com.au

Plumbing & Sanitary




Stainless Steel Wall Faced Slop Hopper - Made to Order



WC-SH-WFP (P TRAP)


WC-SH-WFS (S TRAP)

- Vandal proof design
- No ligature points
- Suitable for use with an in wall cistern
- Available in P trap or S trap
- Radius edges
- Satin finish
- Concealed fixings
- 2mm 304 grade stainless steel
- In stock and available for immediate delivery




- Also available with a 150mm high shroud


Top




Rear




Side



Bottom





Detail B



Slophopper

Cross Section



Please Note: S trap pan is supplied with a separate pan bend. Set out dimension 120mm.

Refer to warranty for exclusions.

3monkeez.com.au

Toilet Seats

WC-CSFSEAT

WC-CSFSEAT-B (BLACK)

WC-CSFSEAT-BL (BLUE)

- Heavy duty plastic toilet seat
- Recommended for commercial applications
- Non-corrosive stainless steel posts and pintles

Suitable for use with all 3monkeez® pans. Ideal for use with 3monkeez® ambulant and disabled pans


WC-CSFSEAT



WC-CSFSEAT-B (Black)



WC-CSFSEAT-BL (Blue)




WC-ASFSEAT

- Solid strong moulding
- 50mm Height
- Locking stability buffers
- Suits most pans

Suitable for use with 3monkeez® pedestal pans to obtain height required for disabled use

WC-ASFSEAT




Toilet Seats

WC-SFSEAT-B (BLACK)


WC-SFSEAT

- This single flap toilet seat is white or black and features an open front
- Domestic, hotel & commercial applications



WC-DFSEAT

- This double flap toilet seat is white and features a closed front
- Plastic toilet seat. Features four moulded-in bumpers
- Soft close quick release toilet seat
- Commercial heavy duty applications



Compatibility Chart

WC-CSFSEAT, WC-CSFSEAT-B, WC-CSFSEAT-BL		WC-SFSEAT, WC-SFSEAT-B	WC-DFSEAT	WC-ASFSEAT
WC-SSAP	WC-SSAS	WC-SSPP	WC-SSPP	WC-SSPP (for WC-SSPP-D)
WC-SSDP	WC-SSDS	WC-SSPS	WC-SSPS	WC-SSPS (for WC-SSPS-D)
WC-SSPP	WC-SSPS	WC-SSWFP	WC-SSWFP	
WC-SSWFP	WC-SSWFS	WC-SSWFS	WC-SSWFS	
WC-SSACCP	WC-SSACCS	WC-SSWFCCP		
WC-SSDCCP	WC-SSDCCS	WC-SSWFCCS		



NSW	02 9627 6111	WA	08 6305 0681	TAS	03 6344 7060
VIC	03 9357 6562	SA	0408 299 443	NT	0447 382 658
QLD	07 3881 0322	ACT	0408 446 961	FNQ	07 4775 6956

3monkeez

www.3monkeez.com.au
sales@3monkeez.com.au