

Storage and Hardware





www.3monkeez.com.au sales@3monkeez.com.au



Contents

Adjustable Glass Rack Kit	3
Adjustable Glass Rack Accessories	4
Adjustable Dishwasher Rack Kit	5
Adjustable Dishwasher Rack Accessories	6
Stainless Steel Drawer	7
Stainless Steel Gastronorm Drawer	8
Stainless Steel Compact Drawer	9
Freestanding Drawer Unit 2 Drawer	10
Freestanding Drawer Unit 3 Drawer	11
Freestanding Compact Drawer Unit	12
Weld In Ice Well	13-14
Drop In Ice Well with Raised Flange	15-16

Ice Well Lid	17
Ice Well Removable Basket	18
Stainless Steel Adjustable Feet	19
Nylon Leg Insert	20
Nylon Adjustable Feet	21
Adjustable Feet	22
Plastic Tube Closures	23
Drawer Handles & Pulls	24
Stainless Steel Adjustable Leg and Mounting Plate	25
Stainless Steel Hinges	26
Utility Lock	27







Adjustable Glass Rack Kit

BRK-C (Complete bay) BRK-1 (Add on bay)

- 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional)
- Notched channel welded to frame
- Stainless steel fixings with flat bar supports
- Flat packed complete with leg inserts, disc feet and rivets
- Constructed from 25mm 304 grade stainless steel square tubes
- Can be used as a bench support
- 304 grade stainless steel










PHOTO SHOWS BRK-C WITH BRK-1

BRK-C


Тор



BRK-1









Adjustable Dishwasher Rack Kit BRK-DW-C (Complete bay) Top BRK-DW-1 (Add on bay) 4 pairs of adjustable stainless steel tray slides to accommodate 4 tiers or 3 tiers and a drip tray (optional) Notched channel welded to frame Stainless steel fixings with flat bar supports Front Side Flat packed complete with leg 578 inserts, disc feet and rivets 562 Constructed from 25mm 304 grade stainless steel square tubes Can be used as a bench support 304 grade stainless steel 830 512 512 BRK-DW-C BRK-DW-1

PHOTO SHOWS BRK-DW-C WITH BRK-DW-1





BRK-DW-DT (S/S drip tray)

Drip Tray

AB-BRK-TS-DW (Pair S/S tray slide - 510mm)

BRK-TS-DW-L (Left S/S tray slide - 510mm)

BRK-TS-DW-R (Right S/S tray slide - 510mm)


■ 304 grade stainless steel

AB-BRK-TS-DW / BRK-TS-DW-L / BRK-TS-DW-R




6





BRK-DW-DT






Stainless Steel Drawer

SS DRAWER


SS DRAWER-L

- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slides
- Drawers are available with or without a lock
- Pre-drilled fixing holes for under bench mounting
- Optional keyed alike lock




Front

Top





Cross Section





Stainless Steel Gastronorm Drawer




1009

-93.2-

34.2

SS DRAWER-1G Top (suits removable pans) 510 Constructed from 1.2mm 304 grade stainless steel 307 Heavy duty drawer slide that extends past open to allow pans to be removed with ease Pre-drilled fixing holes for under bench mounting Under bench mounted Lockable Specifically designed to allow Front easy access to pans 422 - A Г ۲ - A 400 6





Cross Section






Stainless Steel Compact Drawer


SS CDRAWER-L

- Constructed from 1.2mm 304 grade stainless steel
- Heavy duty drawer slides
- Pre-drilled fixing holes for under bench mounting
- Optional keyed alike lock




Front

Тор





Cross Section










Freestanding Drawer Unit **AB-3DRAW** AB-3DRAW-L AB-3DRAW-1G (3 drawer unit) Top Top **AB-3DRAW-L** 490 (3 drawer lockable unit) AB-3DRAW-1G (3 drawer gastronorm unit) 453 480 Constructed from 304 grade 450 stainless steel Heavy duty drawer slides Front Front 430 Adjustable disc feet Standard drawer units are available ŵ 215 with or without locks Gastronorm units are only available m with locks 350 - 900 86 œ 25 SQ 169 Ø65 ∖djustable Feet Side Side 24 410 620 593 40 124




AB-4DRAW-L

(4 drawer lockable unit)


- Constructed from 304 grade stainless steel
- Heavy duty drawer slides
- Adjustable disc feet



Top







3monkeez.com.au

Side




Weld In Insulated Ice Well


ICE-303020

(300mm x 300mm x 200mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time










Weld In Insulated Ice Well

ICE-403530

(400mm x 350mm x 300mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a flange for fixing
- Radius corners and cross breaks to a 25mm centre waste
- Raw edge ready for welding
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time






Top

Side

408 354.2



Drop In Ice Well with Raised Flange

ICEDI-303020

(300mm x 300mm x 200mm)

- Internal skin constructed from 1.2mm 304 grade stainless steel
- External skin constructed from 1.2mm 304 grade stainless steel complete with a raised flange to prevent cross contamination
- Radius corners and cross breaks to a 25mm centre waste
- 25mm urethane injected insulation
- Ice lid and basket available (optional)
- Custom sizes available, custom made products incur a lead time

Cross Section




3monkeez.com.au

ICEB-303020













339

389

ICEL-403530

Ice Well Lid Top ICEL-303020 320 420 Constructed from 1.2mm 304 grade stainless steel Suitable for pairing with ICE-303020 and ICEDI-303020 370 16 320 Т ICEL-403530 Constructed from 1.2mm R35 R35 304 grade stainless steel ICEL-303020 ICEL-403530 Suitable for pairing with ICE-403530 and ICEDI-403530 Side 167 167 ICEL-303020 ICEL-403530 Under-side 246 345


3monkeez.com.au

ICEL-303020

289

246








Stainless Steel Adjustable Feet





304 Grade Stainless Steel Adjustable Disc Foot



A в с D Е F G

16 41 105 4 7 65 50

16 41 105 4 5 50 39

16 41 70 4 5 50 39

16 41

PRODUCT

CODE

FH-10

FH-11

FH-12

FH-13



OF

HOLES

2

2


2

2

FH-14




70 304 Grade Stainless Steel Adjustable Pin Foot



4 7 65 50

304 Grade Stainless Steel Adjustable Lug Foot



PRODUCT CODE	A	В	с	D	E	F	G	# OF HOLES
FH-15	16	41	70	4.5	9	52	25	1
FH-16	16	41	105	4.5	9	52	25	1

All measurements in mm.

3monkeez.com.au

FH-15 FH-16




Nylon Leg Insert

FH-17 FH-18



Nylon Leg Insert - Square Tube






PRODUCT CODE	A	В	с	THREAD
FH-17	25	55	62	M16
FH-18	32	55	62	M16

FH-19

FH-20




Nylon Leg Insert - Square Tube



PRODUCT CODE	A	В	с	THREAD
FH-19	38	50	60	M16

Nylon Leg Insert - Round Tube



PRODUCT CODE	A	В	С	THREAD
FH-20	38	50	60	M16


To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.

Nylon Adjustable Feet

FH-21 FH-22 FH-23



Nylon Adjustable Foot - Square Tube





PRODUCT CODE	А	В	с	D	ADJ. HEIGHT
FH-21	25	33	40	14	20
FH-22	32	45	52	20	20
FH-23	38	45	52	25	20

Nylon Adjustable Foot - Round Tube

FH-24 FH-25



3monkeez



PRODUCT CODE	А	В	с	D	ADJ. HEIGHT
FH-24	38	45	52	25	20
FH-25	50	55	65	26	30


To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.

Adjustable Feet

FH-26 FH-27



Zinc Die-Cast Chrome Plated Adjustable Hex Foot - Square Tube



PRODUCT CODE	A	В	с	D	ADJ. HEIGHT
FH-26	25	32	37	10	25
FH-27	32	43	50	23	33


FH-29 FH-30

FH-31

FH-32




Zinc Die-Cast Chrome Plated Adjustable Flanged Foot - Square Tube



PRODUCT CODE	A	В	с	D	E	ADJ. HEIGHT
FH-29	25	32	37	10	30	25
FH-30	32	43	50	23	50	33

304 Grade Stainless Steel Clad Adjustable Hex Foot -Round Tube



PRODUCT CODE	A	В	с	D	ADJ. HEIGHT
FH-31	38 *	43	51	24	33
FH-32	50 *	46	56	28	35

* This represents tube size. To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.

Plastic Tube Closures

FH	-33
FH	-34
FH	-35
FH	-36

FH-37






В



PRODUCT CODE	А	В	с
FH-33	19	13	16.5
FH-34	25	13	16.5
FH-35	32	13	16.5
FH-36	38	13	16.5
FH-37	50	13	16.5

Plastic Tube Closure - Round Tube

FH-38 FH-39 FH-40 FH-37R







PRODUCT CODE	А	В	с
FH-38	25	13	16.5
FH-39	32	13	16.5
FH-40	38	13	16.5
FH-37R	50	13	16.5


To fit tube of 1.2mm or 1.6mm wall thickness. All measurements in mm.



Drawer Handles & Pulls



Flush Mount Type (Weld In)








Bevelled Edge With Fixing Studs

13.5


1<u>3.5</u>



FH-44




With Grip Flush Mount Type (Weld In)



FH-45



120mm Diameter With Grip and Fixing Studs



All products are made from 0.6mm Stainless Steel. No. 4 Brush Finish.

Stainless Steel Adjustable Leg & Mounting Plate

FH-46-S/S

(O/A Height 124mm - 153mm)

FH-46-Z/P (O/A Height 124mm - 153mm)

FH-47-S/S (O/A Height 150mm - 177mm)

FH-47-Z/P (O/A Height 150mm - 177mm)

FH-48-S/S (O/A Height 198mm - 227mm)

FH-48-Z/P (O/A Height 198mm - 227mm)

FH-49-S/S (O/A Height 249mm - 277mm)

FH-49-Z/P (O/A Height 249mm - 277mm)




FH-50 (Stainless Steel) FH-51 (Zinc Plated)



Adjustable Leg - Round Tube

PRODUCT CODE	A	В	с	D	MOUNT- ING PLATE
FH-46-S/S	88	85	36	50	FH-50
FH-46-Z/P	88	85	36	50	FH-51
FH-47-S/S	88	110	36	50	FH-50
FH-47-Z/P	88	110	36	50	FH-51
FH-48-S/S	88	160	36	50	FH-50
FH-48-Z/P	88	160	36	50	FH-51
FH-49-S/S	88	210	36	50	FH-50
FH-49-Z/P	88	210	36	50	FH-51

Mounting Plate



PRODUCT CODE	A	В	THICK- NESS	HOLE	# OF HOLES
FH-50	88	88	3	9	4
FH-51	88	88	3	9	4

S/S = Stainless Steel Z/P = Zinc Plated All measurements in mm.



Stainless S	iteel Hing	ges					5 YEAR
FH-55 FH-56-LH FH-57-RH		304 Grade S Steel Flag H					
	X		PRODUCT CODE	A	в	B THICKNESS	PIN
			FH-55	28	52	2	4.8
			FH-56-LH	50	75	2	4.8
			FH-57-RH	50	75	2	4.8
FH-58-LH FH-60-LH	FH-59-R FH-61-R		304 Grade S Steel Lift Of) () () () () () () () () () (B ↓	
Č			PRODUCT CODE	А	В	THICKNESS	PIN
			FH-58-LH	44	50	2	4
	X		FH-59-RH	44	50	2	4
			FH-60-LH	50	76	2	4
		Y	FH-61-RH	50	76	2	4
FH-62 FH-64 FH-66	FH-63 FH-65 FH-67		304 Grade S Continuous		eel	B	
FH-68	FH-69		PRODUCT CODE	А	В	THICKNESS	PIN
1		All measurements	FH-62	27	1800	0.9	3
	K .	in mm.	FH-63	32	1800	1.2	3
			FH-64	38	1800	1.2	3
			FH-65	50	1800	1.2	3
		*	FH-66	57	1800	1.5	4.5
		K	FH-67	63	1800	1.5	4.5
			FH-68	76	2160	1.5	4.5
			FH-69	127	2000	1.5	4.5
3monkeez.com.au							





PRODUCT CODE	A (mm)	B (mm)
FH-71	22	22
FH-72	22	28
FH-73	22	35

FH-73





FNQ

07 4775 6956

QLD

07 3881 0322

ACT

0408 446 961

www.3monkeez.com.au sales@3monkeez.com.au