


IVY SYSTEM



BOERI

STEFANO
BOERI
INTERIORS

PER
TARGETTI
SANKEY

TARGETTI

IVY SYSTEM



Designed by Stefano Boeri Interiors IVY is the first 48V smart system for outdoor spaces integrates itself with the architecture and green spaces in an extremely natural and flexible way.

IVY transforms outdoor spaces: they become cosy, relaxing, functional and usable both during the day and at night.





**IVY is the new generation
lighting for outdoor spaces.
The common denominator of
Architecture, Light and Nature.**



It is the ideal solution to to light up private terraces, pergolas, outside dining areas as well as historical porticos. Its flexibility and adaptability make it perfect for installation in existing buildings or structures or to be integrated into new constructions.



Adorns, illuminates, monitors

IVY favors the use of environment and social function. A linear, minimal element that integrates discreetly into spaces concealing a highly technological system that combines lighting fixtures with a with speakers and wireless sensors.

IP65

First IP65 intelligent system for outdoor applications and wet areas.



Light unit



Air quality sensor



Speaker



Temperature sensor




Light sensors



Remote lighting scenarios

The system is composed of an extruded aluminium load-bearing metal profile for surface installation. Various elements are installed into the profile: the light unit, a speaker and wireless sensors.



The flexibility of a 48V system in an outdoor environment



Wall and ceiling installation



Remote electronic power supply, and Casambi



Wireless sensors and speakers



Linear, precise, focused and diffused lighting




Available in white and ferrite painted finishes or black anodized

System modules



Profile lengths

- 50 cm
- 100 cm
- 200 cm
- 300 cm



Technical profile

The technical profile is made of extruded aluminium and is available in four different lengths – 50cm, 100cm, 200cm, 300cm with two different sections.

For surface installation such as concrete, wood and stone materials the section is 7cm width and 9cm thickness

for recessed installation 9cm deep for materials such as plasterboard or wood.




The different modules can be fixed to at any point of the profile, to ensure maximum application flexibility.



Connection Joints type

L Joints



Linear joint (Already integrated)



Connection joints

Thanks to linear connection joints the system can be made of various modular lengths and various forms and can be both wall and ceiling mounted. The concave and convex L shaped joints allow to create continuous installations from wall to ceiling

Light units



Colour temperatures

2700K
3000K
3500K
4000K

Linear element

Depending on the chosen optic chosen it is ideal to softly light an environment, uniformly light a wall or create a focus on perimeter vegetation. A single 90cm module it is equipped with LED boards within Flood, Opal, Grazing and Wall Washer optics.

Projectors

The ideal solution to create scenographic effects by focusing on elements: vegetation, tables in a restaurant or bar, a sculpture or an object.

Available with Spot, Flood and Medium Wide Flood optics.

Projectors are housed in two different lengths modules of two different lengths; the 15cm module can host a single projector while the 45cm one can host three projectors. The fixing base allows the adjustability.

Stem mounted projectors

Should you wish to place the light as close as possible to the object to be lit you can choose a light unit equipped with a module with projectors on poles. This solution allows to move the light point 50cm away from the installation height of the profile. The module with projectors on poles is only available in the 1x by 15cm version.


Power supply



Electronic with power
ON — OFF



Casambi with the possibility to dim the fixtures using a push button as well as create and recall lighting scenarios using the App on a Smartphone.





Applications



Private terraces



Pergolas



Outdoor dining areas



Humid environments

The combination of diffused and adjustable precision elements combined with the possibility to choose from On-Off and Casambi control, allows to design a flexible and dynamic outdoor space that can be controlled with a smartphone



Coming soon

IVY will soon be available in Bollard, new stand-alone solutions to illuminate green areas, paths and all outdoor lounge areas.











Targetti Sankey S.p.A.

via Pratese 164
50145 Firenze, Italia

Phone +39 055 37911
Fax +39 055 3791 266

targetti@targetti.com
www.targetti.com

Customer Care
customer@targetti.com

Customer Service
technical@targetti.com

Lighting Consulting
project@targetti.com

BOERI
STEFANO
BOERI
INTERIORS

PER
TARGETTI
SANKEY

**Stefano Boeri
Interiors Srl**

Alzaia Naviglio
Grande, 108
20144 Milano - Italia

Phone +39 02 38315757

Graphic design
lcd.it