

# TEC=LED









ALUMINIUM PROFILE RANGE



# TEC=LED

TecLED'S range of aluminium LED housing extrusion profiles cater for all conceivable lighting installations and effects. Our technical staff can advise and assist in selecting the appropriate fitting to suit your particular specifications and thus give effect to your creative vision. If required, we provide site installation and supervision for all our solutions.


























Our profiles are categorised according to their method of installation.

	CATEGORY	ICON	PAGE
	Linear Pendant (Suspended)	LI	9
	Recessed	RE	15
	Surface Mounted	SU	20
	Plasterboard	PB	25
	Cove	CV	29
	Skirting	SK	31
	Wall	WA	32
	Illuminated Handrails	IH	34

# CATEGORY SNAPSHOT



## LINEAR (SUSPENDED)

<p>25.4</p>  <p>25.4</p> <p>2525 P.9</p>	<p>30</p>  <p>22.4</p> <p>3035 P.9</p>	<p>35</p>  <p>35</p> <p>3535 P.9</p>	<p>85</p>  <p>85</p> <p>AURORA P.9</p>	<p>75</p>  <p>95</p> <p>BEEM P.9</p>
<p>75</p>  <p>50</p> <p>CORONA P.10</p>	<p>19.7</p>  <p>19.7</p> <p>KESTREL K.P.10</p>	<p>36</p>  <p>19</p> <p>KESTREL P.P.10</p>	<p>90</p>  <p>24</p> <p>LIFT UP/DOWN P.10</p>	<p>35</p>  <p>25.4</p> <p>MINI UP/DOWN PENDANT P.10</p>
<p>35</p>  <p>50</p> <p>OSPREY P.11</p>	 <p>Ø76</p> <p>SABRE P.11</p>	<p>12</p>  <p>10</p> <p>SHEER P.11</p>	<p>27 27 27</p>  <p>150</p> <p>PLANQ P.11</p>	 <p>Ø40</p> <p>TOOB40 P.11</p>
 <p>Ø60</p> <p>TOOB60 P.12</p>	 <p>Ø100</p> <p>TOOB100 P.12</p>	<p>26.2</p>  <p>23</p> <p>BUNGEE (MINI TUNNEL) P.12</p>	<p>37</p>  <p>20</p> <p>TUNNEL P.12</p>	<p>115</p>  <p>38</p> <p>UP/DOWN115 P.12</p>
<p>50</p>  <p>60</p> <p>EAGLE P.13</p>	<p>74.5</p>  <p>49</p> <p>FALCON P.13</p>	<p>89.5</p>  <p>82</p> <p>PHOENIX P.13</p>	<p>28</p>  <p>16</p> <p>HOBBY P.13</p>	<p>80</p>  <p>53.8</p> <p>PEREGRINE P.13</p>



























RE

RECESSED

 <p>15.6</p> <p>12</p> <p>CATALAN P. 15</p>	 <p>13</p> <p>18.5</p> <p>10.5</p> <p>ALGARVE P. 15</p>	 <p>35</p> <p>17</p> <p>43.9</p> <p>ARCHLINE P. 15</p>	 <p>8</p> <p>6.5</p> <p>13</p> <p>ASHIELD P. 15</p>	 <p>23</p> <p>26.2</p> <p>33</p> <p>BUNGEE RECESSED P. 15</p>
 <p>17.2</p> <p>15.6</p> <p>23</p> <p>POWERLINE20 P.16</p>	 <p>30</p> <p>30</p> <p>45</p> <p>POWERLINE30 P.16</p>	 <p>35</p> <p>35</p> <p>50</p> <p>POWERLINE35 P.16</p>	 <p>50</p> <p>35</p> <p>65</p> <p>POWERLINE50 P.16</p>	 <p>75</p> <p>35</p> <p>90</p> <p>POWERLINE75 P.16</p>
 <p>16</p> <p>14</p> <p>LUXZO P.17</p>	 <p>16</p> <p>27</p> <p>LUXXOWINGS P. 17</p>	 <p>14</p> <p>10</p> <p>MACRO P.17</p>	 <p>9</p> <p>7.8</p> <p>MICRO 8x9 P.17</p>	 <p>8</p> <p>12</p> <p>12.8</p> <p>MICRO WINGED P.17</p>
 <p>15</p> <p>16</p> <p>CORREA P. 18</p>	 <p>10.1</p> <p>13.1</p> <p>CORDOBA P. 18</p>	 <p>12</p> <p>8</p> <p>DEEP MICRO P. 178</p>	 <p>10.4</p> <p>9</p> <p>12</p> <p>ELYSEE P. 18</p>	 <p>11.5</p> <p>10.3</p> <p>10.2</p> <p>LUCERNE P. 18</p>
 <p>23.5</p> <p>13.4</p> <p>29.5</p> <p>WASHER P. 19</p>	 <p>15.6</p> <p>10</p> <p>STRATO P. 19</p>	 <p>8</p> <p>22.2</p> <p>MINICOVER P. 189</p>	 <p>20.2</p> <p>37.2</p> <p>27.8</p> <p>ALTO P. 19</p>	 <p>23.2</p> <p>8</p> <p>LEN14 WINGED P. 19</p>

# CATEGORY SNAPSHOT

## SU SURFACE MOUNTED

 <p>8.9</p> <p>16</p> <p>ASYMMETRICAL STANDARD P. 20</p>	 <p>21.2</p> <p>24</p> <p>ASYMMETRICAL VERSATILE P. 20</p>	 <p>5.7</p> <p>18</p> <p>BENDI P. 20</p>	 <p>45° adjustable</p> <p>Ø28</p> <p>STELLAR P. 20</p>	 <p>15</p> <p>13</p> <p>LASER P. 20</p>
 <p>28</p> <p>14.5</p> <p>IN WARDROBE P. 21</p>	 <p>45</p> <p>42</p> <p>MIRROR LIGHT P. 21</p>	 <p>16</p> <p>15</p> <p>SIENNA P. 21</p>	 <p>18.2</p> <p>36.7</p> <p>13.5</p> <p>LISBOA P. 21</p>	 <p>12</p> <p>7.06</p> <p>12</p> <p>4.68</p> <p>FIRENZE P. 21</p>
 <p>60</p> <p>46.3</p> <p>ASYMBIG P. 22</p>	 <p>20.2</p> <p>19.7</p> <p>ARC1 ROUND P. 22</p>	 <p>20</p> <p>19.7</p> <p>ARC2 SQUARE P. 22</p>	 <p>10</p> <p>21</p> <p>ANGHEL COVER P. 22</p>	 <p>36.1</p> <p>18.5</p> <p>COFFA P. 22</p>
 <p>16</p> <p>16</p> <p>SCT001 SQUARE P. 23</p>	 <p>30</p> <p>30</p> <p>STC3030 SQUARE P. 23</p>	 <p>30</p> <p>30</p> <p>STC3030 ROUND P. 23</p>	 <p>16</p> <p>16</p> <p>SCT002 ROUND P. 23</p>	
 <p>76.2</p> <p>76.2</p> <p>Diffuser</p> <p>Diffuser</p> <p>OUTWASH P. 24</p>	 <p>38.7</p> <p>39</p> <p>Diffuser</p> <p>Diffuser</p> <p>OUTWASHEX P. 24</p>	 <p>15.3</p> <p>17.2</p> <p>LEL16 P. 24</p>	 <p>8</p> <p>17.2</p> <p>LEN14 P. 24</p>	 <p>12</p> <p>23.5</p> <p>LEN22 P. 24</p>



PLASTERBOARD

<p>APOLLO P. 25</p>	<p>ARES P. 25</p>	<p>EXOCET P. 25</p>	<p>HERCULES P. 25</p>	<p>INTER P. 25</p>
---------------------	-------------------	---------------------	-----------------------	--------------------

<p>MINISKOOP P. 26</p>	<p>SKOOP P. 26</p>	<p>NIMITZ P. 26</p>	<p>OFFSET P. 26</p>	<p>PLASTERCOVE P. 26</p>
------------------------	--------------------	---------------------	---------------------	--------------------------

<p>MUSTANG P. 27</p>	<p>SPITFIRE P. 27</p>	<p>ATHENA P. 27</p>	<p>LINEOUT P. 27</p>	<p>MERCURY P.27</p>
----------------------	-----------------------	---------------------	----------------------	---------------------

<p>LINEUP P. 28</p>	<p>MICROCOVE-P P. 28</p>
---------------------	--------------------------

CV

COVE

<p>MARINER P. 29</p>	<p>PILMET P. 29</p>	<p>COVE1 P. 29</p>	<p>HALOCOVE P. 29</p>	<p>LOWCOVE P. 29</p>
<p>VESTA P. 30</p>	<p>MICROCOVE P. 30</p>	<p>SIRRIUS P. 30</p>	<p>ANGELCOVE1 P. 30</p>	<p>HERMES P. 30</p>

SK




SKIRTING

<p>ROUND SKIRT P. 31</p>	<p>FLATSKIRT P. 31</p>	<p>RECESSED SKIRT P. 31</p>	<p>SKETSKIRT P. 31</p>	<p>CORVSKIRT P. 31</p>
--------------------------	------------------------	-----------------------------	------------------------	------------------------

# CATEGORY SNAPSHOT


**WA**

## WALL



**IH**

## ILLUMINATED HANDRAIL







# PRODUCT DETAILS

**LI**

## LINEAR (SUSPENDED)

**2525**  
PRO2525



**WATTS**

14.4W pm  
19.2W pm

**COLOURS**

Satin anodised  
\*Other powder coated colours available




**DIFFUSER**

PMMA opal

**MAX IP RATING**

IP65

**3035**  
PRO3035



**WATTS**

2 x 14.4W  
2 x 19.2W pm

**COLOURS**

Satin anodised  
\*Other powder coated colours available



**DIFFUSER**

Prismatic,  
Low glare

**MAX IP RATING**

IP65

**3535**  
PRO3535



**WATTS**

2 x 14.4W  
2 x 19.2W pm

**COLOURS**

Satin anodised  
\*Other powder coated colours available




**DIFFUSER**

PMMA opal

**MAX IP RATING**

IP65

**AURORA**  
PROAUR



**WATTS**

2 x 14.4W  
2 x 19.2W pm

**COLOURS**

Satin anodised  
\*Other powder coated colours available




**DIFFUSER**

PMMA opal

**MAX IP RATING**

IP40

**BEEM**  
PROBEEM



**WATTS**

Down:  
2x19.2W pm  
Up: 9.6W pm

**COLOURS**

Satin anodised  
\*Other powder coated colours available

**DIFFUSER**

PMMA opal

**MAX IP RATING**




IP65

# PRODUCT DETAILS



## LINEAR (SUSPENDED)

### CORONA PROCOR



#### WATTS

 2 x 19.2W pm

#### COLOURS



 Satin anodised  
\*Other powder coated colours available

#### DIFFUSER PMMA opal


#### MAX IP RATING

IP65


### KESTREL K PROKESTRELK



#### WATTS

 14.4W pm  
19.2W pm

#### COLOURS



 Satin anodised  
\*Other powder coated colours available

#### DIFFUSER PC opal


#### MAX IP RATING

IP40

### KESTREL P PROKESTRELP



#### WATTS

 14.4W pm  
19.2W pm

#### COLOURS




 Satin anodised  
\*Other powder coated colours available

#### DIFFUSER PC opal


#### MAX IP RATING

IP40

### LIFTUP/DOWN PROLIFTUPDOWN



#### WATTS

 2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS




  White, Black

#### DIFFUSER PC opal


#### MAX IP RATING

IP65

### MINI UP/DOWN PENDANT PROMINIUPDOWN



#### WATTS

 2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS

 Satin anodised  
\*Other powder coated colours available

#### DIFFUSER PMMA opal

#### MAX IP RATING

IP40



\*3 metre lengths available

# PRODUCT DETAILS

**LI**

## LINEAR (SUSPENDED)

### OSPREY PROOSPREY



#### WATTS



2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS





Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### SABRE PROSABRE



#### WATTS



5 x 5W pm

#### COLOURS






Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### SHEER PROSHEER



#### WATTS



9.6W pm  
14.4W pm

#### COLOURS





Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### PLANQ PROPLANQ



#### WATTS



19.2W Down  
2 x 9.6W Up

#### COLOURS





Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### TOOB40 PROTOOB40



#### WATTS



14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**



IP65

# PRODUCT DETAILS



## LINEAR (SUSPENDED)

### TOOB60 PROTOOB60



#### WATTS



14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available



#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP65

### TOOB100 PROTOOB100



#### WATTS



2 x 19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available




#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP65

### BUNGEE (MINI TUNNEL) PROBUNGEE



#### WATTS



14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available


#### DIFFUSER

PMMA opal



#### MAX IP RATING

IP40

### TUNNEL PROTUNNEL



\*3 metre lengths available



#### WATTS



14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available




#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP40

### UPDOWN115 PROUPD0115



#### WATTS



2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS



Satin anodised  
\*Other powder coated colours available

#### DIFFUSER

PMMA opal

#### MAX IP RATING



IP40

# PRODUCT DETAILS



## LINEAR (SUSPENDED)

### EAGLE PROEAGLES



#### WATTS



2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS





Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
Frosted ice

**MAX IP RATING**

IP65

### FALCON PROFALCONS



#### WATTS



2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS






Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### PHOENIX PROPHOENIXS



#### WATTS



2 x 19.2W pm

#### COLOURS





Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### HOBBY PROHOBBY



#### WATTS



14.4W pm

#### COLOURS






Black

**DIFFUSER**  
Prismatic,  
Low Glare

**MAX IP RATING**

IP40

### PEREGRINE PROPEREGRINE



#### WATTS



21.6W Evolve

#### COLOURS



Satin anodised  
\*Other powder coated colours available

**DIFFUSER**  
Prismatic,  
High Reflective  
louvre

**MAX IP RATING**

IP40










# PRODUCT DETAILS

RE

RECESSED

## CATALAN

PROCATALAN



### WATTS



5W pm  
10W pm

### COLOURS



Dark Grey



**DIFFUSER**  
Prismatic

**MAX IP RATING**

IP40

## ALGARVE

PROALGARVE



### WATTS



2 x 5W pm  
2 x 10W pm

### COLOURS



Dark Grey




**DIFFUSER**  
Prismatic

**MAX IP RATING**

IP40

## ARCHLINE

PROARCHI



### WATTS



14.4W pm  
19.2W pm

### COLOURS



Mill Silver  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

## ASHIELD

PROTOASHIELD



### WATTS



9.6W pm  
14.4W pm

### COLOURS



Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

## BUNGEE RECESSED

PROBUNGEE RECESSED



### WATTS



14.4W pm  
19.2W pm

### COLOURS



Black

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40



# PRODUCT DETAILS

**RE**

**RECESSED**

## POWERLINE20

PROPOW20



**WATTS**



14.4W pm  
19.2W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

## POWERLINE30

PROPOW30



**WATTS**



21.6W Evolve

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



Prismatic,  
Low glare

**MAX IP RATING**

IP65

## POWERLINE35

PROPOW35



**WATTS**



2 x 14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**


PMMA opal

**MAX IP RATING**

IP65

## POWERLINE50

PROPOW50



**WATTS**



2 x 14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**


PMMA opal

**MAX IP RATING**

IP65

## POWERLINE75

PROPOW75



**WATTS**



2 x 14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**

PMMA opal

**MAX IP RATING**



IP65

# PRODUCT DETAILS

**RE**

**RECESSED**

**LUX XO**  
PROLUX XO



**WATTS**

14.4W pm  
19.2W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

**LUX XOWINGS**  
PROLUX XOWINGS



**WATTS**

14.4W pm  
19.2W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

**MACRO**  
PROMACRO



**WATTS**

9.6W pm  
14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

**MICROWINGED**  
PROWINGEDMICRO



**WATTS**

9.6W pm  
14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

**MICRO8X9**  
PROMICRO8X9



**WATTS**

9.6W pm  
14.4W pm

**COLOURS**

Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40



# PRODUCT DETAILS

**RE**

**RECESSED**

## DEEP MICRO

PRODEEPM



**WATTS**



9.6W pm  
14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

## CORDOBA

PROCORDOBA



**WATTS**



COB 5W pm  
COB 10W pm

**COLOURS**



Dark Grey



**DIFFUSER**  
Prismatic

**MAX IP RATING**

IP40

## ELYSEE

PROELYSEE



**WATTS**



COB 5W pm  
COB 10W pm

**COLOURS**



Dark Grey



**DIFFUSER**  
Prismatic

**MAX IP RATING**

IP40

## LUCERNE

PROLUCERNE



**WATTS**



5W pm

**COLOURS**



Dark Grey




**DIFFUSER**  
Louvred

**MAX IP RATING**

IP40

## CORREA

PROCORREA



**WATTS**



14.4W pm  
19.2W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40




# PRODUCT DETAILS

**RE**

**RECESSED**

## WASHER

PROMWASH



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**




PMMA opal

**MAX IP RATING**

IP40

## ALTO

PROALTO



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

## MINICOVER

PROMINICOVER



**WATTS**



9.6W pm  
14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

## LEN14 WINGED

PROLEN14W



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

## STRATO

PROSTRATO



**WATTS**



9.6W pm  
14.4W pm

**COLOURS**



Satin anodised  
\*Other powder coated colours available

**DIFFUSER**

PMMA opal

**MAX IP RATING**


IP40

# PRODUCT DETAILS

## SU SURFACE MOUNTED

### ASYMMETRICAL STANDARD

PROASYML



#### WATTS

19.2W pm  
22W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



Asymmetrical acrylic

#### MAX IP RATING

IP40

### ASYMMETRICAL VERSATILE

PROVASYML



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



Asymmetrical acrylic, Opal, Wallgrazer

#### MAX IP RATING

IP40

### BENDI

PROBENDI



#### WATTS

9.6W pm  
14.4W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### STELLAR

PROSTELLAR



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal or lens

#### MAX IP RATING

IP40

### LASER

PROLASER



#### WATTS

19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER

Asymmetric acrylic, Opal, Wallgrazer

#### MAX IP RATING

IP40





# PRODUCT DETAILS

## SU SURFACE MOUNTED

### IN WARDROBE

PROWARD



#### WATTS



9.6W pm  
14.4W pm

#### COLOURS



Satin anodised  
\*Other anodised options available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### MIRROR LIGHT

PROMIRROR



#### WATTS



2 x 14.4W pm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### SIENNA

PROSIENNA



#### WATTS



5W pm  
10W pm

#### COLOURS



Dark Grey

#### DIFFUSER



Prismatic

#### MAX IP RATING

IP40

### LISBOA

PROLISBOA



#### WATTS



5W pm  
10W pm

#### COLOURS



Dark Grey

#### DIFFUSER



Opal acrylic

#### MAX IP RATING

IP40

### FIRENZE

PROFIRENZE



#### WATTS



9.6W pm  
14.4W pm

#### COLOURS



Dark grey

#### DIFFUSER

Prismatic



#### MAX IP RATING

IP40

# PRODUCT DETAILS

## SU SURFACE MOUNTED

### ASYMBIG PROASYMBIG





**WATTS**  
19.2W pm  
22W pm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
Acrylic lens  
30° and 60°

**MAX IP RATING**  
IP40

### ARC1 ROUND PROARC1





**WATTS**  
14.4W pm  
19.2W pm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PC Opal

**MAX IP RATING**  
IP65

### ARC2 SQUARE PROARC2




**WATTS**  
14.4W pm  
19.2W pm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PC Opal

**MAX IP RATING**  
IP65

### COFFA PROCOFFA






**WATTS**  
14.4W pm  
19.2W pm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**  
IP40

### ANGHEL COVER PROANGHEL



**WATTS**  
9.6W pm  
14.4W pm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**  
IP40



# PRODUCT DETAILS

**SU**

**SURFACE MOUNTED**

## SCT001 SQUARE

PROSTC001



**WATTS**

14.4W pm

**COLOURS**

Satin anodised  
\*Other colours available

**DIFFUSER**



PC opal

**MAX IP RATING**

IP65

## SCT002 ROUND

PROSTC002



**WATTS**

14.4W pm

**COLOURS**

Satin anodised  
\*Other colours available

**DIFFUSER**



PC opal

**MAX IP RATING**

IP65

## STC3030 ROUND

PROSTC30X30RO



**WATTS**

19.2W pm

**COLOURS**

Satin anodised  
\*Other colours available

**DIFFUSER**



PC opal

**MAX IP RATING**

IP65

## STC3030 SQUARE

PROSTC30X30SQ



**WATTS**

19.2W pm

**COLOURS**

Satin anodised  
\*Other colours available

**DIFFUSER**

PC opal

**MAX IP RATING**

IP65





# PRODUCT DETAILS

## SU SURFACE MOUNTED

### OUTWASH

PROOUTWASH



#### WATTS

2 x 9.6W pm  
2 x 14.4W pm

#### COLOURS

Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### OUTWASHEX

PROOUTWASHEX



#### WATTS

2 x 14.4W pm

#### COLOURS

Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### LEL16

PROLEL16



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### LEN14

PROLEN14



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### LEN22

PROLEN22



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**



IP40

# PRODUCT DETAILS



## PLASTERBOARD

### APOLLO PROAPOLLO



#### WATTS



19.2W pm

#### COLOURS



Satin anodised  
\*Other colours available




#### DIFFUSER

Low glare,  
Prismatic,  
PMMA opal

#### MAX IP RATING

IP65

### ARES PROARES



#### WATTS



19.2W pm

#### COLOURS



Satin anodised  
\*Other colours available



#### DIFFUSER

Low glare,  
Prismatic,  
PMMA opal

#### MAX IP RATING

IP65

### EXOCET PROEXOCET



#### WATTS



9.6W pm  
14.4W pm

#### COLOURS



Satin anodised  
\*Other colours available



#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP40

### HERCULES PROHERCULES



#### WATTS



19.2W pm

#### COLOURS



Satin anodised  
\*Other colours available



#### DIFFUSER

PC opal

#### MAX IP RATING

IP65

### INTER PROINTER



#### WATTS



9.6W pm  
14.4W pm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP40





# PRODUCT DETAILS



## PLASTERBOARD

### MINISKOOP PROMINISKOOP



#### WATTS

9.6W pm  
14.4W pm

#### COLOURS




Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### SKOOP PROSKOOP



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### NIMITZ PRONIMITZ



#### WATTS

2 x 14.4W pm  
2 x 19.2W pm

#### COLOURS




Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### OFFSET PROOFFSET



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS




Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### PLASTERCOVE PROPLASTERCOVE



#### WATTS

19.2W pm  
22W pm

#### COLOURS

Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65




# PRODUCT DETAILS




## PLASTERBOARD

### SPITFIRE PROSPITFIRE



— = set plaster



#### WATTS

14.4W pm  
19.2W pm

#### COLOURS



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal


**MAX IP RATING**

IP65

### MUSTANG PROMUSTANG



— = set plaster



#### WATTS

9.6W pm  
14.4W pm

#### COLOURS

Satin anodised  
\*Other colours available


**DIFFUSER**  
PMMA opal

**MAX IP RATING**


IP40

\*3 metre lengths available

### ATHENA PROATHENA



— = set plaster



#### WATTS

19.2W pm

#### COLOURS


Satin anodised  
\*Other colours available

**DIFFUSER**  
Low Glare,  
Prismatic,  
PMMA opal


**MAX IP RATING**

IP65

### LINEOUT PROLINEOUT



— = set plaster



#### WATTS

9.6W pm  
14.4W pm

#### COLOURS


Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal


**MAX IP RATING**

IP40

### MERCURY PROMERCURY



— = set plaster



#### WATTS

14.4W pm

#### COLOURS

Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**



IP65

# PRODUCT DETAILS

**PB**

## PLASTERBOARD

### LINEUP PROLINEUP



#### WATTS



14.4W pm  
19.2Wpm  
22W pm

#### COLOURS






Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### MICROCOVE-P PROMICROCOVE-P



#### WATTS



19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65



# PRODUCT DETAILS



## CV COVE

### COVE1

PROCOVE1



\*3 metre lengths available



#### WATTS

19.2Wpm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### HALOCOVE

PROHALOCOVE



#### WATTS

2 x 19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### LOWCOVE

PROLOWCOVE



#### WATTS

2 x 19.2W pm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### MARINER

PROMARINER



#### WATTS

19.2Wpm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### PILMET

PROPILMET



#### WATTS

19.2Wpm

#### COLOURS

Satin anodised  
\*Other colours available

#### DIFFUSER

PMMA opal




#### MAX IP RATING

IP65

# PRODUCT DETAILS

## CV COVE

### ANGLECOVE1 PROANGLECOVE1



**WATTS**  
19.2Wpm




**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### VESTA PROVESTA



**WATTS**  
19.2W pm



**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

### MICROCOVE PROMICROCOVE



**WATTS**  
19.2Wpm

**COLOURS**  
Satin anodised  
\*Other colours available



**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65

\*3 metre lengths available

### SIRRIUS PROSIRRIUS



**WATTS**  
19.2Wpm




**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP40

### HERMES PROHERMES



**WATTS**  
19.2Wpm

**COLOURS**  
Satin anodised  
\*Other colours available

**DIFFUSER**  
PMMA opal

**MAX IP RATING**

IP65



# PRODUCT DETAILS

SK

## SKIRTING

### RECESSED SKIRT

PRORECSKIRT



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

### ROUND SKIRT

PROROUND SKIRT



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

### FLATSKIRT

PROFLATSKIRT



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

### SKETSKIRT

PROSKETSKIRT



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**



PMMA opal

**MAX IP RATING**

IP40

### CORVSKIRT

PROOUTWASH



**WATTS**



14.4W pm

**COLOURS**



Satin anodised  
\*Other colours available

**DIFFUSER**

PMMA opal

**MAX IP RATING**

IP40

= set plaster




# PRODUCT DETAILS



## WALL

### ASYMWASH

PROASYMWASH



#### WATTS



19.2Wpm  
22Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



Asymmetrical acrylic

#### MAX IP RATING

IP40

### UPWASH

PROUPWASH



#### WATTS



21W Evolvo

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP65

### CANVAS

PROLCANVAS



#### WATTS



9.6W pm  
14.4Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



Asymmetrical acrylic

#### MAX IP RATING

IP40

### BERLINA

PROBERLINA



\*3 metre lengths available

#### WATTS



21W Evolvo

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### COFFEX

PROCOFFEX



#### WATTS



14.4W pm  
19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER

PMMA opal

#### MAX IP RATING

IP65






# PRODUCT DETAILS



## WALL

### HADRIAN

PROHADRIAN



#### WATTS



Up: 21W Evolve  
Down: 14.4W

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### MINIUPDOWN

PROMINIUPDOWN



#### WATTS



2 x 19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### RAIL

PRORAIL



#### WATTS



19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### RALEWASH

PRORALEWASH



#### WATTS



19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER



PMMA opal

#### MAX IP RATING

IP40

### RPLD

PRORPLDWN



#### WATTS



2 x 14.4Wpm  
2 x 19.2Wpm

#### COLOURS



Satin anodised  
\*Other colours available

#### DIFFUSER

PMMA opal

#### MAX IP RATING



IP65

# PRODUCT DETAILS



## ILLUMINATED HANDRAIL

### ALLYRAIL PROALLYRAIL



#### WATTS



2 x 9.6Wpm  
2 x 14.4W pm

#### COLOURS



Black  
\*Other colours available

#### DIFFUSER

PMMA opal


#### MAX IP RATING

IP40









# TEC=LED

**TecLED Pty Ltd - Sydney Head Office**

Unit 4, 61 - 71 Beauchamp Road, Matraville NSW 2036

Telephone: (02) 9317 4177

Email: [sales@teccled.com.au](mailto:sales@teccled.com.au)

**TecLED Pty Ltd - Melbourne**

Telephone: 0478 036 481

Email: [vicsales@teccled.com.au](mailto:vicsales@teccled.com.au)

**TecLED Pty Ltd - Gold Coast**

Showroom by appointment only

Telephone: 0425 298 712