



We set the standard



A valmont  COMPANY

2	PERFORATED
11	DRAGONSCALE
13	WIRE
19	EXPANDED
23	TRANSIT
27	ATMOSPHERE
31	PIC PERF
39	PROFILES
62	FIXING SYSTEMS



PERFORATED






PERFORATED



LOCKER

A valmont COMPANY



PERFORATED






PERFORATED



PERFORATED






PERFORATED & PIC PERF



A valmont COMPANY




PERFORATED



TCA COMMUTER CAR PARK

BATES SMART

ANODISED ALUMINIUM PERFORATED




PERFORATED


LOCKER

A valmont COMPANY



PERFORATED







DRAGONSCALE




A valmont COMPANY




DRAGONS SCALE






WIRE



WIRE





WIRE


LOCKER

A valmont COMPANY




WIRE






WIRE



WIRE






EXPANDED


LOCKER

A valmont COMPANY



EXPANDED






EXPANDED




A valmont COMPANY



EXPANDED





TRANSIT

LOCKER

A valmont COMPANY


VICTORIA SQUARE, SA

TAYLOR CULLITY LETHLEAN


TRANSIT F281



TRANSIT



LOCKER
A valmont COMPANY




TRANSIT

LOCKER

A valmont COMPANY




TRANSIT



ROCKHAMPTON HOSPITAL, QLD

BUILDER: HANSEN YUNCKEN

ATMOSPHERE FX




ATMOSPHERE

LOCKER

A valmont COMPANY



ATMOSPHERE







ATMOSPHERE


LOCKER

A valmont COMPANY



ATMOSPHERE







PIC PERF



PIC PERF






PIC PERF


LOCKER

A valmont COMPANY



PIC PERF






PIC PERF


LOCKER

A valmont COMPANY



PIC PERF






PIC PERF



PIC PERF




ANTIQUITA II



MATERIAL	BRASS
WIDTH	2400
WEIGHT	2.99 (KG/M ²)
OPEN AREA	55%
STOCK STATUS	EX STOCK AND CUSTOM MADE

BOSTON 705



MATERIAL	T316 (S/S), T304 (S/S), GALVANISED, ALUMINIUM
WIDTH	2400
WEIGHT	6.2 (KG/M ²)
OPEN AREA	72%
STOCK STATUS	EX STOCK AND CUSTOM MADE

LOCKER

A valmont COMPANY

* Images are not to scale

BOSTON 311



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED, ALUMINIUM
WIDTH	2400
WEIGHT	8.15 (KG/M ²)
OPEN AREA	63%
STOCK STATUS	EX STOCK AND CUSTOM MADE


CIVIC 520



MATERIAL	T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	6.0 (KG/M ²)
OPEN AREA	72%
STOCK STATUS	CUSTOM MADE


* Images are not to scale

IKON 111



MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	3.5 (KG/M ²)
OPEN AREA	58%
STOCK STATUS	CUSTOM MADE

IKON 141




MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	4.85 (KG/M ²)
OPEN AREA	45%
STOCK STATUS	CUSTOM MADE

IKON 205



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	6.1 (KG/M ²)
OPEN AREA	69%
STOCK STATUS	CUSTOM MADE

IKON 511



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	1500
WEIGHT	7.4 (KG/M ²)
OPEN AREA	69%
STOCK STATUS	EX STOCK AND CUSTOM MADE


* Images are not to scale

PLANAR 441



MATERIAL	T316 (S/S), ALUMINIUM
WIDTH	2400
WEIGHT	6.45 (KG/M ²)
OPEN AREA	53%
STOCK STATUS	EX STOCK AND CUSTOM MADE

QUAD 306




MATERIAL	T316 (S/S), BRASS
WIDTH	2400
WEIGHT	7.1 (KG/M ²)
OPEN AREA	38%
STOCK STATUS	CUSTOM MADE

LOCKER


A valmont COMPANY

WEAVE 1020



MATERIAL	T304 (S/S)
WIDTH	1525
WEIGHT	4.11 (KG/M ²)
OPEN AREA	41%
STOCK STATUS	Ex Stock



TRANSIT 091



MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	2.64 (KG/M ²)
OPEN AREA	76%
STOCK STATUS	CUSTOM MADE


* Images are not to scale

TRANSIT 210




MATERIAL	T316 (S/S), MILD STEEL PAINTED, BRASS
WIDTH	5000
WEIGHT	4.56 (KG/M ²)
OPEN AREA	56%
STOCK STATUS	CUSTOM MADE

TRANSIT 223RR




MATERIAL	T316 (S/S)
WIDTH	4000
WEIGHT	10.8 (KG/M ²)
STOCK STATUS	CUSTOM MADE

TRANSIT F281



MATERIAL	T316(S/S), MILD STEEL PAINTED
WIDTH	3000
WEIGHT	8.6 (Kg/M ²)
OPEN AREA	30%
STOCK STATUS	CUSTOM MADE


TRANSIT F360



MATERIAL	T316 (S/S)
WIDTH	5000
WEIGHT	10.8 (Kg/M ²)
OPEN AREA	61%
STOCK STATUS	CUSTOM MADE


* Images are not to scale

MOROCCO




MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	51%
THICKNESS	3MM
STOCK STATUS	CUSTOM MADE

CHAMPAGNE




MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	22%
THICKNESS	1.6MM, 2.0MM, 3.0MM, 4.0MM & 5.0MM
STOCK STATUS	EX STOCK - 3.0MM AND CUSTOM MADE

ODYSSEY



MATERIAL	ALUMINIUM
MAX WIDTH	1400
OPEN AREA	50%
THICKNESS	1.0MM, 1.2MM & 1.6MM
STOCK STATUS	CUSTOM MADE


DOMINO 358



MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	25%
THICKNESS	3MM
STOCK STATUS	EX STOCK


* Images are not to scale

AZTEC



MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	28%
THICKNESS	3.0MM
STOCK STATUS	EX STOCK

SHEER 2800




MATERIAL	STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	73%
THICKNESS	3.0MM (A)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M2) (A)
STOCK STATUS	CUSTOM MADE




A valmont COMPANY

TITAN 120




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1500
OPEN AREA	49%
THICKNESS	1.6-10.0MM (A) 0.9 -6.0MM (S/S)
STOCK STATUS	CUSTOM MADE

NICHE 250




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1500
OPEN AREA	40%
THICKNESS	1.2-5.0MM (A) 1.2-2.5MM (S/S)
STOCK STATUS	EX STOCK AND CUSTOM MADE

ECLIPSE 600



MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1500
OPEN AREA	40%
THICKNESS	1.2 - 6.0MM (A) 0.9 - 4.0MM (S/S)
STOCK STATUS	EX STOCK AND CUSTOM MADE

APOLLO 300




MATERIAL	ALUMINIUM T304 (S/S), T316 (S/S)
MAX WIDTH	1500
OPEN AREA	30%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE




A valmont COMPANY

CLARITY 800



MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1500
OPEN AREA	62%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE


FORTE 800



MATERIAL	T316 (S/S), STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	53%
THICKNESS	1.0-2.0MM (S), 0.9 -1.5 (S/S), 1.0-3.0MM (A)
STOCK STATUS	CUSTOM MADE


* Images are not to scale

AERO



MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	56%
THICKNESS	3.0, 4.0, 5.0MM
STOCK STATUS	EX STOCK AND CUSTOM MADE

RIBBON



MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	51%
THICKNESS	3-5MM
STOCK STATUS	EX STOCK AND CUSTOM MADE



A valmont COMPANY


* Images are not to scale

DRAGONSCALE



MATERIAL	ALUMINIUM, WEATHERING STEEL
MAX WIDTH	1200
OPEN AREA	63%
THICKNESS	30MM (A) 1.6MM (C)
STOCK STATUS	CUSTOM MADE


PIC PERF DIRECTIONS



MATERIAL	ALUMINIUM
MAX WIDTH	1400
OPEN AREA	51%
THICKNESS	3.0MM
WEIGHT	8.13 KG/M ²
STOCK STATUS	CUSTOM MADE


* Images are not to scale

SAFE T PERF 6 STILLETTO



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
MAX WIDTH	1500
OPEN AREA	4%
THICKNESS	1.6-3.0MM (A), 1.2-2.5MM (S) 1.20-2.0MM (S/S)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M2) (A)
STOCK STATUS	CUSTOM MADE

SAFE T PERF 14 UNIVERSAL




MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
MAX WIDTH	1500
OPEN AREA	13%
THICKNESS	2.5MM (S), 3.0-4.0 MM (A), 1.20-2.0MM (S/S)
STOCK STATUS	EX - STOCK, SELECTED PROFILES AND CUSTOM MADE



A valmont COMPANY


* Images are not to scale

SAFE T PERF 19 STOCK CRATE



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
MAX WIDTH	1500
OPEN AREA	23%
THICKNESS	2.5-4.0MM (A), 1.2-2.0MM (S/S)
STOCK STATUS	EX STOCK SELECTED PROFILES AND CUSTOM MADE 3.0-4.0 MM ALUMINIUM

JE PROFILE



MATERIAL	STEEL, ALUMINIUM
OPEN AREA	27-45%
WEIGHT	13-17 (KG/M ²) (S)
NOMINAL SIZE OF MESH	LWM 19 SWM 11
THICKNESS	3.0MM
STOCK STATUS	EX STOCK AND CUSTOM MADE


* Images are not to scale

09-16



MATERIAL	STEEL, ALUMINIUM, STAINLESS STEEL
WEIGHT	6.2 (KG/M ²) (S) 2.2 (KG/M ²) (A)
NOMINAL SIZE OF	MESH LWM 28 SWM 9
THICKNESS	1.6MM
OPEN AREA	48-56%
STOCK STATUS	EX STOCK AND CUSTOM MADE

L7616 LOUVRE




MATERIAL	GALVANISED, ALUMINIUM
WEIGHT	4.02 (KG/M ²) (A) 11.2 (KG/M ²) (GB)
NOMINAL SIZE OF	MESH LWM 76 SWM 16
THICKNESS	1.6MM
OPEN AREA	21-66%
STOCK STATUS	EX STOCK AND CUSTOM MADE

LOCKER

A valmont COMPANY


* Images are not to scale

19-30



MATERIAL	ALUMINIUM, STEEL, T304 (S/S), T316 (S/S)
WEIGHT	7.9 (KG/M ²) (S) 2.9 (KG/M ²) (A)
NOMINAL SIZE OF MESH	LWM 50 SWM 19
THICKNESS	3.0MM
OPEN AREA	67-74%
STOCK STATUS	EX STOCK AND CUSTOM MADE

1225



MATERIAL	STEEL, ALUMINIUM
WEIGHT	14 (KG/M ²) (S) 5.7 (KG/M ²) (A)
NOMINAL SIZE OF MESH	LWM 30 SWM 12
THICKNESS	2.5MM
OPEN AREA	26%
STOCK STATUS	EX STOCK AND CUSTOM MADE

* Images are not to scale

SUN919A



MATERIAL	ALUMINIUM, WEATHERING STEEL
WEIGHT	6.33 (KG/M ²) (A) 17.9 (KG/M ²) (WS)
NOMINAL SIZE OF MESH	LWM 135 SWM45
OPEN AREA	25%
THICKNESS	3.0MM
STOCK STATUS	EX STOCK AND CUSTOM MADE

SUN20



MATERIAL	ALUMINIUM, GALVABOND, STEEL, WEATHERING STEEL
WEIGHT	3.6 (KG/M ²) (A) 10.5 (KG/M ²) (S)
NOMINAL SIZE OF MESH	LWM 120 SWM 34
OPEN AREA	35%
THICKNESS	1.6MM, 2.0MM, 3.0MM
STOCK STATUS	CUSTOM MADE


LOCKER

A valmont COMPANY

* Images are not to scale

To align panels together extra allowance on sheet sizes is required.

SUN636A



MATERIAL	ALUMINIUM, GALVABOND, STEEL
WEIGHT	3.6 (KG/M ²)(A) 9.7 (KG/M ²)(S)
NOMINAL SIZE OF MESH	LWM 75 SWM 30
OPEN AREA	23%
THICKNESS	1.6MM
STOCK STATUS	EX STOCK AND CUSTOM MADE

LM252625A



MATERIAL	ALUMINIUM
WEIGHT	5.0 (KG/M ²)
NOMINAL SIZE OF MESH	LWM 30 SWM 15
OPEN AREA	26%
THICKNESS	2.5MM
STOCK STATUS	CUSTOM MADE

* Images are not to scale
To align panels together extra allowance on sheet sizes is required.



SENTINEL LOUVRE



SENTINEL GRATING



T BAR SECTION




DAYLIGHT SAVING SCREEN




LOCKER

A valmont COMPANY




L3.0A CAP FIXING SYSTEM




L2.0A FLAT BAR FIXING SYSTEM



L5.1A PETITE APERTURE TENSION FIXING SYSTEM




TRANSIT CURTAIN SCREWS




L1.0A ANGLE FIXING SYSTEM




L4.0A SPIDER FIXING SYSTEM



5.2 LARGE APERTURE FIXING SYSTEM



EC1 CLAMP



ISOLATOR

FIXING SYSTEMS



A **valmont**  COMPANY

Email: info@locker.com.au

Website: www.locker.com.au

TOLL FREE 1800 635 947

Email: sales@lockernz.co.nz

Website: www.lockernz.co.nz

TOLL FREE 0800 285 837

MELBOURNE • SYDNEY • BRISBANE • TOWNSVILLE • DARWIN • ADELAIDE • PERTH • AUCKLAND • WELLINGTON
• CHRISTCHURCH • PALMERSTON NORTH • MUMBAI